

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回

自由選択飛回数 6回

難易率合計 以内

気温 30.7℃

水温 31.2℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 安永 三郎

2 茶木 康寛

3 高橋 亜紀

4 佐藤 賢一

5 水尾 亨

1 鈴木 義孝

2 国分 昌三

3 畑岡 寿

4 篠原 邦彦

5 春日 喜美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
25	1	坂井 丞									麻布大										
		205B	3.0	3.0	3.0	9.5	8.5	8.0	8.5	9.0	0.0	0.0			78.00	1	78.00	1			449.75
		107B	3.0	3.1	4.5	7.5	7.0	5.5	5.5	5.5	0.0	0.0			55.80	=3	133.80	1			
		405B	3.0	3.0	8.0	8.5	8.0	8.0	7.5	0.0	0.0				72.00	1	205.80	1			
		305B	3.0	3.0	9.5	8.5	9.0	9.5	9.0	0.0	0.0				82.50	1	288.30	1			
		5353B	3.0	3.3	8.0	8.5	8.0	8.0	8.0	0.0	0.0				79.20	1	367.50	1			
		307C	3.0	3.5	8.5	7.5	7.0	8.0	8.0	0.0	0.0				82.25	1	449.75	1			
20	2	池田 匠見									高松工芸										
		107B	3.0	3.1	4.5	6.5	6.0	6.0	6.0	0.0	0.0				55.80	4	55.80	4	22.20		342.30
		5152B	3.0	3.0	6.5	7.0	6.5	6.5	6.0	0.0	0.0				58.50	2	114.30	2	19.50		
		205B	3.0	3.0	7.0	7.0	7.0	6.5	6.5	0.0	0.0				61.50	2	175.80	2	30.00		
		305B	3.0	3.0	7.5	7.0	8.5	7.5	6.5	0.0	0.0				66.00	2	241.80	2	46.50		
		405B	3.0	3.0	5.5	5.0	5.5	4.0	5.0	0.0	0.0				46.50	=7	288.30	2	79.20		
		5136D	3.0	3.0	6.0	6.0	6.0	5.5	6.0	0.0	0.0				54.00	7	342.30	2	107.45		
3	3	新良貴 優									福山韋陽										
		107B	3.0	3.1	6.5	6.5	6.0	6.0	6.0	0.0	0.0				57.35	3	57.35	3	20.65		317.45
		205B	3.0	3.0	6.5	5.5	6.0	6.0	6.0	0.0	0.0				54.00	5	111.35	4	22.45		
		305B	3.0	3.0	6.5	6.5	6.0	7.5	6.5	0.0	0.0				58.50	3	169.85	3	35.95		
		405B	3.0	3.0	5.5	5.0	4.5	4.5	4.5	0.0	0.0				42.00	15	211.85	3	76.45		
		5152B	3.0	3.0	5.5	5.5	6.0	5.5	5.5	0.0	0.0				49.50	=3	261.35	3	106.15		
		5337D	3.0	3.4	6.0	5.5	5.5	5.5	5.0	0.0	0.0				56.10	5	317.45	3	132.30		
9	4	関口 大輝									幕張総合										
		405B	3.0	3.0	7.5	7.5	7.5	7.0	7.5	0.0	0.0				67.50	2	67.50	2	10.50		313.85
		5152B	3.0	3.0	4.5	5.0	5.5	6.0	5.0	0.0	0.0				46.50	11	114.00	3	19.80		
		107B	3.0	3.1	6.0	7.0	6.0	5.5	5.5	0.0	0.0				54.25	=4	168.25	4	37.55		
		5335D	3.0	2.9	5.0	4.5	4.5	4.5	5.0	0.0	0.0				40.60	16	208.85	4	79.45		
		305B	3.0	3.0	6.0	5.5	6.0	5.0	5.0	0.0	0.0				49.50	=3	258.35	4	109.15		
		205B	3.0	3.0	6.5	6.0	6.5	5.5	6.0	0.0	0.0				55.50	6	313.85	4	135.90		
16	5	岩崎 紘樹									愛工大名電										
		105B	3.0	2.4	6.5	6.0	6.5	6.5	6.0	0.0	0.0				45.60	=9	45.60	=9	32.40		312.85
		5152B	3.0	3.0	6.0	5.5	6.0	5.0	6.0	0.0	0.0				52.50	6	98.10	9	35.70		
		107B	3.0	3.1	6.0	5.5	6.0	6.0	5.5	0.0	0.0				54.25	=4	152.35	5	53.45		
		205B	3.0	3.0	6.0	6.0	5.5	5.5	6.0	0.0	0.0				52.50	=5	204.85	5	83.45		
		305B	3.0	3.0	5.0	5.0	4.5	5.0	6.0	0.0	0.0				45.00	9	249.85	5	117.65		
		405B	3.0	3.0	7.0	6.0	7.0	7.0	7.0	0.0	0.0				63.00	2	312.85	5	136.90		

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回

自由選択飛回数 6回

難易率合計 以内

気温 30.7℃

水温 31.2℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 安永 三郎

2 茶木 康寛

3 高橋 亜紀

4 佐藤 賢一

5 水尾 亨

1 鈴木 義孝

2 国分 昌三

3 畑岡 寿

4 篠原 邦彦

5 春日 喜美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
24	6	青木 友輔									霞ヶ浦										
		105B	3.0	2.4	6.5	7.0	7.0	6.5	7.0	7.0	0.0	0.0			49.20	6	49.20	6	28.80	305.40	
		205C	3.0	2.8	6.0	5.5	6.0	6.5	5.5	5.5	0.0	0.0			49.00	9	98.20	8	35.60		
		305C	3.0	2.8	5.0	5.5	5.5	6.0	5.0	5.0	0.0	0.0			44.80	=8	143.00	8	62.80		
		405C	3.0	2.7	7.0	6.5	7.0	6.5	6.5	6.5	0.0	0.0			54.00	4	197.00	7	91.30		
		5152B	3.0	3.0	6.0	5.5	5.5	5.5	6.0	6.0	0.0	0.0			51.00	2	248.00	6	119.50		
		107C	3.0	2.8	7.5	7.0	6.0	7.0	6.5	6.5	0.0	0.0			57.40	4	305.40	6	144.35		
8	7	池田 昂希									高松西										
		105B	3.0	2.4	6.0	6.5	6.0	5.5	7.0	7.0	0.0	0.0			44.40	=11	44.40	=11	33.60	289.80	
		107B	3.0	3.1	5.5	6.5	6.0	7.0	5.5	5.5	0.0	0.0			55.80	=3	100.20	6	33.60		
		205B	3.0	3.0	5.0	5.0	5.5	5.0	5.5	5.5	0.0	0.0			46.50	7	146.70	6	59.10		
		305B	3.0	3.0	5.0	6.0	5.5	6.0	4.5	4.5	0.0	0.0			49.50	8	196.20	8	92.10		
		405C	3.0	2.7	4.5	4.5	4.0	4.0	4.5	4.5	0.0	0.0			35.10	16	231.30	9	136.20		
		5152B	3.0	3.0	7.0	6.5	6.5	6.0	6.5	6.5	0.0	0.0			58.50	3	289.80	7	159.95		
13	8	小野 鐘大									興誠										
		105B	3.0	2.4	6.5	7.0	6.5	6.0	7.0	7.0	0.0	0.0			48.00	7	48.00	7	30.00	283.05	
		405C	3.0	2.7	5.0	6.5	6.0	6.5	6.0	6.0	0.0	0.0			49.95	8	97.95	10	35.85		
		205B	3.0	3.0	4.0	4.5	4.0	5.0	4.5	4.5	0.0	0.0			39.00	14	136.95	9	68.85		
		305C	3.0	2.8	6.0	5.5	6.0	6.0	5.5	5.5	0.0	0.0			49.00	9	185.95	9	102.35		
		107C	3.0	2.8	6.5	6.0	5.5	5.5	5.5	5.5	0.0	0.0			47.60	6	233.55	8	133.95		
		5152B	3.0	3.0	5.5	5.5	5.5	5.0	5.5	5.5	0.0	0.0			49.50	8	283.05	8	166.70		
2	9	大塚 大夢									芥田学園										
		105B	3.0	2.4	7.5	7.0	7.0	6.5	7.0	7.0	0.0	0.0			50.40	5	50.40	5	27.60	265.50	
		405C	3.0	2.7	6.0	6.5	6.5	6.0	7.5	7.5	0.0	0.0			51.30	7	101.70	5	32.10		
		205B	3.0	3.0	4.0	5.0	5.0	5.0	4.5	4.5	0.0	0.0			43.50	10	145.20	7	60.60		
		5152B	3.0	3.0	7.0	6.5	6.5	6.5	6.5	6.5	0.0	0.0			58.50	3	203.70	6	84.60		
		107C	3.0	2.8	5.0	4.0	4.5	3.5	5.5	5.5	0.0	0.0			37.80	15	241.50	7	126.00		
		305B	3.0	3.0	5.0	5.0	4.0	4.5	4.5	4.5	0.0	0.0	2.0		24.00	22	265.50	9	184.25		
10	10	前谷 健佑									米子南										
		105B	3.0	2.4	5.5	6.0	6.0	5.5	6.0	6.0	0.0	0.0			42.00	=15	42.00	=15	36.00	254.10	
		205C	3.0	2.8	4.5	5.0	5.5	5.0	5.0	5.0	0.0	0.0			42.00	=13	84.00	15	49.80		
		305C	3.0	2.8	5.5	5.0	5.0	5.0	5.5	5.5	0.0	0.0			43.40	11	127.40	10	78.40		
		405C	3.0	2.7	6.5	6.0	5.5	5.5	5.5	5.5	0.0	0.0			45.90	=10	173.30	10	115.00		
		5233D	3.0	2.4	6.0	5.5	5.5	5.5	6.0	6.0	0.0	0.0			40.80	12	214.10	10	153.40		
		5333D	3.0	2.5	5.0	5.5	5.5	5.5	5.0	5.0	0.0	0.0			40.00	=12	254.10	10	195.65		

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回

自由選択飛回数 6回

難易率合計 以内

気温 30.7℃

水温 31.2℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 安永 三郎

2 茶木 康寛

3 高橋 亜紀

4 佐藤 賢一

5 水尾 亨

1 鈴木 義孝

2 国分 昌三

3 畑岡 寿

4 篠原 邦彦

5 春日 喜美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
17	11	千歩 純一									小松市立										
		105B	3.0	2.4	6.0	6.5	6.0	5.5	6.0	6.0	0.0	0.0			43.20	14	43.20	14	34.80	251.00	
		205B	3.0	3.0	4.0	4.5	4.5	5.0	5.0	5.0	0.0	0.0			42.00	=13	85.20	13	48.60		
		305C	3.0	2.8	3.5	4.0	3.5	5.0	4.5	0.0	0.0				33.60	16	118.80	14	87.00		
		405B	3.0	3.0	6.0	6.5	5.5	6.0	5.5	0.0	0.0				52.50	=5	171.30	11	117.00		
		5235D	3.0	2.8	5.0	5.0	4.5	4.5	4.5	0.0	0.0				39.20	14	210.50	12	157.00		
		5152B	3.0	3.0	5.0	5.0	4.5	4.0	4.0	0.0	0.0				40.50	11	251.00	11	198.75		
21	12	福田 達也									富士東										
		105B	3.0	2.4	5.5	5.5	5.5	6.0	6.0	6.0	0.0	0.0			40.80	17	40.80	17	37.20	250.35	
		205C	3.0	2.8	5.0	5.5	5.5	6.0	5.5	5.5	0.0	0.0			46.20	12	87.00	12	46.80		
		305C	3.0	2.8	4.0	5.0	4.5	5.0	4.5	0.0	0.0				39.20	13	126.20	11	79.60		
		405C	3.0	2.7	6.0	5.5	5.5	5.5	5.5	0.0	0.0				44.55	14	170.75	12	117.55		
		5233D	3.0	2.4	6.0	5.0	5.5	5.5	5.5	0.0	0.0				39.60	13	210.35	13	157.15		
		5333D	3.0	2.5	6.0	5.5	5.0	5.5	4.5	0.0	0.0				40.00	=12	250.35	12	199.40		
5	13	大塚 智晃									長岡大手										
		105B	3.0	2.4	5.0	5.5	4.5	5.5	5.5	0.0	0.0				38.40	19	38.40	19	39.60	238.20	
		205B	3.0	3.0	6.5	6.5	7.0	7.0	6.5	0.0	0.0				60.00	1	98.40	7	35.40		
		305C	3.0	2.8	3.5	2.5	2.5	3.5	2.5	0.0	0.0				23.80	22	122.20	13	83.60		
		405B	3.0	3.0	6.0	6.0	4.5	4.5	4.5	0.0	0.0				45.00	13	167.20	13	121.10		
		5233D	3.0	2.4	6.5	5.5	6.5	6.0	6.0	0.0	0.0				44.40	10	211.60	11	155.90		
		107C	3.0	2.8	4.5	3.0	3.0	3.5	2.0	0.0	0.0				26.60	=18	238.20	13	211.55		
22	14	佐々木 健介									塩釜										
		105B	3.0	2.4	7.0	6.0	6.0	6.5	6.0	6.0	0.0	0.0			44.40	=11	44.40	=11	33.60	233.20	
		205C	3.0	2.8	5.0	6.0	5.5	6.0	5.5	0.0	0.0				47.60	10	92.00	11	41.80		
		305C	3.0	2.8	3.5	4.0	4.0	4.5	3.5	0.0	0.0				32.20	18	124.20	12	81.60		
		405C	3.0	2.7	4.5	4.5	5.0	4.0	5.0	0.0	0.0				37.80	=18	162.00	15	126.30		
		5233D	3.0	2.4	5.0	5.5	4.5	5.0	4.0	0.0	0.0				34.80	17	196.80	14	170.70		
		5235D	3.0	2.8	4.5	4.5	4.0	4.0	4.5	0.0	0.0				36.40	14	233.20	14	216.55		
14	15	杉原 響									松江商業										
		205C	3.0	2.8	5.5	5.5	5.5	5.5	5.5	0.0	0.0				46.20	8	46.20	8	31.80	221.95	
		305C	3.0	2.8	2.0	3.0	2.5	3.0	3.0	0.0	0.0				23.80	=20	70.00	17	63.80		
		405C	3.0	2.7	6.0	6.0	6.0	6.0	5.0	0.0	0.0				48.60	6	118.60	15	87.20		
		5235D	3.0	2.8	4.5	4.0	4.0	3.5	4.5	0.0	0.0				35.00	20	153.60	16	134.70		
		5335D	3.0	2.9	4.0	4.0	3.0	4.0	3.5	0.0	0.0				33.35	18	186.95	17	180.55		
		107C	3.0	2.8	4.5	4.0	4.0	3.5	4.5	0.0	0.0				35.00	16	221.95	15	227.80		

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回

自由選択飛回数 6回

難易率合計 以内

気温 30.7℃

水温 31.2℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 安永 三郎

2 茶木 康寛

3 高橋 亜紀

4 佐藤 賢一

5 水尾 亨

1 鈴木 義孝

2 国分 昌三

3 畑岡 寿

4 篠原 邦彦

5 春日 喜美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
4	16	ミシエノ ヒョートル						ミシエノ ヒョートル			常総学院								
		105B	3.0	2.4	2.4	6.5	5.5	6.0	6.5	6.5	0.0	0.0	45.60	=9	45.60	=9	32.40	219.20	
		205C	3.0	2.8	2.5	3.0	3.0	4.5	2.5	0.0	0.0	23.80	=20	69.40	18	64.40			
		305C	3.0	2.8	4.0	3.5	3.5	3.5	4.0	0.0	0.0	30.80	19	100.20	19	105.60			
		405C	3.0	2.7	6.0	6.0	5.5	5.5	5.5	0.0	0.0	45.90	=10	146.10	19	142.20			
		5152B	3.0	3.0	6.0	6.0	5.0	4.5	4.5	0.0	0.0	46.50	=7	192.60	15	174.90			
		107C	3.0	2.8	3.0	3.0	4.5	3.0	3.5	0.0	0.0	26.60	=18	219.20	16	230.55			
1	17	田中 暉久						タカ アキサ			幕張総合								
		105B	3.0	2.4	6.0	6.5	6.5	6.0	6.0	0.0	0.0	44.40	=11	44.40	=11	33.60	219.00		
		5134D	3.0	2.5	6.0	6.5	5.0	5.0	4.5	0.0	0.0	40.00	16	84.40	14	49.40			
		305B	3.0	3.0	3.0	2.0	3.0	2.5	3.0	0.0	0.0	25.50	21	109.90	17	95.90			
		205B	3.0	3.0	4.5	5.0	4.5	4.5	4.5	0.0	0.0	40.50	17	150.40	17	137.90			
		405B	3.0	3.0	5.0	4.5	5.0	4.0	4.5	0.0	0.0	42.00	11	192.40	16	175.10			
		107C	3.0	2.8	4.5	3.0	3.0	3.0	3.5	0.0	0.0	26.60	=18	219.00	17	230.75			
7	18	後藤 福寿						ゴトウ フクジュ			前橋育英								
		105B	3.0	2.4	5.5	6.0	6.0	6.0	5.5	0.0	0.0	42.00	=15	42.00	=15	36.00	218.85		
		107C	3.0	2.8	2.0	1.5	2.5	1.5	1.5	0.0	0.0	14.00	23	56.00	22	77.80			
		5152B	3.0	3.0	3.0	4.0	4.0	4.0	3.0	0.0	0.0	33.00	17	89.00	21	116.80			
		305C	3.0	2.8	4.0	4.5	3.5	4.0	4.0	0.0	0.0	33.60	21	122.60	21	165.70			
		205C	3.0	2.8	7.0	6.5	5.5	5.5	5.5	0.0	0.0	49.00	5	171.60	18	195.90			
		405C	3.0	2.7	6.0	5.5	6.0	6.0	5.5	0.0	0.0	47.25	9	218.85	18	230.90			
6	19	南原 佑哉						ナンハラ ユウヤ			高松工芸								
		107C	3.0	2.8	4.0	4.5	3.0	4.0	4.0	0.0	0.0	33.60	=21	33.60	=21	44.40	207.15		
		205B	3.0	3.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0	18.00	22	51.60	23	82.20			
		305C	3.0	2.8	5.0	5.5	6.5	5.5	4.5	0.0	0.0	44.80	=8	96.40	20	109.40			
		405C	3.0	2.7	6.5	6.0	7.0	6.0	5.5	0.0	0.0	49.95	7	146.35	18	141.95			
		5251C	3.0	2.5	3.0	3.0	2.0	3.0	2.0	0.0	0.0	20.00	21	166.35	20	201.15			
		105B	3.0	2.4	6.0	5.5	6.0	5.5	5.5	0.0	0.0	40.80	10	207.15	19	242.60			
11	20	吉村 充史						ヨシムラ アツシ			福山韋陽								
		107C	3.0	2.8	4.0	4.5	4.0	4.0	3.0	0.0	0.0	33.60	=21	33.60	=21	44.40	199.50		
		205C	3.0	2.8	5.0	5.0	5.0	5.0	4.5	0.0	0.0	42.00	=13	75.60	16	58.20			
		305C	3.0	2.8	5.0	5.0	6.0	5.0	5.0	0.0	0.0	42.00	12	117.60	16	88.20			
		405C	3.0	2.7	6.0	5.5	6.0	5.5	5.5	0.0	0.0	45.90	=10	163.50	14	124.80			
		5152B	3.0	3.0								Fault	=22	163.50	21	204.00			
		105B	3.0	2.4	5.0	5.0	5.0	5.0	5.5	0.0	0.0	36.00	15	199.50	20	250.25			

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回

自由選択飛回数 6回

難易率合計 以内

気温 30.7℃

水温 31.2℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 安永 三郎

2 茶木 康寛

3 高橋 亜紀

4 佐藤 賢一

5 水尾 亨

1 鈴木 義孝

2 国分 昌三

3 畑岡 寿

4 篠原 邦彦

5 春日 喜美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
15	21	内村 太郎									福岡										
		105B	3.0	2.4	4.0	4.0	4.0	4.0	5.0	4.5	0.0	0.0			30.00	23	30.00	23	48.00	171.30	
		203B	3.0	2.2	5.0	4.5	4.5	4.5	4.0	4.0	0.0	0.0			29.70	17	59.70	21	74.10		
		303C	3.0	2.0	4.5	5.0	4.0	5.0	4.0	4.0	0.0	0.0			27.00	20	86.70	22	119.10		
		403B	3.0	2.1	4.5	5.0	4.5	5.0	5.0	5.0	0.0	0.0			30.45	23	117.15	22	171.15		
		405C	3.0	2.7	3.5	3.5	2.0	2.5	2.5	2.5	0.0	0.0			22.95	20	140.10	22	227.40		
		5233D	3.0	2.4	4.0	4.5	4.5	4.5	4.0	4.0	0.0	0.0			31.20	17	171.30	21	278.45		
23	22	西尾 勇騎									乙訓										
		105B	3.0	2.4	5.0	5.5	5.5	5.5	5.5	5.5	0.0	0.0			39.60	18	39.60	18	38.40	167.95	
		203B	3.0	2.2	3.5	3.5	4.5	4.0	4.5	4.5	0.0	0.0			26.40	18	66.00	19	67.80		
		303B	3.0	2.3	4.5	5.0	5.5	5.0	5.5	5.5	0.0	0.0			35.65	15	101.65	18	104.15		
		405C	3.0	2.7	5.5	4.5	4.5	4.5	5.0	5.0	0.0	0.0			37.80	=18	139.45	20	148.85		
		5152B	3.0	3.0	4.0	3.0	3.0	3.5	2.5	2.5	0.0	0.0			28.50	19	167.95	19	199.55		
		205C	3.0	2.8											Fault	23	167.95	22	281.80		
12	23	中辻 雄介									彦根工業										
		403B	3.0	2.1	5.5	6.0	6.0	6.0	6.5	6.5	0.0	0.0			37.80	20	37.80	20	40.20	121.20	
		103B	3.0	1.6	4.0	5.0	5.5	4.5	5.5	5.5	0.0	0.0			24.00	19	61.80	20	72.00		
		301A	3.0	2.0	0.0	0.5	0.0	0.5	0.5	0.5	0.0	0.0			2.00	23	63.80	23	142.00		
		5111A	3.0	2.0	6.0	5.0	4.5	4.0	6.0	6.0	0.0	0.0			31.00	22	94.80	23	193.50		
		105B	3.0	2.4											Fault	=22	94.80	23	272.70		
		203B	3.0	2.2	4.5	4.0	4.0	4.0	4.0	4.0	0.0	0.0			26.40	21	121.20	23	328.55		

18 棄権 藤岡 将 フジカ ヨリ 盛岡南

19 棄権 横木 翔 ヨギ ヨリ 松江東