

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 30.0℃

水温 31.4℃

天候 晴れ

機械操作 松元 洋一

記録主任 横尾 伸子

1 高橋 亜紀

2 佐藤 賢一

3 春日 喜美子

4 田中 徹

5 茶木 康寛

1 鈴木 義孝

2 畑岡 寿

3 水尾 亨

4 国分 昌三

5 安永 三郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
12	1	坂井 丞									麻布大淵野辺										
		103B	3.0	1.6	8.5	9.0	9.0	9.0	9.0	9.0	0.0	0.0			43.20	1	43.20	1			
		201B	3.0	1.8	9.0	8.5	9.0	8.5	9.0	9.0	0.0	0.0			47.70	1	90.90	1			704.65
		301B	3.0	1.9	8.0	8.0	8.5	9.0	8.5	9.0	0.0	0.0			47.50	1	138.40	1			
		403B	3.0	2.1	8.5	7.5	8.5	8.5	9.0	9.0	0.0	0.0			53.55	1	191.95	1			
		5331D	3.0	2.1	8.5	8.5	8.5	9.0	9.0	9.0	0.0	0.0			54.60	1	246.55	1			
		205B	3.0	3.0	9.0	9.0	9.0	8.0	8.5	9.0	0.0	0.0			79.50	1	326.05	1			
		107B	3.0	3.1	9.0	9.5	9.0	9.0	8.5	9.0	0.0	0.0			83.70	1	409.75	1			
		405B	3.0	3.0	8.5	8.5	8.0	9.0	8.0	9.0	0.0	0.0			75.00	1	484.75	1			
		305B	3.0	3.0	9.0	8.0	8.0	8.5	9.0	9.0	0.0	0.0			76.50	1	561.25	1			
		5353B	3.0	3.3	8.0	8.0	8.0	8.0	7.5	9.0	0.0	0.0	2.0		59.40	1	620.65	1			
		307C	3.0	3.5	8.5	7.5	7.5	8.0	9.0	9.0	0.0	0.0			84.00	1	704.65	1			
11	2	池田 匠見									高松工芸										
		103B	3.0	1.6	8.0	8.0	8.5	8.0	8.0	8.0	0.0	0.0			38.40	2	38.40	2	4.80		530.95
		201B	3.0	1.8	8.0	8.0	8.0	7.5	7.5	7.5	0.0	0.0			42.30	2	80.70	2	10.20		
		301B	3.0	1.9	7.0	7.5	7.5	6.5	7.0	7.0	0.0	0.0			40.85	=2	121.55	2	16.85		
		403B	3.0	2.1	8.0	7.0	5.5	7.5	7.0	7.0	0.0	0.0			45.15	2	166.70	2	25.25		
		5132D	3.0	2.1	8.0	8.0	7.0	8.5	8.0	8.0	0.0	0.0			50.40	2	217.10	2	29.45		
		107B	3.0	3.1	6.5	6.0	6.5	6.0	5.5	5.5	0.0	0.0			57.35	3	274.45	2	51.60		
		5152B	3.0	3.0	7.5	7.5	6.5	7.0	6.5	6.5	0.0	0.0			63.00	2	337.45	2	72.30		
		205B	3.0	3.0	6.5	6.5	7.0	6.5	6.0	6.0	0.0	0.0			58.50	4	395.95	2	88.80		
		305B	3.0	3.0	6.0	6.0	5.5	5.5	5.5	5.5	0.0	0.0			51.00	3	446.95	2	114.30		
		405B	3.0	3.0	6.0	5.5	6.0	6.0	6.5	6.5	0.0	0.0			54.00	2	500.95	2	119.70		
		5136D	3.0	3.0	4.0	3.0	3.0	4.5	3.0	3.0	0.0	0.0			30.00	11	530.95	2	173.70		
10	3	新良貴 優									福山韋陽										
		103B	3.0	1.6	7.0	7.0	8.0	7.0	7.5	7.5	0.0	0.0			34.40	5	34.40	5	8.80		522.45
		201B	3.0	1.8	6.5	6.5	7.0	7.0	6.5	6.5	0.0	0.0			36.00	7	70.40	5	20.50		
		301B	3.0	1.9	7.5	7.0	7.0	6.5	8.0	8.0	0.0	0.0			40.85	=2	111.25	4	27.15		
		403B	3.0	2.1	7.5	6.5	7.0	7.0	7.0	7.0	0.0	0.0			44.10	3	155.35	4	36.60		
		5132D	3.0	2.1	7.0	6.5	6.5	7.0	7.5	7.5	0.0	0.0			43.05	5	198.40	4	48.15		
		107B	3.0	3.1	6.5	6.5	6.5	6.5	6.0	6.0	0.0	0.0			60.45	2	258.85	3	67.20		
		205B	3.0	3.0	7.0	6.0	7.0	6.5	6.0	6.0	0.0	0.0			58.50	4	317.35	3	92.40		
		305B	3.0	3.0	7.0	7.0	7.5	7.0	7.0	7.0	0.0	0.0			63.00	2	380.35	3	104.40		
		405B	3.0	3.0	5.0	5.5	4.5	4.5	5.0	5.0	0.0	0.0			43.50	7	423.85	3	137.40		
		5152B	3.0	3.0	5.5	5.5	5.0	6.0	6.0	6.0	0.0	0.0			51.00	=3	474.85	3	145.80		
		5337D	3.0	3.4	5.5	4.5	5.0	4.5	4.5	4.5	0.0	0.0			47.60	5	522.45	3	182.20		
9	4	関口 大輝									幕張総合										
		103B	3.0	1.6	7.0	7.5	8.0	8.0	7.5	7.5	0.0	0.0			36.80	3	36.80	3	6.40		491.10
		5132D	3.0	2.1	6.5	6.0	7.0	7.5	6.0	6.0	0.0	0.0			40.95	4	77.75	3	13.15		
		301B	3.0	1.9	7.5	7.0	6.0	6.5	7.5	7.5	0.0	0.0			39.90	4	117.65	3	20.75		
		201B	3.0	1.8	7.0	6.5	7.0	7.0	7.5	7.5	0.0	0.0			37.80	9	155.45	3	36.50		
		403B	3.0	2.1	7.5	6.5	6.5	7.0	7.5	7.5	0.0	0.0			44.10	4	199.55	3	47.00		
		405B	3.0	3.0	6.0	5.5	5.5	6.0	6.0	6.0	0.0	0.0			52.50	4	252.05	4	74.00		
		5152B	3.0	3.0	6.0	6.5	6.0	6.5	5.5	5.5	0.0	0.0			55.50	7	307.55	4	102.20		
		107B	3.0	3.1	6.0	6.5	6.0	5.5	5.5	5.5	0.0	0.0			54.25	=5	361.80	4	122.95		
		5335D	3.0	2.9	3.5	3.5	4.0	4.5	4.5	4.5	0.0	0.0			34.80	11	396.60	4	164.65		
		305B	3.0	3.0	3.0	3.5	4.0	4.0	4.0	4.0	0.0	0.0			34.50	8	431.10	6	189.55		
		205B	3.0	3.0	6.5	7.0	6.5	6.0	7.0	7.0	0.0	0.0			60.00	2	491.10	4	213.55		
7	5	青木 友輔									霞ヶ浦										
		103B	3.0	1.6	6.5	6.5	7.0	6.5	7.0	7.0	0.0	0.0			32.00	=7	32.00	=7	11.20		486.70
		201B	3.0	1.8	6.5	7.0	6.5	7.0	7.0	7.0	0.0	0.0			36.90	5	68.90	6	22.00		
		301B	3.0	1.9	5.5	7.0	6.0	6.0	6.5	6.5	0.0	0.0			35.15	=7	104.05	7	34.35		
		403B	3.0	2.1	6.5	6.0	7.0	6.5	6.0	6.0	0.0	0.0			39.90	=6	143.95	7	48.00		
		5132D	3.0	2.1	6.0	6.0	6.5	6.0	6.5	6.5	0.0	0.0			38.85	9	182.80	8	63.75		
		105B	3.0	2.4	7.5	7.5	7.0	7.0	6.0	6.0	0.0	0.0			51.60	=5	234.40	7	91.65		
		205C	3.0	2.8	7.0	6.0	7.0	6.5	6.5	6.5	0.0	0.0			56.00	6	290.40	6	119.35		
		305C	3.0	2.8	7.5	7.5	7.0	7.0	8.0	8.0	0.0	0.0			61.60	3	352.00	5	132.75		
		405C	3.0	2.7	6.0	5.0	5.5	5.5	4.5	4.5	0.0	0.0			43.20	8	395.20	5	166.05		
		5152B	3.0	3.0	6.0	6.0	5.0	5.5	5.0	5.0	0.0	0.0			49.50	6	444.70	4	175.95		
		107C	3.0	2.8	5.0	5.0	5.0	5.0	5.0	5.0	0.0	0.0			42.00	9	486.70	5	217.95		

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 30.0℃

水温 31.4℃

天候 晴れ

機械操作 松元 洋一

記録主任 横尾 伸子

1 高橋 亜紀

2 佐藤 賢一

3 春日 喜美子

4 田中 徹

5 茶木 康寛

1 鈴木 義孝

2 畑岡 寿

3 水尾 亨

4 国分 昌三

5 安永 三郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
8	6	岩崎 紘樹									愛工大名電										
		103B	3.0	3.0	1.6	7.0	7.0	7.0	7.0	6.5	0.0	0.0			33.60	6	33.60	6	9.60	469.15	
		403B	3.0	3.0	2.1	7.0	6.5	7.0	6.5	6.5	0.0	0.0			42.00	3	75.60	4	15.30		
		201B	3.0	3.0	1.8	6.5	6.0	6.5	5.5	5.0	0.0	0.0			32.40	10	108.00	5	30.40		
		301B	3.0	3.0	1.9	7.5	6.0	7.5	6.5	7.0	0.0	0.0			39.90	=6	147.90	5	44.05		
		5132D	3.0	3.0	2.1	6.5	6.5	6.5	5.5	6.0	0.0	0.0			39.90	8	187.80	5	58.75		
		105B	3.0	3.0	2.4	7.0	8.0	7.0	7.0	7.5	0.0	0.0			51.60	=5	239.40	5	86.65		
		5152B	3.0	3.0	3.0	6.0	6.5	6.5	6.5	6.0	0.0	0.0			57.00	5	296.40	5	113.35		
		107B	3.0	3.0	3.1	6.0	5.5	5.5	6.0	6.0	0.0	0.0			54.25	=5	350.65	6	134.10		
		205B	3.0	3.0	3.0	3.0	2.5	2.0	2.5	2.0	0.0	0.0			21.00	12	371.65	7	189.60		
		305B	3.0	3.0	3.0	6.5	5.5	5.5	5.5	6.0	0.0	0.0			51.00	=3	422.65	7	198.00		
		405B	3.0	3.0	3.0	6.0	5.0	5.0	4.5	5.5	0.0	0.0			46.50	6	469.15	6	235.50		
4	7	大塚 大夢									芥田学園										
		103B	3.0	3.0	1.6	7.5	7.0	7.5	6.5	7.5	0.0	0.0			35.20	4	35.20	4	8.00	462.25	
		201B	3.0	3.0	1.8	6.0	6.0	6.5	6.0	5.5	0.0	0.0			32.40	=10	67.60	7	23.30		
		301B	3.0	3.0	1.9	6.5	6.5	6.5	6.5	6.5	0.0	0.0			37.05	5	104.65	6	33.75		
		403B	3.0	3.0	2.1	7.0	6.0	6.5	6.5	6.5	0.0	0.0			40.95	5	145.60	6	46.35		
		5132D	3.0	3.0	2.1	6.5	6.0	7.0	5.5	7.0	0.0	0.0			40.95	=6	186.55	6	60.00		
		105B	3.0	3.0	2.4	6.5	7.5	7.5	7.0	7.0	0.0	0.0			51.60	=5	238.15	6	87.90		
		405C	3.0	3.0	2.7	5.5	5.5	6.0	4.0	5.0	0.0	0.0			43.20	11	281.35	7	128.40		
		205B	3.0	3.0	3.0	5.0	5.5	5.5	5.0	5.5	0.0	0.0			48.00	10	329.35	7	155.40		
		5152B	3.0	3.0	3.0	6.0	7.0	6.0	7.0	7.0	0.0	0.0			60.00	2	389.35	6	171.90		
		107C	3.0	3.0	2.8	6.0	6.0	6.0	6.5	6.0	0.0	0.0			50.40	5	439.75	5	180.90		
		305B	3.0	3.0	3.0	2.0	3.0	3.0	2.5	2.0	0.0	0.0			22.50	12	462.25	7	242.40		
6	8	池田 昂希									高松西										
		103B	3.0	3.0	1.6	6.5	5.5	6.5	5.5	6.0	0.0	0.0			28.80	=10	28.80	=10	14.40	456.40	
		201B	3.0	3.0	1.8	6.0	7.0	6.5	6.0	7.0	0.0	0.0			35.10	=8	63.90	10	27.00		
		301B	3.0	3.0	1.9	6.0	7.0	6.5	6.0	6.5	0.0	0.0			36.10	6	100.00	9	38.40		
		403B	3.0	3.0	2.1	6.0	6.0	5.0	5.5	5.5	0.0	0.0			35.70	10	135.70	10	56.25		
		5132D	3.0	3.0	2.1	1.0	4.0	5.5	4.0	3.5	0.0	0.0			24.15	12	159.85	11	86.70		
		105B	3.0	3.0	2.4	7.0	7.0	7.0	6.0	6.5	0.0	0.0			49.20	9	209.05	10	117.00		
		107B	3.0	3.0	3.1	7.0	6.5	6.5	6.5	6.5	0.0	0.0			60.45	3	269.50	8	140.25		
		205B	3.0	3.0	3.0	6.0	5.5	5.5	5.5	6.0	0.0	0.0			51.00	8	320.50	8	164.25		
		305B	3.0	3.0	3.0	6.0	6.0	5.0	5.0	5.5	0.0	0.0			49.50	4	370.00	8	191.25		
		405C	3.0	3.0	2.7	4.0	4.0	4.0	4.5	4.0	0.0	0.0			32.40	=10	402.40	8	218.25		
		5152B	3.0	3.0	3.0	7.5	6.5	6.0	4.5	5.5	0.0	0.0			54.00	3	456.40	8	248.25		
3	9	前谷 健佑									米子南										
		103B	3.0	3.0	1.6	6.5	6.0	6.0	6.0	6.0	0.0	0.0			28.80	=10	28.80	=10	14.40	444.80	
		5132D	3.0	3.0	2.1	6.5	5.5	6.0	5.5	6.0	0.0	0.0			36.75	6	65.55	9	25.35		
		201B	3.0	3.0	1.8	6.0	5.5	5.5	6.0	6.0	0.0	0.0			31.50	11	97.05	11	41.35		
		301B	3.0	3.0	1.9	4.0	5.0	4.5	4.5	4.0	0.0	0.0			24.70	12	121.75	11	70.20		
		403B	3.0	3.0	2.1	7.0	6.0	6.0	6.5	7.0	0.0	0.0			40.95	=6	162.70	10	83.85		
		105B	3.0	3.0	2.4	7.5	7.0	7.0	6.0	7.0	0.0	0.0			50.40	8	213.10	9	112.95		
		205C	3.0	3.0	2.8	6.0	5.5	5.5	5.0	5.5	0.0	0.0			46.20	8	259.30	10	150.45		
		305C	3.0	3.0	2.8	6.0	5.0	6.0	5.5	6.5	0.0	0.0			49.00	9	308.30	9	176.45		
		405C	3.0	3.0	2.7	5.5	5.0	6.0	5.5	6.0	0.0	0.0			45.90	5	354.20	9	207.05		
		5233D	3.0	3.0	2.4	7.0	6.5	6.0	5.5	6.5	0.0	0.0			45.60	7	399.80	9	220.85		
		5333D	3.0	3.0	2.5	5.5	6.0	6.0	6.0	6.0	0.0	0.0			45.00	=7	444.80	9	259.85		
5	10	小野 鐘大									興誠										
		103B	3.0	3.0	1.6	6.5	7.5	7.0	6.5	6.5	0.0	0.0			32.00	=7	32.00	=7	11.20	424.50	
		201B	3.0	3.0	1.8	7.5	6.5	6.5	6.5	6.5	0.0	0.0			35.10	=8	67.10	8	23.80		
		301B	3.0	3.0	1.9	6.5	6.0	7.0	6.0	6.0	0.0	0.0			35.15	=7	102.25	8	36.15		
		403B	3.0	3.0	2.1	6.5	6.5	6.0	5.5	6.5	0.0	0.0			39.90	=6	142.15	8	49.80		
		5132D	3.0	3.0	2.1	6.0	6.0	6.0	5.0	6.5	0.0	0.0			37.80	10	179.95	9	66.60		
		105B	3.0	3.0	2.4	7.0	5.5	6.5	6.0	6.0	0.0	0.0			44.40	10	224.35	8	101.70		
		405C	3.0	3.0	2.7	5.5	5.5	6.0	5.0	5.5	0.0	0.0			44.55	9	268.90	9	140.85		
		205B	3.0	3.0	3.0	4.5	4.0	4.0	4.0	4.5	0.0	0.0			37.50	11	306.40	10	178.35		
		305C	3.0	3.0	2.8	5.5	5.5	4.0	5.0	5.5	0.0	0.0			44.80	6	351.20	10	210.05		
		107C	3.0	3.0	2.8	4.0	2.5	3.0	2.0	3.0	0.0	0.0			23.80	12	375.00	10	245.65		
		5152B	3.0	3.0	3.0	6.0	5.5	5.5	5.5	5.5	0.0	0.0			49.50	4	424.50	10	280.15		

平成22年度 全国高等学校総合体育大会
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2010/08/18

奥武山運動公園水泳プール

審判長 富 泰仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 30.0℃

水温 31.4℃

天候 晴れ

機械操作 松元 洋一

記録主任 横尾 伸子

1 高橋 亜紀

2 佐藤 賢一

3 春日 喜美子

4 田中 徹

5 茶木 康寛

1 鈴木 義孝

2 畑岡 寿

3 水尾 亨

4 国分 昌三

5 安永 三郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
1	11	福田 達也		3.0							富士東										
		103B		3.0	1.6	6.0	6.0	4.5	5.5	6.5	0.0	0.0			28.00	12	28.00	12	15.20	402.75	
		201B		3.0	1.8	6.0	6.5	6.0	6.0	5.5	0.0	0.0			32.40	=10	60.40	12	30.50		
		301B		3.0	1.9	4.0	4.5	4.0	4.5	4.0	0.0	0.0			23.75	12	84.15	12	54.25		
		403B		3.0	2.1	5.0	6.0	5.0	5.5	5.5	0.0	0.0			33.60	11	117.75	12	74.20		
		5132D		3.0	2.1	5.5	5.0	5.5	5.0	5.0	0.0	0.0			32.55	11	150.30	12	96.25		
		105B		3.0	2.4	7.0	6.0	6.0	5.5	5.5	0.0	0.0			42.00	11	192.30	11	133.75		
		205C		3.0	2.8	5.5	5.0	5.0	5.5	5.0	0.0	0.0			43.40	10	235.70	11	174.05		
		305C		3.0	2.8	6.5	6.5	6.5	6.0	5.5	0.0	0.0			53.20	7	288.90	11	195.85		
		405C		3.0	2.7	4.5	5.0	4.0	4.0	5.0	0.0	0.0			36.45	10	325.35	11	235.90		
		5233D		3.0	2.4	5.5	4.5	5.0	4.0	4.0	0.0	0.0			32.40	=10	357.75	11	262.90		
		5333D		3.0	2.5	6.0	5.5	6.0	6.0	6.0	0.0	0.0			45.00	=7	402.75	11	301.90		
2	12	千歩 純一		3.0							小松市立										
		103B		3.0	1.6	6.5	6.5	6.0	7.0	7.0	0.0	0.0			32.00	=7	32.00	=7	11.20	371.85	
		201B		3.0	1.8	6.5	6.0	5.5	5.0	6.0	0.0	0.0			31.50	12	63.50	11	27.40		
		301B		3.0	1.9	6.0	6.0	6.0	7.0	6.0	0.0	0.0			34.20	9	97.70	10	40.70		
		403B		3.0	2.1	7.0	5.5	6.5	7.0	6.5	0.0	0.0			42.00	4	139.70	9	52.25		
		5132D		3.0	2.1	7.5	7.0	6.0	7.0	7.5	0.0	0.0			45.15	3	184.85	7	61.70		
		105B		3.0	2.4										Fault	12	184.85	12	141.20		
		205B		3.0	3.0	3.5	4.5	4.5	4.5	4.0	0.0	0.0			39.00	12	223.85	12	185.90		
		305C		3.0	2.8	4.0	4.5	4.0	4.5	4.5	0.0	0.0			36.40	12	260.25	12	224.50		
		405B		3.0	3.0	4.5	4.5	4.5	5.0	4.5	0.0	0.0			40.50	9	300.75	12	260.50		
		5235D		3.0	2.8	4.0	3.5	5.0	4.0	4.0	0.0	0.0			33.60	9	334.35	12	286.30		
		5152B		3.0	3.0	4.0	3.5	4.5	4.5	4.0	0.0	0.0			37.50	10	371.85	12	332.80		