

第66回国民体育大会水泳（飛込）競技会

採点詳細

男子 高飛込 決勝 成年男子

開催日 2011/09/11  
 広島市総合屋内プール

審判長 吉岡 信道  
 副審判長 小林 均  
 機械操作 三好 繁三  
 記録主任 武内 敏子

審判団(A) 3Round  
 1 河田 正英  
 2 佐藤 賢一  
 3 田中 徹  
 4 安永 三郎  
 5 富 泰仁

審判団(B) 3Round  
 1 坂田 八千代  
 2 鈴木 義孝  
 3 春日 喜美子  
 4 都築 正治  
 5 小林 均

制限選択飛回数 0回  
 自由選択飛回数 6回  
 難易率合計 以内  
 気温 27.5℃  
 水温 29.4℃  
 天候 晴

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
14	1	坂井 丞									神奈川県									
		624B	10.0	2.8	5.0	7.0	5.5	6.0	6.5	0.0	0.0				50.40	14	50.40	14	28.00	454.50
		5253B	10.0	3.2	9.0	9.0	9.0	8.0	8.5	0.0	0.0				84.80	1	135.20	6	14.50	
		107B	10.0	3.0	8.5	8.0	8.5	8.5	8.5	0.0	0.0				76.50	3	211.70	3	9.40	
		407C	10.0	3.2	8.0	9.0	8.5	8.5	8.5	0.0	0.0				81.60	2	293.30	1		
		305B	10.0	2.9	8.0	9.0	8.0	9.0	9.0	0.0	0.0				75.40	3	368.70	2	5.00	
		207C	10.0	3.3	8.5	8.5	10.0	9.0	8.5	0.0	0.0				85.80	1	454.50	1		
6	2	岡本 優									岐阜県									
		6243D	10.0	3.2	7.0	6.5	7.5	7.0	7.0	0.0	0.0				67.20	=4	67.20	=4	11.20	452.90
		107B	10.0	3.0	9.0	9.0	8.5	9.5	9.5	0.0	0.0				82.50	2	149.70	1		
		407C	10.0	3.2	6.5	5.5	5.5	5.5	5.0	0.0	0.0				52.80	11	202.50	6	18.60	
		5253B	10.0	3.2	8.5	9.0	9.0	7.5	9.0	0.0	0.0				84.80	1	287.30	3	6.00	
		207B	10.0	3.6	8.0	8.0	8.0	8.0	7.5	0.0	0.0				86.40	1	373.70	1		
		307C	10.0	3.3	8.0	8.0	8.5	8.0	8.0	0.0	0.0				79.20	3	452.90	2	1.60	
15	3	村上 和基									群馬県									
		407C	10.0	3.2	8.0	8.0	8.5	8.0	8.5	0.0	0.0				78.40	1	78.40	1		443.10
		626B	10.0	3.5	5.5	5.5	6.5	6.0	6.0	0.0	0.0				61.25	11	139.65	4	10.05	
		207B	10.0	3.6	6.0	5.5	7.0	6.5	7.5	0.0	0.0				70.20	6	209.85	4	11.25	
		107B	10.0	3.0	8.5	9.5	9.0	9.0	9.0	0.0	0.0				81.00	3	290.85	2	2.45	
		307C	10.0	3.3	6.5	7.0	6.5	7.0	7.0	0.0	0.0				67.65	6	358.50	3	15.20	
		5255B	10.0	3.6	7.5	9.0	8.0	8.0	7.0	0.0	0.0				84.60	2	443.10	3	11.40	
13	4	萩田 拓馬									静岡県									
		616B	10.0	3.3	8.0	7.5	7.0	6.5	7.5	0.0	0.0				72.60	2	72.60	2	5.80	401.70
		107B	10.0	3.0	8.0	8.5	9.0	7.5	9.0	0.0	0.0				76.50	=3	149.10	2	0.60	
		405B	7.5	3.0	8.0	8.0	7.5	8.0	8.5	0.0	0.0				72.00	4	221.10	1		
		207B	10.0	3.6	6.0	6.0	5.5	6.5	5.0	0.0	0.0				63.00	6	284.10	4	9.20	
		307C	10.0	3.3	5.0	5.0	5.5	6.0	5.5	0.0	0.0				52.80	13	336.90	4	36.80	
		5255B	10.0	3.6	5.5	8.0	6.0	6.5	5.5	0.0	0.0				64.80	7	401.70	4	52.80	
12	5	宮本 幸太郎									鳥取県									
		405B	10.0	2.8	7.5	7.0	7.5	7.5	7.5	0.0	0.0				63.00	8	63.00	8	15.40	400.75
		107B	10.0	3.0	9.5	8.5	8.5	8.5	8.0	0.0	0.0				76.50	=3	139.50	5	10.20	
		305B	10.0	2.9	9.5	9.5	9.0	9.0	9.0	0.0	0.0				79.75	1	219.25	2	1.85	
		207C	10.0	3.3	5.5	7.0	6.5	6.5	6.0	0.0	0.0				62.70	7	281.95	5	11.35	
		626C	10.0	3.3	4.5	4.5	4.5	4.5	5.0	0.0	0.0				44.55	14	326.50	6	47.20	
		5237D	10.0	3.3	7.5	7.5	6.5	7.5	8.0	0.0	0.0				74.25	4	400.75	5	53.75	

第66回国民体育大会水泳（飛込）競技会

採点詳細

男子 高飛込 決勝 成年男子

開催日 2011/09/11  
 広島市総合屋内プール

審判長 吉岡 信道  
 副審判長 小林 均  
 機械操作 三好 繁三  
 記録主任 武内 敏子

審判団(A) 3Round  
 1 河田 正英  
 2 佐藤 賢一  
 3 田中 徹  
 4 安永 三郎  
 5 富 泰仁

審判団(B) 3Round  
 1 坂田 八千代  
 2 鈴木 義孝  
 3 春日 喜美子  
 4 都築 正治  
 5 小林 均

制限選択飛回数 0回  
 自由選択飛回数 6回  
 難易率合計 以内  
 気温 27.5℃  
 水温 29.4℃  
 天候 晴

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
9	6	森岡 大成									京都府							
		305C	10.0	2.7	7.5	7.5	8.0	8.0	8.0	8.0	0.0 0.0		63.45	7	63.45	7	14.95	393.20
		205B	10.0	2.9	7.0	6.0	8.0	7.5	7.5	0.0 0.0		63.80	9	127.25	9	22.45		
		6243D	10.0	3.2	7.5	6.5	7.5	7.5	7.0	0.0 0.0		70.40	5	197.65	7	23.45		
		107B	10.0	3.0	7.5	7.0	7.0	7.5	6.0	0.0 0.0		64.50	5	262.15	6	31.15		
		5152B	10.0	2.9	7.5	8.0	7.5	7.5	6.5	0.0 0.0		65.25	10	327.40	5	46.30		
		405B	10.0	2.8	8.0	8.5	7.5	7.5	8.0	0.0 0.0		65.80	6	393.20	6	61.30		
7	7	上野 太助									山口県							
		6243D	10.0	3.2	7.0	7.0	7.0	7.5	7.0	0.0 0.0		67.20	=4	67.20	=4	11.20	377.20	
		107B	10.0	3.0	8.5	8.5	8.0	8.5	8.5	0.0 0.0		76.50	=3	143.70	3	6.00		
		5152B	10.0	2.9	5.0	5.0	6.0	6.0	5.5	0.0 0.0		47.85	14	191.55	8	29.55		
		407C	10.0	3.2	6.5	7.0	6.5	6.5	6.5	0.0 0.0		62.40	=8	253.95	8	39.35		
		305B	10.0	2.9	6.5	6.5	6.5	7.0	6.0	0.0 0.0		56.55	11	310.50	8	63.20		
		205B	10.0	2.9	8.0	8.5	8.0	7.0	6.5	0.0 0.0		66.70	5	377.20	7	77.30		
10	8	小川 貴弘									埼玉県							
		407C	10.0	3.2	6.5	6.0	6.0	5.5	6.0	0.0 0.0		57.60	10	57.60	10	20.80	372.20	
		624B	10.0	2.8	7.5	8.0	7.5	7.5	8.0	0.0 0.0		64.40	7	122.00	10	27.70		
		305B	10.0	2.9	6.0	6.0	7.0	6.0	5.5	0.0 0.0		52.20	=12	174.20	11	46.90		
		107B	10.0	3.0	7.5	7.5	7.5	7.0	7.5	0.0 0.0		67.50	4	241.70	9	51.60		
		5152B	10.0	2.9	7.5	8.0	7.5	8.0	7.0	0.0 0.0		66.70	7	308.40	9	65.30		
		205B	10.0	2.9	7.0	7.5	7.5	7.5	6.5	0.0 0.0		63.80	=8	372.20	8	82.30		
8	9	山田 晋吾									千葉県							
		5152B	10.0	2.9	7.5	7.0	7.5	7.0	7.5	0.0 0.0		63.80	6	63.80	6	14.60	362.60	
		107B	10.0	3.0	7.0	8.0	8.0	7.0	8.5	0.0 0.0		69.00	6	132.80	7	16.90		
		407C	10.0	3.2	8.0	7.5	8.5	7.5	8.5	0.0 0.0		76.80	2	209.60	5	11.50		
		626C	10.0	3.3	4.0	5.0	4.5	4.5	4.5	0.0 0.0		44.55	=13	254.15	7	39.15		
		207C	10.0	3.3	6.5	7.0	7.0	7.0	7.5	0.0 0.0		69.30	4	323.45	7	50.25		
		305B	10.0	2.9	4.5	4.5	5.0	4.5	4.0	0.0 0.0		39.15	14	362.60	9	91.90		
11	10	荒木 駿図									新潟県							
		107B	10.0	3.0	7.5	7.5	7.0	7.5	8.0	0.0 0.0		67.50	3	67.50	3	10.90	358.60	
		407C	10.0	3.2	7.5	6.0	7.0	7.0	6.0	0.0 0.0		64.00	8	131.50	8	18.20		
		305B	10.0	2.9	6.0	6.0	6.0	6.5	5.0	0.0 0.0		52.20	=12	183.70	9	37.40		
		207C	10.0	3.3	4.5	4.5	5.0	4.5	4.5	0.0 0.0		44.55	=13	228.25	10	65.05		
		626C	10.0	3.3	7.5	8.5	7.5	7.0	9.0	0.0 0.0		77.55	2	305.80	10	67.90		
		5253B	10.0	3.2	5.0	4.5	5.5	6.0	7.0	0.0 0.0		52.80	13	358.60	10	95.90		

第66回国民体育大会水泳（飛込）競技会

採点詳細

男子 高飛込 決勝 成年男子

開催日 2011/09/11  
 広島市総合屋内プール

審判長 吉岡 信道  
 副審判長 小林 均  
 機械操作 三好 繁三  
 記録主任 武内 敏子

審判団(A) 3Round  
 1 河田 正英  
 2 佐藤 賢一  
 3 田中 徹  
 4 安永 三郎  
 5 富 泰仁

審判団(B) 3Round  
 1 坂田 八千代  
 2 鈴木 義孝  
 3 春日 喜美子  
 4 都築 正治  
 5 小林 均

制限選択飛回数 0回  
 自由選択飛回数 6回  
 難易率合計 以内  
 気温 27.5℃  
 水温 29.4℃  
 天候 晴

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	11	坂之上 卓									鹿児島県							
		6243D	10.0	3.2	5.0	7.0	6.0	6.5	6.5	0.0	0.0		60.80	9	60.80	9	17.60	356.40
		5152B	10.0	2.9	6.0	6.0	7.0	6.5	7.0	0.0	0.0		56.55	12	117.35	11	32.35	
		107B	10.0	3.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0		63.00	8	180.35	10	40.75	
		305B	10.0	2.9	5.5	5.0	5.5	6.0	5.5	0.0	0.0		47.85	12	228.20	11	65.10	
		407C	10.0	3.2	7.0	7.5	7.0	7.0	8.0	0.0	0.0		68.80	5	297.00	11	76.70	
		207C	10.0	3.3	5.5	6.0	6.5	6.5	5.5	0.0	0.0		59.40	12	356.40	11	98.10	
5	12	田谷野 敏典									茨城県							
		205B	10.0	2.9	6.5	5.5	6.0	6.5	6.5	0.0	0.0		55.10	11	55.10	11	23.30	342.30
		624B	10.0	2.8	6.0	5.5	5.5	5.0	6.5	0.0	0.0		47.60	15	102.70	=14	47.00	
		305C	10.0	2.7	7.5	7.0	7.5	7.0	8.0	0.0	0.0		59.40	9	162.10	13	59.00	
		407C	10.0	3.2	6.0	6.5	6.5	6.5	6.5	0.0	0.0		62.40	=8	224.50	12	68.80	
		107C	10.0	2.7	6.5	7.0	6.5	7.0	6.5	0.0	0.0		54.00	12	278.50	12	95.20	
		5152B	10.0	2.9	8.5	8.0	6.5	7.5	6.0	0.0	0.0		63.80	=8	342.30	12	112.20	
1	13	小林 和真									福島県							
		303B	5.0	2.4	7.5	7.5	6.5	7.5	7.5	0.0	0.0		54.00	=12	54.00	=12	24.40	337.00
		205C	5.0	3.0	5.0	6.0	5.5	5.5	5.5	0.0	0.0		49.50	14	103.50	13	46.20	
		405C	5.0	3.1	6.5	7.0	7.0	7.0	7.0	0.0	0.0		65.10	7	168.60	12	52.50	
		6243D	10.0	3.2	4.5	4.0	4.0	4.5	4.0	0.0	0.0		40.00	15	208.60	14	84.70	
		107B	10.0	3.0	7.5	8.0	7.0	7.5	6.5	0.0	0.0		66.00	8	274.60	13	99.10	
		5253B	10.0	3.2	6.5	6.5	6.5	6.5	5.0	0.0	0.0		62.40	10	337.00	13	117.50	
4	14	藤井 誠也									広島県							
		6241B	10.0	2.7	7.0	7.0	6.5	6.5	6.5	0.0	0.0		54.00	=12	54.00	=12	24.40	333.65
		107B	10.0	3.0	7.0	6.5	7.0	7.5	6.5	0.0	0.0		61.50	10	115.50	12	34.20	
		207C	10.0	3.3	2.0	3.0	3.5	3.0	2.5	0.0	0.0		28.05	15	143.55	15	77.55	
		5253B	10.0	3.2	6.5	6.0	7.0	7.0	6.0	0.0	0.0		62.40	=8	205.95	15	87.35	
		407C	10.0	3.2	6.5	7.0	7.0	6.0	7.0	0.0	0.0		65.60	9	271.55	14	102.15	
		305C	10.0	2.7	7.0	7.5	7.5	8.0	8.5	0.0	0.0		62.10	11	333.65	14	120.85	
2	15	戸田 洋									福岡県							
		405B	10.0	2.8	5.5	5.5	6.0	5.5	6.5	0.0	0.0		47.60	15	47.60	15	30.80	282.00
		205B	10.0	2.9	6.0	6.0	6.5	6.5	7.0	0.0	0.0		55.10	13	102.70	=14	47.00	
		107B	10.0	3.0	7.0	6.0	6.5	6.0	5.5	0.0	0.0		55.50	10	158.20	14	62.90	
		5152B	10.0	2.9	6.0	7.0	6.0	6.5	5.5	0.0	0.0		53.65	11	211.85	13	81.45	
		624B	10.0	2.8	6.0	7.5	6.5	6.5	6.0	0.0	0.0	2.0	36.40	15	248.25	15	125.45	
		305C	10.0	2.7	4.0	4.5	4.0	4.0	4.5	0.0	0.0		33.75	15	282.00	15	172.50	