

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/29  
大阪プール

審判長 坂田 八千代

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 28.8℃  
水温 29.3℃  
天候 晴れ

機械操作 高山 優子  
記録主任 中島 直樹

1 重永 美希子  
2 吉岡 信道  
3 毒島 泰士  
4 坂田 芳寛  
5 山本 孝

1 湯浅 よしの  
2 秋山 真有美  
3 内藤 直樹  
4 瓶子 勇治郎  
5 中村 小松

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
1	1	須山 晴貴									松江DC							
		103B	1.0	1.7	8.5	8.0	7.5	8.0	7.5	0.0	0.0		39.95	=2	39.95	=2	12.95	320.65
		201B	1.0	1.6	7.0	6.5	6.0	6.5	7.0	0.0	0.0		32.00	9	71.95	5	16.20	
		401B	1.0	1.5	9.0	8.5	8.5	9.0	8.5	0.0	0.0		39.00	4	110.95	3	16.30	
		303C	1.0	2.1	8.5	8.5	9.0	8.5	7.5	0.0	0.0		53.55	1	164.50	1		
		203B	1.0	2.3	7.5	7.0	8.0	8.0	7.0	0.0	0.0		51.75	1	216.25	1		
		403B	1.0	2.4	8.5	7.0	8.5	8.5	8.5	0.0	0.0		61.20	1	277.45	1		
		105C	1.0	2.4	4.5	6.0	6.0	6.0	7.0	0.0	0.0		43.20	=4	320.65	1		
11	2	佐々木 康平									宮城DC							
		401A	1.0	1.8	7.5	7.0	7.0	7.0	7.0	0.0	0.0		37.80	5	37.80	5	15.10	281.55
		103B	1.0	1.7	7.5	6.5	7.5	7.0	7.0	0.0	0.0		36.55	2	74.35	3	13.80	
		201B	1.0	1.6	7.0	6.5	6.5	6.5	6.5	0.0	0.0		31.20	13	105.55	8	21.70	
		303C	1.0	2.1	6.5	6.0	6.0	6.0	6.0	0.0	0.0		37.80	3	143.35	4	21.15	
		104C	1.0	2.2	8.0	7.0	7.5	8.0	7.0	0.0	0.0		49.50	2	192.85	3	23.40	
		203B	1.0	2.3	6.0	6.0	6.0	6.0	6.0	0.0	0.0		41.40	5	234.25	3	43.20	
		403C	1.0	2.2	7.5	7.0	7.0	7.0	7.5	0.0	0.0		47.30	=2	281.55	2	39.10	
6	3	富瀬 信太郎									石川DC							
		103B	1.0	1.7	6.5	7.0	7.0	7.0	6.0	0.0	0.0		34.85	9	34.85	9	18.05	270.10
		201B	1.0	1.6	7.0	7.0	8.0	7.5	7.0	0.0	0.0		34.40	=5	69.25	8	18.90	
		301C	1.0	1.6	7.5	8.0	8.0	8.0	7.0	0.0	0.0		37.60	6	106.85	5	20.40	
		5223D	1.0	2.3	6.0	6.0	6.5	7.0	7.0	0.0	0.0		44.85	2	151.70	2	12.80	
		105C	1.0	2.4	3.0	3.0	4.0	4.0	4.0	0.0	0.0		26.40	=16	178.10	6	38.15	
		5132D	1.0	2.2	6.5	6.0	7.5	7.0	6.5	0.0	0.0		44.00	3	222.10	5	55.35	
		403B	1.0	2.4	6.5	6.0	6.5	7.0	7.0	0.0	0.0		48.00	1	270.10	3	50.55	
7	4	川瀬 冬威									松江DC							
		103B	1.0	1.7	7.0	7.0	7.5	7.5	6.5	0.0	0.0		36.55	=7	36.55	=7	16.35	269.00
		201B	1.0	1.6	6.5	6.0	6.5	7.0	6.5	0.0	0.0		31.20	11	67.75	9	20.40	
		303C	1.0	2.1	7.0	6.5	6.5	6.5	7.0	0.0	0.0		42.00	1	109.75	4	17.50	
		401B	1.0	1.5	6.5	6.0	5.5	6.5	6.5	0.0	0.0		28.50	12	138.25	5	26.25	
		104B	1.0	2.3	8.0	7.0	7.5	7.0	7.0	0.0	0.0		49.45	3	187.70	4	28.55	
		203C	1.0	2.0	5.5	6.0	5.5	4.5	6.0	0.0	0.0		34.00	9	221.70	6	55.75	
		403C	1.0	2.2	7.5	7.0	6.5	7.0	7.5	0.0	0.0		47.30	=2	269.00	4	51.65	
2	5	中村 天									千葉DC							
		301B	1.0	1.7	7.5	7.5	8.5	8.5	7.5	0.0	0.0		39.95	=2	39.95	=2	12.95	263.45
		401B	1.0	1.5	7.0	7.0	7.0	7.0	7.5	0.0	0.0		31.50	10	71.45	6	16.70	
		103B	1.0	1.7	6.5	6.5	7.0	7.5	7.0	0.0	0.0		34.85	8	106.30	6	20.95	
		203C	1.0	2.0	5.0	5.0	5.0	5.5	5.5	0.0	0.0		31.00	9	137.30	7	27.20	
		303C	1.0	2.1	7.5	7.5	7.0	7.5	8.0	0.0	0.0		47.25	4	184.55	5	31.70	
		104B	1.0	2.3	6.5	6.5	5.5	6.0	7.0	0.0	0.0		43.70	4	228.25	4	49.20	
		403C	1.0	2.2	5.0	5.5	4.5	5.5	5.5	0.0	0.0		35.20	10	263.45	5	57.20	

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/29

大阪プール

審判長 坂田 八千代

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.8℃

水温 29.3℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 重永 美希子

2 吉岡 信道

3 毒島 泰士

4 坂田 芳寛

5 山本 孝

1 湯浅 よしの

2 秋山 真有美

3 内藤 直樹

4 瓶子 勇治郎

5 中村 小松

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
9	6	伊藤 洗輝									イノウエ ヒロキ	S	D	T							
		104B	1.0	2.3	8.0	7.5	8.0	7.5	7.5	7.5	0.0	0.0			52.90	1	52.90	1		257.40	
		401B	1.0	1.5	8.5	7.5	8.0	8.0	7.5	7.5	0.0	0.0			35.25	4	88.15	1			
		201A	1.0	1.7	8.5	7.5	8.0	7.5	7.5	7.5	0.0	0.0			39.10	=2	127.25	1			
		301B	1.0	1.7	5.0	4.0	4.5	5.0	4.0	4.0	0.0	0.0			22.95	16	150.20	3	14.30		
		403C	1.0	2.2	6.5	6.5	6.5	7.5	6.5	6.5	0.0	0.0			42.90	5	193.10	2	23.15		
		5132D	1.0	2.2	7.0	7.0	6.0	6.5	7.0	7.0	0.0	0.0			45.10	2	238.20	2	39.25		
		105C	1.0	2.4	2.5	3.0	3.5	2.5	2.5	2.5	0.0	0.0			19.20	17	257.40	6	63.25		
15	7	太田 瑠輝									オオタ リュウキ	ジ	ョ	イ	フ	ル					
		103B	1.0	1.7	7.5	7.5	8.0	8.0	7.5	7.5	0.0	0.0			39.10	4	39.10	4	13.80	242.10	
		201A	1.0	1.7	7.0	6.5	7.0	6.0	6.0	6.0	0.0	0.0			33.15	8	72.25	4	15.90		
		401B	1.0	1.5	7.5	7.5	7.5	7.5	7.0	7.0	0.0	0.0			33.75	9	106.00	7	21.25		
		5211A	1.0	1.8	5.0	5.5	5.5	5.5	6.0	6.0	0.0	0.0			29.70	11	135.70	8	28.80		
		104C	1.0	2.2	6.5	6.0	6.5	5.5	5.5	5.5	0.0	0.0			39.60	=7	175.30	7	40.95		
		203C	1.0	2.0	3.0	5.5	3.5	4.0	5.0	5.0	0.0	0.0			25.00	13	200.30	8	77.15		
		403C	1.0	2.2	6.0	6.0	7.0	6.0	7.0	7.0	0.0	0.0			41.80	6	242.10	7	78.55		
17	8	内藤 丸綺									ナイノウ マルキ	富	士	常	葉	D	C				
		101A	1.0	1.4	6.5	7.0	7.0	6.5	6.5	6.5	0.0	0.0			28.00	16	28.00	16	24.90	241.80	
		201A	1.0	1.7	7.0	6.5	7.5	7.0	7.0	7.0	0.0	0.0			35.70	3	63.70	11	24.45		
		301A	1.0	1.8	7.5	6.5	7.5	6.5	7.0	7.0	0.0	0.0			37.80	5	101.50	11	25.75		
		403C	1.0	2.2	5.0	5.0	5.0	5.0	5.5	5.5	0.0	0.0			33.00	5	134.50	10	30.00		
		104B	1.0	2.3	6.0	5.5	5.0	5.0	5.5	5.5	0.0	0.0			36.80	9	171.30	8	44.95		
		203C	1.0	2.0	6.5	6.0	6.0	7.0	7.5	7.5	0.0	0.0			39.00	6	210.30	7	67.15		
		303C	1.0	2.1	5.5	4.5	5.0	4.5	6.0	6.0	0.0	0.0			31.50	11	241.80	8	78.85		
14	9	宗像 康誠									ムネガキ コウセイ	福	島	県	D	C					
		103B	1.0	1.7	7.5	6.5	7.5	7.5	7.0	7.0	0.0	0.0			37.40	6	37.40	6	15.50	240.95	
		401A	1.0	1.8	7.0	8.0	8.0	8.0	6.5	6.5	0.0	0.0			41.40	1	78.80	2	9.35		
		201B	1.0	1.6	6.0	7.0	7.5	7.5	6.5	6.5	0.0	0.0			33.60	10	112.40	2	14.85		
		303C	1.0	2.1	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0			25.20	15	137.60	6	26.90		
		203C	1.0	2.0	4.5	4.5	4.5	4.0	5.5	5.5	0.0	0.0			27.00	15	164.60	12	51.65		
		104B	1.0	2.3	5.0	5.0	5.5	5.0	6.0	6.0	0.0	0.0			35.65	8	200.25	9	77.20		
		403C	1.0	2.2	6.5	6.0	6.0	6.5	5.5	5.5	0.0	0.0			40.70	8	240.95	9	79.70		
8	10	久保 郁実									クボ イミ	佐	賀	D	C						
		103B	1.0	1.7	6.5	7.5	7.5	7.0	7.0	7.0	0.0	0.0			36.55	=7	36.55	=7	16.35	238.15	
		201B	1.0	1.6	7.5	7.0	7.0	6.5	7.0	7.0	0.0	0.0			33.60	7	70.15	7	18.00		
		301B	1.0	1.7	6.5	6.0	5.5	6.0	7.0	7.0	0.0	0.0			31.45	12	101.60	10	25.65		
		401B	1.0	1.5	7.5	8.5	7.0	7.0	6.5	6.5	0.0	0.0			32.25	=6	133.85	11	30.65		
		105B	1.0	2.6	4.0	3.5	4.0	4.0	4.0	4.0	0.0	0.0			31.20	13	165.05	=10	51.20		
		203B	1.0	2.3	4.0	4.5	4.5	4.0	5.5	5.5	0.0	0.0			29.90	12	194.95	11	82.50		
		403B	1.0	2.4	6.0	5.0	6.0	6.5	6.0	6.0	0.0	0.0			43.20	=4	238.15	10	82.50		

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/29

大阪プール

審判長 坂田 八千代

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.8℃

水温 29.3℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 重永 美希子

2 吉岡 信道

3 毒島 泰士

4 坂田 芳寛

5 山本 孝

1 湯浅 よしの

2 秋山 真有美

3 内藤 直樹

4 瓶子 勇治郎

5 中村 小松

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	11	大塚 晃									富士常葉DC									
		103B	1.0	1.7	6.0	6.0	6.0	6.0	6.5	6.5	0.0	0.0			31.45	=12	31.45	=12	21.45	235.85
		201B	1.0	1.6	6.5	6.5	6.0	6.0	6.0	6.0	0.0	0.0			29.60	14	61.05	13	27.10	
		301B	1.0	1.7	5.5	6.5	6.5	6.5	7.0	7.0	0.0	0.0			33.15	11	94.20	13	33.05	
		403C	1.0	2.2	5.5	5.5	5.0	4.5	6.0	6.0	0.0	0.0			35.20	4	129.40	13	35.10	
		104B	1.0	2.3	5.5	5.0	5.0	5.0	5.5	5.5	0.0	0.0			35.65	10	165.05	=10	51.20	
		203C	1.0	2.0	5.0	6.0	5.0	6.0	5.5	5.5	0.0	0.0			33.00	10	198.05	10	79.40	
		303C	1.0	2.1	6.0	6.0	5.5	6.0	6.0	6.0	0.0	0.0			37.80	9	235.85	11	84.80	
12	12	森岡 淳之介									TDC									
		103B	1.0	1.7	5.5	6.0	6.5	6.0	6.5	6.5	0.0	0.0			31.45	=12	31.45	=12	21.45	219.90
		201B	1.0	1.6	5.0	5.5	5.0	5.0	5.5	5.5	0.0	0.0			24.80	=17	56.25	=16	31.90	
		301B	1.0	1.7	6.0	5.5	6.0	6.0	6.0	6.0	0.0	0.0			30.60	=14	86.85	16	40.40	
		401B	1.0	1.5	6.0	6.0	6.5	6.0	6.5	6.5	0.0	0.0			27.75	13	114.60	16	49.90	
		104B	1.0	2.3	5.0	5.5	4.0	5.0	4.5	4.5	0.0	0.0			33.35	12	147.95	16	68.30	
		203C	1.0	2.0	5.5	5.0	5.0	5.0	5.5	5.5	0.0	0.0			31.00	11	178.95	14	98.50	
		303C	1.0	2.1	6.5	7.0	6.0	7.0	6.0	6.0	0.0	0.0			40.95	7	219.90	12	100.75	
16	13	小塚 龍									水戸DS									
		103B	1.0	1.7	6.5	6.5	6.5	6.5	7.0	7.0	0.0	0.0			33.15	=10	33.15	=10	19.75	217.95
		201B	1.0	1.6	6.0	6.5	6.0	5.5	6.0	6.0	0.0	0.0			28.80	=15	61.95	12	26.20	
		301B	1.0	1.7	7.5	8.0	7.5	7.5	8.0	8.0	0.0	0.0			39.10	=2	101.05	12	26.20	
		403C	1.0	2.2	5.0	4.5	5.0	4.5	4.0	4.0	0.0	0.0			30.80	10	131.85	12	32.65	
		303C	1.0	2.1	4.0	4.0	3.5	3.0	4.0	4.0	0.0	0.0			24.15	18	156.00	14	60.25	
		104B	1.0	2.3	5.5	5.5	5.5	5.5	6.5	6.5	0.0	0.0			37.95	7	193.95	12	83.50	
		203C	1.0	2.0	4.0	4.0	3.5	4.0	5.0	5.0	0.0	0.0			24.00	15	217.95	13	102.70	
4	14	磯部 大輔									スイトピア									
		103B	1.0	1.7	6.5	6.5	6.5	6.5	6.5	6.5	0.0	0.0			33.15	=10	33.15	=10	19.75	216.55
		201B	1.0	1.6	7.0	7.0	7.5	7.5	6.0	6.0	0.0	0.0			34.40	=5	67.55	10	20.60	
		301B	1.0	1.7	7.0	7.0	7.5	7.0	6.5	6.5	0.0	0.0			35.70	7	103.25	9	24.00	
		403C	1.0	2.2	5.0	5.0	4.0	5.0	4.5	4.5	0.0	0.0			31.90	8	135.15	9	29.35	
		104B	1.0	2.3	4.5	5.0	4.5	4.0	4.5	4.5	0.0	0.0			31.05	14	166.20	9	50.05	
		203C	1.0	2.0	3.5	3.5	4.0	4.0	3.0	3.0	0.0	0.0			22.00	16	188.20	13	89.25	
		303C	1.0	2.1	4.0	4.5	5.0	5.0	4.0	4.0	0.0	0.0			28.35	13	216.55	14	104.10	
10	15	安部 勇佑									松江DC									
		103C	1.0	1.6	5.5	5.5	4.5	5.5	5.5	5.5	0.0	0.0			26.40	17	26.40	17	26.50	207.55
		201B	1.0	1.6	6.0	6.0	7.0	7.0	6.0	6.0	0.0	0.0			30.40	13	56.80	15	31.35	
		301B	1.0	1.7	6.0	5.5	7.0	6.0	6.0	6.0	0.0	0.0			30.60	=14	87.40	15	39.85	
		401B	1.0	1.5	7.0	7.0	8.0	7.5	7.0	7.0	0.0	0.0			32.25	=6	119.65	14	44.85	
		104C	1.0	2.2	5.5	5.0	5.0	5.5	4.5	4.5	0.0	0.0			34.10	11	153.75	15	62.50	
		203C	1.0	2.0	3.5	4.5	3.5	3.5	4.5	4.5	0.0	0.0			23.00	15	176.75	15	100.70	
		403C	1.0	2.2	4.5	5.5	4.5	4.5	5.0	5.0	0.0	0.0			30.80	12	207.55	15	113.10	

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/29

大阪プール

審判長 坂田 八千代

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 28.8℃  
水温 29.3℃  
天候 晴れ

機械操作 高山 優子  
記録主任 中島 直樹

1 重永 美希子  
2 吉岡 信道  
3 毒島 泰士  
4 坂田 芳寛  
5 山本 孝

1 湯浅 よしの  
2 秋山 真有美  
3 内藤 直樹  
4 瓶子 勇治郎  
5 中村 小松

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
18	16	山口 海人					ヤマガチ	カイト			川口 S C								
		103B	1.0	1.7	6.5	6.0	5.5	6.5	6.0	0.0	0.0		31.45	=12	31.45	=12	21.45	192.00	
		201B	1.0	1.6	5.5	5.5	4.5	5.0	5.0	0.0	0.0		24.80	=17	56.25	=16	31.90		
		301B	1.0	1.7	5.5	5.5	5.5	5.0	6.0	0.0	0.0		28.05	18	84.30	18	42.95		
		401B	1.0	1.5	5.0	5.0	5.0	5.0	6.0	0.0	0.0		22.50	17	106.80	17	57.70		
		104C	1.0	2.2	6.0	6.0	6.0	6.0	6.0	0.0	0.0		39.60	=7	146.40	17	69.85		
		203C	1.0	2.0	4.0	4.5	4.0	3.5	4.0	0.0	0.0		24.00	14	170.40	16	107.05		
		5111A	1.0	1.8	4.0	4.0	4.0	4.0	4.0	0.0	0.0		21.60	16	192.00	16	128.65		
3	17	及川 拓海					オカノ	タビ			盛岡 S S								
		201B	1.0	1.6	6.0	6.5	6.0	7.0	6.0	0.0	0.0		29.60	15	29.60	15	23.30	166.70	
		301B	1.0	1.7	6.0	6.0	6.5	6.0	6.0	0.0	0.0		30.60	12	60.20	14	27.95		
		103B	1.0	1.7	5.5	5.5	6.0	5.5	6.0	0.0	0.0		28.90	17	89.10	14	38.15		
		401B	1.0	1.5	5.0	6.0	6.5	6.0	6.0	0.0	0.0		27.00	14	116.10	15	48.40		
		403C	1.0	2.2	6.0	6.0	7.0	6.5	5.5	0.0	0.0		40.70	6	156.80	13	59.45		
		104C	1.0	2.2	1.5	1.5	2.5	1.5	1.0	0.0	0.0		9.90	17	166.70	17	110.75		
		5122D	1.0	1.9									Fault	18	166.70	17	153.95		
13	18	井本 剛寛					イト	タビ			和歌山DC								
		103B	1.0	1.7	5.0	5.0	5.0	4.5	6.0	0.0	0.0		25.50	18	25.50	18	27.40	159.05	
		201B	1.0	1.6	6.0	6.0	6.0	6.0	6.0	0.0	0.0		28.80	=15	54.30	18	33.85		
		301B	1.0	1.7	5.0	5.5	6.0	6.5	6.5	0.0	0.0		30.60	=14	84.90	17	42.35		
		401B	1.0	1.5	4.5	4.5	4.5	4.5	5.0	0.0	0.0		20.25	18	105.15	18	59.35		
		104C	1.0	2.2	3.5	4.0	4.0	4.0	4.0	0.0	0.0		26.40	=16	131.55	18	84.70		
		203C	1.0	2.0									Fault	18	131.55	18	145.90		
		403C	1.0	2.2	4.0	4.5	4.0	4.0	4.5	0.0	0.0		27.50	14	159.05	18	161.60		