

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

開催日 2013/09/21
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 29.0℃
水温 28.0℃
天候

機械操作 大久保 一司
記録主任 中島 直樹

1 湯浅 よしの
2 中島 勝司
3 谷内 寛
4 河田 正英
5 清水 国重
6 水尾 亨
7 金戸 幸

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	1	坂井 丞									日本体育大学									
		105B	1.0	2.6	9.0	9.0	8.5	9.0	9.0	8.5	8.5	68.90	1	68.90	1					409.15
		405C	1.0	3.1	6.0	6.0	6.0	6.5	5.5	5.5	5.5	54.25	3	123.15	1					
		5233D	1.0	2.5	8.0	7.5	7.5	7.5	8.0	8.0	7.0	57.50	1	180.65	1					
		107C	1.0	3.0	8.0	8.5	9.0	8.5	8.0	7.5	8.5	75.00	1	255.65	1					
		205C	1.0	3.0	8.0	9.0	8.0	8.0	8.5	8.0	8.5	73.50	1	329.15	1					
		305B	1.0	3.2	9.0	8.0	9.0	8.0	9.0	8.0	8.0	80.00	1	409.15	1					
3	2	岡本 優									J S S宝塚									
		105B	1.0	2.6	7.5	8.0	8.5	8.0	8.0	8.0	8.0	62.40	2	62.40	2	6.50				351.15
		5333D	1.0	2.6	7.5	7.5	7.5	7.5	8.0	7.5	7.5	58.50	2	120.90	2	2.25				
		205C	1.0	3.0	7.0	7.0	6.0	6.0	6.5	6.0	6.5	57.00	2	177.90	2	2.75				
		305C	1.0	3.0	6.5	6.0	6.0	5.5	6.5	6.5	6.0	55.50	4	233.40	2	22.25				
		405C	1.0	3.1	7.5	8.0	7.0	7.5	8.5	7.5	7.5	69.75	2	303.15	2	26.00				
		403B	1.0	2.4	7.0	6.0	6.0	6.0	7.0	7.0	7.5	48.00	6	351.15	2	58.00				
8	3	須山 晴貴									松江D C									
		105B	1.0	2.6	7.5	6.5	6.0	6.0	7.0	7.0	6.0	50.70	=6	50.70	=6	18.20				301.30
		203B	1.0	2.3	7.5	7.5	7.0	7.5	7.5	7.0	8.0	51.75	6	102.45	5	20.70				
		305C	1.0	3.0	4.5	3.5	4.0	4.0	4.0	4.5	3.5	36.00	=7	138.45	5	42.20				
		405C	1.0	3.1	6.5	6.5	6.0	6.5	6.0	6.0	6.5	58.90	3	197.35	4	58.30				
		5233D	1.0	2.5	7.0	7.0	6.0	6.5	6.5	6.0	6.5	48.75	7	246.10	5	83.05				
		403B	1.0	2.4	8.0	8.0	7.0	7.5	7.0	8.0	7.5	55.20	4	301.30	3	107.85				
10	4	小林 和真									筑波大学									
		403B	1.0	2.4	7.0	7.0	6.5	6.0	6.5	6.5	6.5	46.80	9	46.80	9	22.10				297.50
		405C	1.0	3.1	5.5	6.5	6.5	6.0	6.5	6.5	6.0	58.90	1	105.70	3	17.45				
		105B	1.0	2.6	7.5	7.5	7.0	6.0	7.0	8.0	7.0	55.90	3	161.60	3	19.05				
		5152B	1.0	3.2	3.5	4.0	3.5	4.0	5.0	4.0	4.0	38.40	11	200.00	3	55.65				
		205C	1.0	3.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0	58.50	4	258.50	3	70.65				
		305C	1.0	3.0	4.5	4.5	4.5	4.0	4.0	5.0	4.0	39.00	8	297.50	4	111.65				
2	5	池田 匠見									日本大学									
		203B	1.0	2.3	7.0	8.0	7.5	7.5	8.0	7.5	7.5	51.75	5	51.75	5	17.15				294.70
		405C	1.0	3.1	4.0	4.5	4.5	4.5	4.5	5.0	4.5	41.85	8	93.60	8	29.55				
		107C	1.0	3.0	3.5	3.5	3.0	3.0	2.5	3.0	3.5	28.50	10	122.10	10	58.55				
		305C	1.0	3.0	7.0	7.5	7.0	7.0	7.5	7.5	7.5	66.00	2	188.10	6	67.55				
		105B	1.0	2.6	7.5	8.0	7.5	7.0	8.0	7.5	8.0	59.80	3	247.90	4	81.25				
		5333D	1.0	2.6	6.0	6.5	6.0	6.5	6.0	6.0	6.0	46.80	7	294.70	5	114.45				

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

開催日 2013/09/21
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 29.0℃
水温 28.0℃
天候

機械操作 大久保 一司
記録主任 中島 直樹

1 湯浅 よしの
2 中島 勝司
3 谷内 寛
4 河田 正英
5 清水 国重
6 水尾 亨
7 金戸 幸

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	6	新良貴 優									福山平成大学										
		105B	1.0	2.6	7.5	7.5	7.0	7.0	7.5	7.5	7.5	8.0			58.50	3	58.50	3	10.40	291.00	
		5134D	1.0	2.6	3.5	4.0	4.0	4.5	2.5	3.0	5.0				29.90	11	88.40	9	34.75		
		205C	1.0	3.0	6.0	5.5	5.5	5.5	6.0	5.5	5.5				49.50	4	137.90	6	42.75		
		405C	1.0	3.1	4.5	4.0	4.5	4.5	5.0	5.5	5.0				43.40	10	181.30	7	74.35		
		106B	1.0	3.2	5.5	5.0	5.5	5.5	5.5	5.0	5.0				51.20	6	232.50	6	96.65		
		305C	1.0	3.0	7.0	6.5	6.0	6.5	6.5	6.0	6.5				58.50	3	291.00	6	118.15		
9	7	西川 友章									清陵情報										
		203B	1.0	2.3	6.0	6.0	6.0	6.0	5.5	5.5	5.5				40.25	10	40.25	10	28.65	283.95	
		303B	1.0	2.4	7.5	7.5	8.0	7.0	7.5	7.5	7.5				54.00	4	94.25	7	28.90		
		5333D	1.0	2.6	6.0	6.0	6.0	6.5	6.5	6.0	6.0				46.80	5	141.05	4	39.60		
		403B	1.0	2.4	7.5	8.0	7.5	7.5	8.0	7.5	8.0				55.20	=5	196.25	5	59.40		
		405C	1.0	3.1	3.0	3.0	2.5	2.0	3.0	3.5	3.0				27.90	10	224.15	8	105.00		
		105B	1.0	2.6	8.0	7.0	8.0	8.0	7.0	7.5	7.5				59.80	2	283.95	7	125.20		
12	8	千歩 純一									日本体育大学										
		105B	1.0	2.6	7.0	8.0	7.0	6.5	6.5	7.0	7.5				54.60	4	54.60	4	14.30	281.35	
		203B	1.0	2.3	4.5	4.5	4.5	4.0	6.0	4.5	6.0				31.05	10	85.65	10	37.50		
		303B	1.0	2.4	5.5	5.0	5.5	5.0	5.0	6.0	6.0				38.40	6	124.05	9	56.60		
		403B	1.0	2.4	8.0	8.0	7.5	7.0	8.5	7.5	7.0				55.20	=5	179.25	9	76.40		
		405C	1.0	3.1	5.5	5.5	6.0	6.0	6.0	5.5	5.0				52.70	5	231.95	7	97.20		
		5134D	1.0	2.6	6.0	6.5	6.5	6.5	6.5	6.0	5.5				49.40	5	281.35	8	127.80		
6	9	遠藤 正人									利府高校										
		403B	1.0	2.4	7.0	7.0	7.0	7.0	7.0	7.5	7.0				50.40	8	50.40	8	18.50	248.00	
		203B	1.0	2.3	6.5	7.0	6.5	8.0	7.0	7.0	6.5				47.15	7	97.55	6	25.60		
		305C	1.0	3.0	4.0	4.0	5.0	4.5	4.0	4.0	4.0				36.00	=7	133.55	8	47.10		
		105B	1.0	2.6	6.0	6.0	6.0	6.0	6.0	6.0	6.5				46.80	7	180.35	8	75.30		
		5134D	1.0	2.6	4.5	5.5	4.5	4.5	4.5	5.5	4.5				35.10	9	215.45	9	113.70		
		405C	1.0	3.1	3.5	4.0	4.0	3.5	3.5	3.5	2.5				32.55	10	248.00	9	161.15		
7	10	後藤 福寿									日本体育大学										
		105B	1.0	2.6	6.5	6.5	6.5	6.5	7.0	6.5	6.5				50.70	=6	50.70	=6	18.20	239.10	
		205C	1.0	3.0	6.0	6.0	6.0	6.0	5.5	5.5	5.5				52.50	5	103.20	4	19.95		
		305C	1.0	3.0	3.0	3.5	3.5	4.0	3.0	3.5	3.5				31.50	9	134.70	7	45.95		
		403B	1.0	2.4	7.0	7.0	5.0	5.5	6.0	6.0	6.5				44.40	9	179.10	10	76.55		
		405C	1.0	3.1	2.5	3.0	2.5	2.5	3.5	2.5	3.0				24.80	11	203.90	10	125.25		
		5132D	1.0	2.2	6.0	4.5	5.0	5.5	5.0	5.5	5.5				35.20	9	239.10	10	170.05		

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

開催日 2013/09/21
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 29.0℃
水温 28.0℃
天候

機械操作 大久保 一司
記録主任 中島 直樹

1 湯浅 よしの
2 中島 勝司
3 谷内 寛
4 河田 正英
5 清水 国重
6 水尾 亨
7 金戸 幸

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	11	南原 佑哉									日本体育大学									
		203B	1.0	2.3	6.0	5.0	4.5	4.0	4.5	5.0	5.0	5.0	33.35	11	33.35	11	35.55			197.20
		105B	1.0	2.6	4.5	4.0	4.0	4.0	4.5	4.5	4.5	33.80	9	67.15	11	56.00				
		5331D	1.0	2.2	2.5	1.5	1.5	2.0	2.5	2.0	2.5	14.30	11	81.45	11	99.20				
		305C	1.0	3.0	5.0	5.0	5.0	4.5	5.5	5.5	5.0	45.00	8	126.45	11	129.20				
		403B	1.0	2.4	6.0	7.0	6.5	6.0	6.5	6.0	6.0	44.40	8	170.85	11	158.30				
		405C	1.0	3.1	4.0	2.5	4.0	3.0	2.5	2.5	3.0	26.35	11	197.20	11	211.95				

1 棄権	坂之上 卓	サカノウエ スグル	日本体育大学
	403B	1.0 2.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0
	105B	1.0 2.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0
	203B	1.0 2.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0
	405C	1.0 3.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0
	305C	1.0 3.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0
	5333D	1.0 2.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0