

第89回日本選手権水泳競技大会 飛込競技

採点詳細

女子 1m 飛板飛込 決勝

開催日 2013/09/23

東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回

自由選択飛回数 5回

難易率合計 以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 名東 久也

記録主任 中島 直樹

1 野村 孝路

2 水尾 亨

3 西出 好範

4 湯浅 よしの

5 中島 勝司

6 内藤 直樹

7 坂井 由美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	1	榎本 遼香									作新学院高校									
		403B	1.0	2.4	6.5	6.5	6.5	6.5	6.5	6.5	7.0	6.5			46.80	3	46.80	3	3.90	236.05
		5132D	1.0	2.2	6.0	5.5	5.5	6.0	6.0	6.0	5.5	6.0			38.50	8	85.30	6	8.60	
		203B	1.0	2.3	6.5	6.5	7.0	7.0	7.0	7.0	7.5	6.5			47.15	=5	132.45	6	8.60	
		303B	1.0	2.4	7.0	7.5	7.0	7.0	7.0	7.0	7.5	7.5			51.60	3	184.05	4	1.40	
		105B	1.0	2.6	7.0	6.0	5.0	7.5	6.5	6.5	6.5	7.0			52.00	3	236.05	1		
14	2	馬淵 優佳									J S S宝塚									
		103B	1.0	1.7	6.5	8.0	7.5	7.0	7.0	7.0	7.0	7.0			35.70	9	35.70	9	15.00	235.85
		5132D	1.0	2.2	7.0	6.0	7.0	6.5	6.5	6.5	6.5	6.5			42.90	5	78.60	8	15.30	
		203B	1.0	2.3	7.0	8.0	7.0	7.5	8.0	8.0	8.0	8.0			54.05	1	132.65	5	8.40	
		303B	1.0	2.4	7.0	7.0	7.0	7.0	7.5	7.5	6.0	6.0			50.40	4	183.05	5	2.40	
		403B	1.0	2.4	7.0	7.5	8.0	7.5	7.0	8.0	7.0	7.0			52.80	2	235.85	2	0.20	
6	3	和田 雅									天理大学									
		203B	1.0	2.3	7.0	6.0	5.5	7.0	7.5	7.0	7.0	7.0			48.30	2	48.30	2	2.40	234.95
		303B	1.0	2.4	6.0	6.5	6.5	7.0	6.5	6.0	6.0	6.0			45.60	1	93.90	1		
		104B	1.0	2.3	6.5	7.0	7.0	7.0	7.0	7.0	6.5	6.0			47.15	=5	141.05	1		
		403B	1.0	2.4	7.0	6.0	5.5	6.5	6.0	6.0	6.5	5.5			44.40	=10	185.45	1		
		5132D	1.0	2.2	7.5	7.5	7.0	7.5	7.5	7.5	7.5	8.0			49.50	4	234.95	3	1.10	
10	4	板橋 美波									J S S宝塚									
		203B	1.0	2.3	6.0	6.0	5.0	6.0	6.0	6.0	5.5	6.0			41.40	=6	41.40	=6	9.30	232.20
		303B	1.0	2.4	4.5	4.0	4.0	4.5	4.0	4.0	4.0	5.0			30.00	13	71.40	10	22.50	
		5132D	1.0	2.2	7.5	7.5	7.0	7.5	7.0	7.0	7.0	7.5			48.40	3	119.80	9	21.25	
		403B	1.0	2.4	7.5	7.5	8.0	8.0	6.5	6.5	7.5	8.0			55.20	1	175.00	7	10.45	
		105B	1.0	2.6	7.5	6.5	7.0	7.5	7.0	7.0	7.5	8.0			57.20	1	232.20	4	3.85	
5	5	吉田 佳世									日本体育大学									
		105B	1.0	2.6	7.0	6.5	6.5	6.0	6.5	6.5	6.5	7.0			50.70	1	50.70	1		228.30
		403B	1.0	2.4	5.5	5.5	5.5	5.0	4.5	4.5	5.5	5.0			38.40	9	89.10	3	4.80	
		203B	1.0	2.3	7.0	7.5	7.0	7.0	7.0	7.0	6.5	7.5			48.30	4	137.40	2	3.65	
		303B	1.0	2.4	6.5	7.0	7.0	6.5	6.0	6.0	6.5	7.0			48.00	=6	185.40	2	0.05	
		5132D	1.0	2.2	7.0	6.5	5.5	6.0	6.5	6.5	6.5	7.0			42.90	6	228.30	5	7.75	

第89回日本選手権水泳競技大会 飛込競技

採点詳細

女子 1m 飛板飛込 決勝

開催日 2013/09/23  
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回  
自由選択飛回数 5回  
難易率合計 以内  
気温 28.5℃  
水温 28.0℃  
天候 晴れ

機械操作 名東 久也  
記録主任 中島 直樹

1 野村 孝路  
2 水尾 亨  
3 西出 好範  
4 湯浅 よしの  
5 中島 勝司  
6 内藤 直樹  
7 坂井 由美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	6	金戸 華									日出中学							
		5132D	1.0	2.2	6.0	6.0	7.0	6.5	5.5	6.0	6.0		39.60	8	39.60	8	11.10	219.25
		105B	1.0	2.6	6.0	6.0	5.5	6.0	5.5	5.5	5.0		44.20	3	83.80	7	10.10	
		203B	1.0	2.3	6.0	6.5	6.5	6.5	7.0	6.5	5.5		44.85	7	128.65	7	12.40	
		403B	1.0	2.4	7.0	7.5	7.5	7.5	7.0	7.5	7.0		52.80	2	181.45	6	4.00	
		303C	1.0	2.1	6.0	6.0	6.0	5.5	6.0	6.0	5.0		37.80	8	219.25	6	16.80	
4	7	和田 真琴									スイトピア							
		104B	1.0	2.3	6.0	6.0	7.0	7.0	6.0	6.0	5.5		41.40	=6	41.40	=6	9.30	217.65
		203B	1.0	2.3	7.0	6.5	6.5	6.5	6.5	6.0	7.0		44.85	2	86.25	4	7.65	
		303B	1.0	2.4	7.0	7.0	6.5	7.0	6.0	6.5	7.5		49.20	2	135.45	3	5.60	
		403B	1.0	2.4	7.0	6.0	6.5	7.0	6.5	7.0	7.5		49.20	5	184.65	3	0.80	
		5132D	1.0	2.2	5.0	5.0	5.0	5.5	4.5	5.0	4.5		33.00	=10	217.65	7	18.40	
9	8	畔上 ゆみか									筑波大学							
		403B	1.0	2.4	6.5	5.5	6.0	6.5	5.5	7.0	6.5		45.60	5	45.60	5	5.10	212.10
		105B	1.0	2.6	5.5	6.0	4.5	5.0	4.5	5.5	5.0		40.30	7	85.90	5	8.00	
		203B	1.0	2.3	6.5	6.0	6.0	6.5	7.5	6.0	6.0		42.55	=9	128.45	8	12.60	
		303C	1.0	2.1	7.0	7.0	7.5	7.5	7.0	7.5	6.5		45.15	9	173.60	8	11.85	
		5132D	1.0	2.2	5.5	5.0	6.5	6.5	5.5	6.5	5.5		38.50	7	212.10	8	23.95	
2	9	清水 咲									米子DC							
		105B	1.0	2.6	4.0	4.5	4.0	5.0	4.5	4.5	5.0		35.10	10	35.10	10	15.60	183.80
		203B	1.0	2.3	5.5	5.5	4.5	5.5	5.5	5.0	5.0		36.80	10	71.90	9	22.00	
		303B	1.0	2.4	6.0	5.5	6.0	5.5	5.5	5.5	5.0		39.60	12	111.50	10	29.55	
		403B	1.0	2.4	5.0	5.0	5.0	5.5	5.5	5.0	5.0		36.00	=12	147.50	11	37.95	
		5132D	1.0	2.2	5.5	5.5	5.5	6.0	5.5	7.0	5.0		36.30	9	183.80	9	52.25	
11	10	小林 由佳									日本体育大学							
		105B	1.0	2.6	4.5	4.0	3.5	3.5	3.5	3.0	3.5		27.30	13	27.30	13	23.40	180.40
		203B	1.0	2.3	6.0	6.0	6.0	6.0	6.0	5.5	6.0		41.40	6	68.70	11	25.20	
		303B	1.0	2.4	6.5	5.0	5.0	6.0	5.5	5.0	5.5		38.40	13	107.10	12	33.95	
		403B	1.0	2.4	7.0	5.5	6.0	7.0	6.0	7.0	7.0		48.00	=6	155.10	10	30.35	
		5132D	1.0	2.2	4.0	3.5	4.0	4.0	3.5	4.0	3.5		25.30	12	180.40	10	55.65	

第89回日本選手権水泳競技大会 飛込競技

採点詳細

女子 1m 飛板飛込 決勝

開催日 2013/09/23

東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回  
 自由選択飛回数 5回  
 難易率合計 以内  
 気温 28.5℃  
 水温 28.0℃  
 天候 晴れ

機械操作 名東 久也  
 記録主任 中島 直樹

1 野村 孝路  
 2 水尾 亨  
 3 西出 好範  
 4 湯浅 よしの  
 5 中島 勝司  
 6 内藤 直樹  
 7 坂井 由美子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
7	11	管沢 香奈子									清陵情報							
		104B	1.0	2.3	4.5	5.0	5.0	5.5	5.0	5.0	5.0		34.50	11	34.50	11	16.20	175.00
		403B	1.0	2.4	4.5	4.5	4.0	4.5	4.0	4.5	4.5		32.40	12	66.90	12	27.00	
		203B	1.0	2.3	6.5	5.5	6.5	6.0	6.5	6.0	5.5		42.55	=9	109.45	11	31.60	
		303C	1.0	2.1	5.5	5.5	5.0	5.0	5.0	5.0	5.5		32.55	14	142.00	13	43.45	
		5132D	1.0	2.2	5.0	5.0	5.0	5.5	5.5	5.5	5.0		33.00	=10	175.00	11	61.05	
1	12	藤原 蒼									岡山DC							
		203B	1.0	2.3	6.0	6.5	7.0	7.0	6.5	7.0	5.5		46.00	4	46.00	4	4.70	174.60
		403B	1.0	2.4	6.0	5.5	7.0	6.0	6.0	6.0	6.0		43.20	4	89.20	2	4.70	
		105B	1.0	2.6	6.0	6.5	5.0	6.0	5.5	5.5	5.5		44.20	8	133.40	4	7.65	
		303B	1.0	2.4	5.5	5.0	4.5	6.0	4.5	5.0	5.0		36.00	=12	169.40	9	16.05	
		5333D	1.0	2.6	0.5	0.5	0.5	0.5	1.0	1.0	1.5		5.20	14	174.60	12	61.45	
12	13	吉田 真実									福島県DC							
		5132D	1.0	2.2	5.0	4.0	5.0	4.5	4.5	4.5	4.0		29.70	12	29.70	12	21.00	163.70
		403B	1.0	2.4	4.0	4.0	4.0	4.5	3.5	4.0	4.0		28.80	14	58.50	13	35.40	
		203B	1.0	2.3	6.0	5.5	5.0	5.5	5.0	5.0	5.5		36.80	14	95.30	13	45.75	
		303B	1.0	2.4	6.5	6.5	7.5	7.0	6.5	6.0	5.5		46.80	8	142.10	12	43.35	
		105C	1.0	2.4	3.0	2.5	3.0	3.5	3.0	3.0	2.0		21.60	13	163.70	13	72.35	
13	14	三上 紗也可									米子DC							
		105B	1.0	2.6									Fault	14		14	50.70	163.60
		203B	1.0	2.3	5.0	5.0	5.0	5.0	4.5	4.0	5.0		34.50	11	34.50	14	59.40	
		303C	1.0	2.1	6.5	7.0	8.0	6.5	6.5	6.0	6.5		40.95	11	75.45	14	65.60	
		403B	1.0	2.4	6.0	6.0	6.0	6.5	6.5	6.5	6.0		44.40	=10	119.85	14	65.60	
		5233D	1.0	2.5	6.0	5.0	5.5	6.0	6.5	6.0	5.5		43.75	5	163.60	14	72.45	