

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 高飛込 決勝

開催日 2013/09/23

東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回

副審判長 小谷 理貴子

1 坂井 弘靖

自由選択飛回数 6回

2 吉原 直博

難易率合計 以内

機械操作 名東 久也

3 清水 国重

気温 28.5℃

記録主任 中島 直樹

4 河田 正英

水温 28.0℃

5 鈴木 羊子

天候 晴れ

6 金戸 幸

7 西出 好範

| 演技順 | 順位 | 氏名 | Type | Height | DD | (1) | (2) | (3) | (4) | (5) | 所 属 | (6) | (7) | Pen. | Dv.P. | Dv.R. | Ov.P. | Ov.R. | P.B. | T.P. |
|-----|----|-------|------|--------|-----|-----|-----|-----|-----|-----|---------|-----|-----|------|-------|-------|--------|-------|-------|--------|
| 12 | 1 | 岡本 優 | | | | | | | | | J S S宝塚 | | | | | | | | | |
| | | 6243D | 10.0 | 3.2 | 8.0 | 8.0 | 8.0 | 8.0 | 7.5 | 8.5 | 7.5 | 7.0 | | | 75.20 | 2 | 75.20 | 2 | 0.70 | 406.10 |
| | | 107B | 10.0 | 3.0 | 7.5 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 7.0 | 6.5 | | | 66.00 | 3 | 141.20 | 2 | 11.20 | |
| | | 407C | 10.0 | 3.2 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | | | 76.80 | 2 | 218.00 | 1 | | |
| | | 5253B | 10.0 | 3.2 | 8.5 | 8.0 | 8.0 | 8.5 | 8.5 | 8.0 | 8.0 | 7.5 | | | 76.80 | 2 | 294.80 | 1 | | |
| | | 207B | 10.0 | 3.6 | 6.5 | 6.5 | 6.0 | 6.5 | 6.5 | 5.5 | 6.5 | 5.0 | | | 68.40 | 2 | 363.20 | 1 | | |
| | | 307C | 10.0 | 3.3 | 4.5 | 4.0 | 4.5 | 5.0 | 4.0 | 5.0 | 5.0 | 3.5 | | | 42.90 | 9 | 406.10 | 1 | | |
| 8 | 2 | 大塚 千誠 | | | | | | | | | 浜松修学舎高校 | | | | | | | | | |
| | | 107B | 10.0 | 3.0 | 7.5 | 7.0 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 6.5 | | | 66.00 | 4 | 66.00 | 4 | 9.90 | 399.50 |
| | | 207C | 10.0 | 3.3 | 5.0 | 5.5 | 5.5 | 5.5 | 7.0 | 7.0 | 6.0 | 6.0 | | | 56.10 | 10 | 122.10 | 5 | 30.30 | |
| | | 407C | 10.0 | 3.2 | 7.5 | 7.5 | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.0 | | | 72.00 | 3 | 194.10 | 4 | 23.90 | |
| | | 307C | 10.0 | 3.3 | 7.5 | 7.5 | 7.0 | 7.0 | 8.0 | 8.0 | 7.0 | 7.5 | | | 72.60 | 3 | 266.70 | 4 | 28.10 | |
| | | 6243D | 10.0 | 3.2 | 7.5 | 6.5 | 7.5 | 7.0 | 7.5 | 7.5 | 7.0 | 7.5 | | | 70.40 | 1 | 337.10 | 2 | 26.10 | |
| | | 5253B | 10.0 | 3.2 | 6.5 | 7.0 | 6.5 | 6.5 | 7.0 | 7.0 | 6.5 | 6.5 | | | 62.40 | 4 | 399.50 | 2 | 6.60 | |
| 11 | 3 | 安永 元樹 | | | | | | | | | 和歌山DC | | | | | | | | | |
| | | 5152B | 10.0 | 2.9 | 8.5 | 8.5 | 8.5 | 8.0 | 7.5 | 7.5 | 7.5 | 7.5 | | | 69.60 | 3 | 69.60 | 3 | 6.30 | 398.75 |
| | | 107B | 10.0 | 3.0 | 7.0 | 6.0 | 6.5 | 7.0 | 7.5 | 7.5 | 6.5 | 7.5 | | | 61.50 | 4 | 131.10 | 3 | 21.30 | |
| | | 407C | 10.0 | 3.2 | 8.0 | 8.5 | 8.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | | | 78.40 | 1 | 209.50 | 2 | 8.50 | |
| | | 624B | 10.0 | 2.8 | 7.0 | 7.5 | 7.0 | 7.5 | 7.0 | 7.0 | 7.0 | 7.5 | | | 60.20 | 8 | 269.70 | 3 | 25.10 | |
| | | 205B | 10.0 | 2.9 | 6.5 | 6.5 | 7.0 | 6.5 | 6.5 | 6.5 | 6.0 | 6.5 | | | 56.55 | 6 | 326.25 | 3 | 36.95 | |
| | | 305B | 10.0 | 2.9 | 8.5 | 8.0 | 8.5 | 8.5 | 8.5 | 8.5 | 8.0 | 8.0 | | | 72.50 | 3 | 398.75 | 3 | 7.35 | |
| 10 | 4 | 萩田 拓馬 | | | | | | | | | 静岡ビル保善 | | | | | | | | | |
| | | 616B | 10.0 | 3.3 | 7.5 | 7.5 | 8.0 | 7.0 | 8.0 | 8.0 | 7.5 | 8.0 | | | 75.90 | 1 | 75.90 | 1 | | 392.80 |
| | | 107B | 10.0 | 3.0 | 8.5 | 8.5 | 8.5 | 8.5 | 8.0 | 8.0 | 8.5 | 9.0 | | | 76.50 | 1 | 152.40 | 1 | | |
| | | 307C | 10.0 | 3.3 | 5.0 | 5.5 | 5.0 | 4.5 | 6.5 | 6.5 | 5.5 | 5.5 | | | 52.80 | =8 | 205.20 | 3 | 12.80 | |
| | | 407C | 10.0 | 3.2 | 8.5 | 8.5 | 9.0 | 9.0 | 7.5 | 7.5 | 8.5 | 9.0 | | | 83.20 | 1 | 288.40 | 2 | 6.40 | |
| | | 207B | 10.0 | 3.6 | 2.5 | 2.5 | 3.0 | 3.5 | 2.5 | 2.5 | 3.0 | 3.0 | | | 30.60 | 12 | 319.00 | 4 | 44.20 | |
| | | 5255B | 10.0 | 3.6 | 6.5 | 6.0 | 8.0 | 7.0 | 7.0 | 7.0 | 8.0 | 6.5 | | | 73.80 | 1 | 392.80 | 4 | 13.30 | |
| 9 | 5 | 新良貴 優 | | | | | | | | | 福山平成大学 | | | | | | | | | |
| | | 107B | 10.0 | 3.0 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 7.5 | 7.0 | 6.0 | | | 64.50 | 6 | 64.50 | 6 | 11.40 | 363.10 |
| | | 207C | 10.0 | 3.3 | 4.5 | 5.5 | 4.5 | 4.5 | 4.5 | 4.5 | 5.0 | 4.0 | | | 44.55 | 12 | 109.05 | 10 | 43.35 | |
| | | 307C | 10.0 | 3.3 | 7.0 | 7.5 | 6.5 | 7.0 | 7.0 | 7.0 | 7.0 | 6.5 | | | 69.30 | 4 | 178.35 | 6 | 39.65 | |
| | | 407C | 10.0 | 3.2 | 4.5 | 6.0 | 5.5 | 6.0 | 6.5 | 6.5 | 5.5 | 5.0 | | | 54.40 | 10 | 232.75 | 6 | 62.05 | |
| | | 626C | 10.0 | 3.3 | 6.5 | 5.5 | 6.0 | 6.0 | 6.5 | 6.5 | 5.5 | 4.5 | | | 57.75 | 4 | 290.50 | 6 | 72.70 | |
| | | 5237D | 10.0 | 3.3 | 7.5 | 7.5 | 8.0 | 7.5 | 7.0 | 7.0 | 7.0 | 7.0 | | | 72.60 | 2 | 363.10 | 5 | 43.00 | |

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 高飛込 決勝

開催日 2013/09/23

東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
 自由選択飛回数 6回
 難易率合計 以内
 気温 28.5℃
 水温 28.0℃
 天候 晴れ

副審判長 小谷 理貴子
 機械操作 名東 久也
 記録主任 中島 直樹

1 坂井 弘靖
 2 吉原 直博
 3 清水 国重
 4 河田 正英
 5 鈴木 羊子
 6 金戸 幸
 7 西出 好範

| 演技順 | 順位 | 氏名 | Type | Height | DD | (1) | (2) | (3) | (4) | (5) | 所 属 | Pen. | Dv.P. | Dv.R. | Ov.P. | Ov.R. | P.B. | T.P. |
|-----|----|-------|------|--------|-----|-----|-----|-----|-----|-----|--------|------|-------|-------|--------|-------|--------|--------|
| 4 | 6 | 前谷 健佑 | | | | | | | | | 天理大学 | | | | | | | |
| | | 107B | 10.0 | 3.0 | 5.5 | 5.0 | 6.0 | 6.0 | 5.5 | 6.0 | 6.0 | | 52.50 | 9 | 52.50 | 9 | 23.40 | 340.40 |
| | | 5152B | 10.0 | 2.9 | 7.0 | 7.0 | 6.5 | 6.5 | 7.0 | 7.0 | 7.0 | | 60.90 | 5 | 113.40 | 8 | 39.00 | |
| | | 6243D | 10.0 | 3.2 | 5.5 | 6.0 | 6.0 | 5.5 | 5.5 | 5.0 | 5.5 | | 52.80 | =8 | 166.20 | 8 | 51.80 | |
| | | 407C | 10.0 | 3.2 | 6.5 | 7.0 | 7.5 | 7.0 | 6.5 | 6.5 | 5.5 | | 64.00 | 6 | 230.20 | 7 | 64.60 | |
| | | 205B | 10.0 | 2.9 | 6.5 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.5 | | 60.90 | 3 | 291.10 | 5 | 72.10 | |
| | | 305B | 10.0 | 2.9 | 6.0 | 6.0 | 5.5 | 5.5 | 5.5 | 6.0 | 5.5 | | 49.30 | 7 | 340.40 | 6 | 65.70 | |
| 7 | 7 | 坂之上 卓 | | | | | | | | | 日本体育大学 | | | | | | | |
| | | 6243D | 10.0 | 3.2 | 7.5 | 6.5 | 7.0 | 6.5 | 7.0 | 7.0 | 6.0 | | 65.60 | 5 | 65.60 | 5 | 10.30 | 329.25 |
| | | 107B | 10.0 | 3.0 | 6.5 | 6.0 | 6.0 | 6.5 | 6.5 | 6.0 | 6.5 | | 57.00 | 9 | 122.60 | 4 | 29.80 | |
| | | 5152B | 10.0 | 2.9 | 7.5 | 7.0 | 7.5 | 7.0 | 7.0 | 7.0 | 7.0 | | 60.90 | 5 | 183.50 | 5 | 34.50 | |
| | | 305B | 10.0 | 2.9 | 6.5 | 7.0 | 7.0 | 6.0 | 6.5 | 6.5 | 5.5 | | 56.55 | 9 | 240.05 | 5 | 54.75 | |
| | | 407C | 10.0 | 3.2 | 6.5 | 6.0 | 5.0 | 5.0 | 4.5 | 5.5 | 5.0 | | 49.60 | 8 | 289.65 | 7 | 73.55 | |
| | | 207C | 10.0 | 3.3 | 4.0 | 3.5 | 4.0 | 4.0 | 4.0 | 4.0 | 3.5 | | 39.60 | 11 | 329.25 | 7 | 76.85 | |
| 2 | 8 | 岡本 宗 | | | | | | | | | 宇都宮南高校 | | | | | | | |
| | | 6243D | 10.0 | 3.2 | 6.5 | 7.0 | 6.5 | 7.0 | 7.0 | 6.5 | 6.5 | | 64.00 | 7 | 64.00 | 7 | 11.90 | 325.50 |
| | | 405C | 7.5 | 2.7 | 6.5 | 6.5 | 6.0 | 6.5 | 7.0 | 7.5 | 6.5 | | 52.65 | 11 | 116.65 | 7 | 35.75 | |
| | | 107B | 10.0 | 3.0 | 5.0 | 4.5 | 4.5 | 5.5 | 5.0 | 5.0 | 4.5 | | 43.50 | 11 | 160.15 | 9 | 57.85 | |
| | | 305C | 7.5 | 2.8 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.0 | | 63.00 | 7 | 223.15 | 9 | 71.65 | |
| | | 207C | 10.0 | 3.3 | 4.0 | 4.5 | 4.5 | 4.5 | 4.0 | 4.5 | 4.0 | | 42.90 | 10 | 266.05 | 9 | 97.15 | |
| | | 5152B | 10.0 | 2.9 | 7.0 | 6.0 | 7.0 | 7.0 | 6.0 | 7.0 | 6.5 | | 59.45 | 5 | 325.50 | 8 | 80.60 | |
| 6 | 9 | 桑田 真治 | | | | | | | | | 神辺SC | | | | | | | |
| | | 305C | 7.5 | 2.8 | 4.0 | 4.0 | 4.0 | 4.5 | 5.0 | 4.5 | 4.0 | | 35.00 | 11 | 35.00 | 11 | 40.90 | 312.40 |
| | | 107B | 10.0 | 3.0 | 6.5 | 6.5 | 6.5 | 6.5 | 7.0 | 6.5 | 7.0 | | 58.50 | =7 | 93.50 | 11 | 58.90 | |
| | | 5154B | 10.0 | 3.3 | 6.0 | 5.5 | 6.0 | 6.0 | 5.5 | 5.0 | 5.0 | | 56.10 | 6 | 149.60 | 11 | 68.40 | |
| | | 407C | 10.0 | 3.2 | 7.5 | 7.0 | 7.5 | 8.0 | 8.0 | 7.0 | 7.0 | | 70.40 | 4 | 220.00 | 10 | 74.80 | |
| | | 207C | 10.0 | 3.3 | 4.5 | 6.0 | 6.0 | 6.0 | 5.0 | 5.5 | 5.5 | | 56.10 | 7 | 276.10 | 8 | 87.10 | |
| | | 626C | 10.0 | 3.3 | 2.5 | 4.0 | 3.0 | 4.0 | 3.5 | 4.0 | 3.5 | | 36.30 | 12 | 312.40 | 9 | 93.70 | |
| 1 | 10 | 大塚 智晃 | | | | | | | | | 日本体育大学 | | | | | | | |
| | | 107B | 10.0 | 3.0 | 4.5 | 5.5 | 4.5 | 5.0 | 4.5 | 5.0 | 5.5 | | 43.50 | 10 | 43.50 | 10 | 32.40 | 299.10 |
| | | 205B | 10.0 | 2.9 | 7.5 | 8.0 | 8.5 | 8.0 | 7.5 | 8.0 | 8.5 | | 69.60 | 2 | 113.10 | 9 | 39.30 | |
| | | 305B | 10.0 | 2.9 | 5.5 | 5.0 | 5.5 | 4.5 | 5.5 | 6.0 | 5.0 | | 46.40 | 10 | 159.50 | 10 | 58.50 | |
| | | 407C | 10.0 | 3.2 | 7.5 | 7.5 | 7.0 | 7.0 | 6.5 | 7.5 | 7.0 | | 68.80 | 5 | 228.30 | 8 | 66.50 | |
| | | 624B | 10.0 | 2.8 | 5.5 | 5.5 | 6.0 | 6.0 | 6.0 | 5.0 | 5.0 | 2.0 | 30.80 | 11 | 259.10 | 10 | 104.10 | |
| | | 5253B | 10.0 | 3.2 | 5.5 | 4.0 | 3.0 | 3.0 | 4.0 | 4.5 | 4.5 | | 40.00 | 10 | 299.10 | 10 | 107.00 | |

第89回日本選手権水泳競技大会 飛込競技

採点詳細

男子 高飛込 決勝

開催日 2013/09/23
東京辰巳国際水泳場

審判長 木村 勉
副審判長 小谷 理貴子
機械操作 名東 久也
記録主任 中島 直樹

審判団
1 坂井 弘靖
2 吉原 直博
3 清水 国重
4 河田 正英
5 鈴木 羊子
6 金戸 幸
7 西出 好範

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.5℃
水温 28.0℃
天候 晴れ

| 演技順 | 順位 | 氏名 | Type | Height | DD | (1) | (2) | (3) | (4) | (5) | 所 属 | Pen. | Dv.P. | Dv.R. | Ov.P. | Ov.R. | P.B. | T.P. |
|-----|----|-------|------|--------|-----|-----|-----|-----|-----|-----|--------|------|-------|-------|--------|-------|--------|--------|
| 5 | 11 | 荒田 恭兵 | | | | | | | | | 高岡 S C | | | | | | | |
| | | 107B | 10.0 | 3.0 | 7.0 | 6.5 | 6.5 | 7.0 | 6.0 | 6.5 | 7.0 | | 60.00 | 8 | 60.00 | 8 | 15.90 | 287.50 |
| | | 405B | 10.0 | 2.8 | 7.0 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 6.5 | | 60.20 | 6 | 120.20 | 6 | 32.20 | |
| | | 305C | 10.0 | 2.7 | 7.0 | 6.0 | 6.5 | 6.5 | 7.5 | 6.5 | 7.0 | | 54.00 | 7 | 174.20 | 7 | 43.80 | |
| | | 626C | 10.0 | 3.3 | 3.0 | 2.0 | 3.0 | 3.0 | 4.5 | 3.5 | 3.0 | 2.0 | 9.90 | 12 | 184.10 | 11 | 110.70 | |
| | | 205B | 7.5 | 3.0 | 6.0 | 7.0 | 6.5 | 6.5 | 6.0 | 6.5 | 6.0 | | 57.00 | 5 | 241.10 | 11 | 122.10 | |
| | | 5253B | 10.0 | 3.2 | 4.5 | 5.0 | 4.5 | 5.0 | 5.0 | 5.5 | 4.5 | | 46.40 | 8 | 287.50 | 11 | 118.60 | |
| 3 | 12 | 西田 玲雄 | | | | | | | | | 大阪水泳学校 | | | | | | | |
| | | 614B | 10.0 | 2.4 | 4.0 | 5.0 | 4.0 | 5.0 | 4.5 | 5.0 | 5.5 | | 34.80 | 12 | 34.80 | 12 | 41.10 | 284.45 |
| | | 205C | 5.0 | 3.0 | 6.0 | 7.0 | 6.0 | 6.5 | 6.5 | 6.5 | 7.0 | | 58.50 | =7 | 93.30 | 12 | 59.10 | |
| | | 305C | 7.5 | 2.8 | 4.5 | 5.5 | 4.5 | 4.5 | 4.5 | 6.0 | 5.0 | | 39.20 | 12 | 132.50 | 12 | 85.50 | |
| | | 107B | 10.0 | 3.0 | 5.0 | 6.0 | 5.0 | 5.5 | 5.5 | 5.0 | 5.0 | | 46.50 | 11 | 179.00 | 12 | 115.80 | |
| | | 5152B | 10.0 | 2.9 | 6.0 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | | 47.85 | 9 | 226.85 | 12 | 136.35 | |
| | | 407C | 10.0 | 3.2 | 5.5 | 6.5 | 5.0 | 6.0 | 6.0 | 6.0 | 6.0 | | 57.60 | 6 | 284.45 | 12 | 121.65 | |