

第82回 日本高等学校選手権水泳競技大会

採点詳細

女子 高飛込 決勝

開催日 2014/08/17

千葉県国際総合水泳場

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 5Round

制限選択飛回数 4回

副審判長 山下 出

1 坂井 弘靖

自由選択飛回数 5回

2 松本 行夫

難易率合計 7.6以内

機械操作 吉田 浩一

3 瓦井 健二

気温 25.9℃

記録主任 山岸 勲

4 斎藤 功

水温 27.6℃

5 富 泰仁

天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	榎本 遼香									栃木・作新学院						2.60	554.10
		103B	10.0	1.6	9.0	8.5	9.0	9.0	8.0	8.0		42.40	2	42.40	2			
		403B	10.0	2.0	9.0	9.0	9.0	9.5	9.0	8.5		54.00	1	96.40	1			
		301B	10.0	1.9	8.0	7.5	7.5	7.5	7.5	8.0		43.70	2	140.10	1			
		5231D	10.0	2.0	8.5	9.5	9.5	9.5	9.5	9.0		56.00	1	196.10	1			
		305C	10.0	2.8	8.0	8.0	8.0	8.5	8.5	8.5		68.60	2	264.70	1			
		6243D	10.0	3.2	6.0	6.0	6.0	6.0	5.5	6.5		57.60	5	322.30	1			
		205B	10.0	2.9	9.0	9.0	9.0	9.0	9.0	8.5		78.30	1	400.60	1			
		107B	10.0	3.0	8.5	8.5	8.5	8.0	9.0	9.0		76.50	1	477.10	1			
		5235D	10.0	2.8	9.5	9.0	9.5	9.0	9.0	9.0		77.00	1	554.10	1			
11	2	佐々木 那奈									兵庫・甲子園学院							
		103B	10.0	1.6	8.5	8.0	8.0	8.0	8.0	7.0		38.40	3	38.40	3	6.60	467.60	
		403B	10.0	2.0	8.5	8.5	9.0	8.0	8.5	8.5		51.00	2	89.40	2	7.00		
		301B	10.0	1.9	7.0	7.0	7.0	7.0	7.5	7.5		39.90	7	129.30	2	10.80		
		5132D	10.0	2.1	8.5	8.5	9.0	8.0	8.5	8.5		53.55	2	182.85	2	13.25		
		107B	10.0	3.0	8.0	8.0	8.0	7.0	8.0	8.0		72.00	1	254.85	2	9.85		
		407C	10.0	3.2	6.0	7.0	5.0	6.0	6.5	6.5		59.20	3	314.05	2	8.25		
		305C	10.0	2.8	4.0	5.0	4.0	3.5	5.0	5.0		36.40	8	350.45	2	50.15		
		207C	10.0	3.3	6.0	6.5	6.5	7.0	6.5	6.5		64.35	3	414.80	2	62.30		
		5253B	10.0	3.2	5.0	5.5	5.5	5.5	5.5	5.5		52.80	5	467.60	2	86.50		
9	3	森澤 育美									高知・高知商業							
		101B	10.0	1.5	7.0	7.5	7.5	7.5	7.0	7.0		33.00	6	33.00	6	12.00	450.30	
		403B	10.0	2.0	7.0	7.0	7.0	7.0	8.0	8.0		42.00	4	75.00	6	21.40		
		201C	5.0	1.5	5.5	5.5	5.5	6.0	5.5	5.5		24.75	11	99.75	10	40.35		
		5233D	5.0	2.5	6.5	6.0	6.0	6.5	6.5	6.5		47.50	3	147.25	10	48.85		
		5253B	10.0	3.2	6.5	6.0	6.0	6.5	6.0	6.0		59.20	3	206.45	7	58.25		
		405B	10.0	2.8	8.5	7.0	7.5	8.0	8.5	8.5		67.20	2	273.65	4	48.65		
		205B	10.0	2.9	7.5	7.5	7.5	8.0	7.5	7.5		65.25	2	338.90	3	61.70		
		107B	10.0	3.0	5.5	6.0	5.5	6.5	6.5	6.5		54.00	5	392.90	3	84.20		
		305C	10.0	2.8	6.5	7.0	6.5	8.0	7.0	7.0		57.40	4	450.30	3	103.80		
7	4	金戸 華									東京・日出高校							
		103B	10.0	1.6	7.0	7.0	7.0	7.0	7.0	7.0		33.60	5	33.60	5	11.40	436.80	
		5132D	10.0	2.1	7.0	7.5	8.0	7.0	7.5	7.5		46.20	3	79.80	4	16.60		
		301B	10.0	1.9	8.5	7.5	8.5	8.0	8.0	8.0		46.55	1	126.35	3	13.75		
		403B	10.0	2.0	7.5	7.5	7.5	7.5	7.5	7.5		45.00	6	171.35	3	24.75		
		105B	7.5	2.4	8.0	8.0	8.0	8.0	8.5	8.5		57.60	5	228.95	3	35.75		
		205B	10.0	2.9	4.0	4.5	5.5	6.0	5.5	5.5		44.95	8	273.90	3	48.40		
		405C	7.5	2.7	5.0	6.0	5.5	7.5	5.5	5.5		45.90	3	319.80	4	80.80		
		305C	10.0	2.8	8.0	7.5	8.0	9.0	7.5	7.5		65.80	2	385.60	4	91.50		
		5253B	10.0	3.2	5.0	5.0	5.5	6.0	5.5	5.5		51.20	7	436.80	4	117.30		
10	5	岩佐 美理香									東京・学芸大附							
		403B	10.0	2.0	7.5	7.5	7.5	6.5	7.5	7.5		45.00	1	45.00	1		420.85	
		103B	10.0	1.6	7.0	7.5	7.0	7.5	7.5	7.5		35.20	10	80.20	3	16.20		
		5132D	10.0	2.1	7.0	7.5	6.0	6.5	6.5	6.5		42.00	=5	122.20	4	17.90		
		301B	10.0	1.9	6.5	6.5	6.5	7.0	6.5	6.5		37.05	10	159.25	4	36.85		
		305C	10.0	2.8	5.0	5.5	5.5	5.5	4.5	4.5		44.80	11	204.05	8	60.65		
		205B	10.0	2.9	7.5	7.5	8.5	8.5	7.0	7.0		68.15	1	272.20	5	50.10		
		105B	7.5	2.4	6.5	6.0	6.5	6.5	6.0	6.0		45.60	4	317.80	5	82.80		
		405C	7.5	2.7	6.5	6.0	6.5	7.0	6.5	6.5		52.65	6	370.45	5	106.65		
		5235D	10.0	2.8	6.0	6.0	6.0	6.0	6.0	6.0		50.40	8	420.85	5	133.25		

第82回 日本高等学校選手権水泳競技大会

採点詳細

女子 高飛込 決勝

開催日 2014/08/17

千葉県国際総合水泳場

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 5Round

制限選択飛回数 4回

副審判長 山下 出

1 坂井 弘靖

自由選択飛回数 5回

2 松本 行夫

難易率合計 7.6以内

機械操作 吉田 浩一

3 瓦井 健二

気温 25.9℃

記録主任 山岸 勲

4 斎藤 功

水温 27.6℃

5 富 泰仁

天候

演技順	順位	氏名		採点					所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.							
		Type	Height	DD	(1)	(2)	(3)	(4)									(5)						
8	6	内藤 帆乃夏		ナイトゥ ノノカ					静岡・浜松学院								399.30						
		103B	10.0	1.6	7.0	7.0	7.0	6.5										6.5	32.80	=7	32.80	=7	12.20
		201B	10.0	1.8	7.0	7.5	7.5	7.5										7.0	39.60	7	72.40	7	24.00
		301B	10.0	1.9	7.5	8.0	7.5	7.0										7.5	42.75	4	115.15	5	24.95
		403B	10.0	2.0	7.0	6.5	7.0	7.0										7.0	42.00	7	157.15	6	38.95
		105B	7.5	2.4	7.0	7.0	8.0	6.5										8.0	52.80	7	209.95	6	54.75
		203B	5.0	2.3	5.5	5.5	6.0	6.5										6.0	40.25	9	250.20	9	72.10
		303C	5.0	2.1	6.0	6.0	6.5	6.5										6.5	39.90	6	290.10	8	110.50
		405B	10.0	2.8	7.0	6.5	7.0	6.5										8.0	57.40	4	347.50	6	129.60
		5235D	10.0	2.8	6.0	5.0	6.0	6.5										6.5	51.80	6	399.30	6	154.80
4	7	横山 光		ヨコヤマ ヒカリ					石川・金沢錦丘														
		103B	10.0	1.6	6.5	7.0	7.0	6.5									7.0	32.80	=7	32.80	=7	12.20	
		201B	10.0	1.8	6.0	7.0	7.0	7.5									7.0	37.80	9	70.60	9	25.80	
		301B	10.0	1.9	6.5	7.0	7.0	7.0									6.5	38.95	8	109.55	9	30.55	
		403B	10.0	2.0	8.0	7.5	8.0	8.0									7.5	47.00	4	156.55	7	39.55	
		105B	7.5	2.4	7.0	6.5	6.5	6.0									6.5	46.80	8	203.35	9	61.35	
		405B	10.0	2.8	7.0	7.0	6.5	7.5									7.0	58.80	4	262.15	6	60.15	
		205B	10.0	2.9	3.5	5.5	4.5	5.5									5.5	44.95	5	307.10	6	93.50	
		614B	10.0	2.4	6.0	5.5	5.5	5.5									5.5	39.60	9	346.70	7	130.40	
		5233D	10.0	2.4	6.5	6.5	7.0	7.0									7.0	49.20	9	395.90	7	158.20	
3	8	島雄 智佳子		シマオ チカコ					東京・東京高校														
		103B	10.0	1.6	6.0	6.0	6.0	5.5									6.5	28.80	10	28.80	10	16.20	
		5132D	10.0	2.1	5.5	7.0	7.0	5.5									6.5	39.90	6	68.70	10	27.70	
		403B	10.0	2.0	7.0	7.5	7.0	7.5									7.0	43.00	3	111.70	8	28.40	
		301B	10.0	1.9	7.0	6.5	7.5	7.0									7.5	40.85	9	152.55	9	43.55	
		105B	7.5	2.4	6.0	6.0	6.5	6.5									6.5	45.60	=9	198.15	10	66.55	
		624B	10.0	2.8	6.5	6.5	7.0	7.0									6.5	56.00	6	254.15	7	68.15	
		205B	10.0	2.9	3.5	5.0	4.0	5.0									4.0	37.70	7	291.85	7	108.75	
		405B	10.0	2.8	4.5	4.5	3.5	4.0									4.0	35.00	12	326.85	8	150.25	
		305C	10.0	2.8	7.5	7.5	7.5	7.5									7.0	63.00	2	389.85	8	164.25	
6	9	近藤 優妃		コトウ ユキ					鳥取・米子南高校														
		103B	10.0	1.6	7.0	7.5	6.0	7.5									7.0	34.40	4	34.40	4	10.60	
		403B	10.0	2.0	7.0	7.0	6.5	6.5									7.0	41.00	5	75.40	5	21.00	
		201B	10.0	1.8	7.0	6.5	7.0	7.5									7.0	37.80	9	113.20	6	26.90	
		5132D	10.0	2.1	7.5	7.0	7.0	7.5									7.0	45.15	5	158.35	5	37.75	
		405B	10.0	2.8	7.5	7.0	7.0	7.0									7.0	58.80	4	217.15	4	47.55	
		205B	10.0	2.9	3.5	3.5	3.5	5.0									4.5	33.35	12	250.50	8	71.80	
		305C	10.0	2.8	3.0	2.0	3.0	3.0									2.5	23.80	12	274.30	10	126.30	
		107B	10.0	3.0	6.0	5.5	5.5	6.0									5.5	51.00	7	325.30	9	151.80	
		5235D	10.0	2.8	7.0	7.0	7.5	7.5									7.5	61.60	3	386.90	9	167.20	
1	10	本田 沙羅		ホンダ サラ					鳥取・米子北高校														
		103B	10.0	1.6	6.0	7.0	7.0	6.5									7.0	32.80	=7	32.80	=7	12.20	
		301B	10.0	1.9	6.0	7.0	7.0	6.5									6.5	38.00	8	70.80	8	25.60	
		403B	10.0	2.0	7.0	6.5	7.0	7.0									7.0	42.00	=5	112.80	7	27.30	
		5132D	10.0	2.1	6.5	6.5	6.5	6.0									6.5	40.95	8	153.75	8	42.35	
		107B	10.0	3.0	6.5	6.5	6.5	6.0									6.0	57.00	6	210.75	5	53.95	
		407C	10.0	3.2	4.0	4.0	2.5	4.0									3.0	35.20	10	245.95	10	76.35	
		205B	10.0	2.9	3.0	3.5	4.0	4.5									4.0	33.35	9	279.30	9	121.30	
		305C	10.0	2.8	4.5	4.0	4.5	5.5									5.0	39.20	10	318.50	10	158.60	
		5235D	10.0	2.8	5.0	5.0	5.5	5.5									5.0	43.40	10	361.90	10	192.20	

第82回 日本高等学校選手権水泳競技大会

採点詳細

女子 高飛込 決勝

開催日 2014/08/17

千葉県国際総合水泳場

審判長 谷内 覚

審判団(A) 4Round

審判団(B) 5Round

制限選択飛回数 4回

副審判長 山下 出

1 坂井 弘靖

自由選択飛回数 5回

2 松本 行夫

難易率合計 7.6以内

機械操作 吉田 浩一

3 瓦井 健二

気温 25.9℃

記録主任 山岸 勲

4 斎藤 功

水温 27.6℃

5 富 泰仁

天候

演技順	順位	氏名		採点					所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
		Type	Height	DD	(1)	(2)	(3)	(4)								
2	11	宮上 茜							広島・福山葦陽							
		103B	10.0	1.6	5.5	5.5	6.0	6.0	6.5	28.00	11	28.00	11	17.00	301.20	
		301B	10.0	1.9	4.5	4.5	4.5	5.5	5.0	26.60	12	54.60	12	41.80		
		403B	10.0	2.0	6.0	6.0	6.5	6.0	6.0	36.00	10	90.60	11	49.50		
		5132D	10.0	2.1	4.0	5.0	4.0	5.0	5.0	29.40	11	120.00	11	76.10		
		107B	10.0	3.0	4.0	4.0	3.0	3.0	3.5	31.50	12	151.50	11	113.20		
		205B	10.0	2.9	5.0	5.5	5.5	4.5	5.5	46.40	7	197.90	11	124.40		
		305C	10.0	2.8	2.0	3.0	3.0	3.0	3.0	25.20	11	223.10	11	177.50		
		405B	10.0	2.8	5.5	6.0	5.0	5.5	5.5	46.20	8	269.30	11	207.80		
5152B	10.0	2.9	3.5	3.5	3.0	4.0	4.0	31.90	11	301.20	11	252.90				
5	12	安道 真鈴							奈良・天理高校							
		103B	10.0	1.6	5.0	5.0	5.5	5.5	5.0	24.80	12	24.80	12	20.20	283.90	
		201B	10.0	1.8	6.0	6.0	6.5	6.5	6.5	34.20	11	59.00	11	37.40		
		301B	10.0	1.9	2.0	4.0	4.5	3.0	2.0	17.10	12	76.10	12	64.00		
		403B	10.0	2.0	4.5	5.0	5.5	5.0	4.5	29.00	12	105.10	12	91.00		
		105B	7.5	2.4	6.0	6.0	7.0	6.5	6.5	45.60	=9	150.70	12	114.00		
		205B	10.0	2.9	3.0	4.0	3.5	5.5	4.5	34.80	11	185.50	12	136.80		
		305C	10.0	2.8	3.5	3.0	3.0	4.0	4.0	29.40	10	214.90	12	185.70		
		405B	10.0	2.8	4.5	4.0	5.0	4.5	4.5	37.80	11	252.70	12	224.40		
614B	10.0	2.4	4.0	4.5	4.0	5.0	4.5	31.20	12	283.90	12	270.20				