

第82回 日本高等学校選手権水泳競技大会

採点詳細
女子 3m 飛板飛込 決勝

開催日 2014/08/19
千葉県国際総合水泳場

審判長 野村 孝路
副審判長 坂田 和也
機械操作 吉田 浩一
記録主任

審判団
1 坂井 弘靖
2 山下 出
3 松本 行夫
4 斎藤 功
5 瓦井 健二

制限選択飛回数 5回
自由選択飛回数 5回
難易率合計 9.5以内
気温 27.3℃
水温 27.5℃
天候

演技順	順位	氏名		採点					所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
		Type	Height	DD	(1)	(2)	(3)	(4)								
12	1	佐々木	那奈						兵庫・甲子園学院							
		103B	3.0	1.6	8.0	8.0	8.0	8.0	38.40	=2	38.40	=2			1.20	522.05
		201B	3.0	1.8	8.5	7.5	8.0	8.0	44.10	1	82.50	1				
		301B	3.0	1.9	8.5	8.5	8.0	8.5	48.45	1	130.95	1				
		403B	3.0	2.1	7.5	7.0	8.0	8.0	49.35	1	180.30	1				
		5132D	3.0	2.1	8.0	8.0	7.5	7.5	49.35	1	229.65	1				
		405C	3.0	2.7	8.0	7.5	8.5	8.5	67.50	1	297.15	1				
		107C	3.0	2.8	6.5	7.0	6.0	7.0	56.00	3	353.15	1				
		5233D	3.0	2.4	7.0	7.5	7.0	6.5	51.60	4	404.75	1				
		205B	3.0	3.0	7.0	7.0	6.5	6.0	58.50	1	463.25	1				
		305C	3.0	2.8	7.0	7.0	7.0	7.5	58.80	2	522.05	1				
11	2	榎本	遼香						栃木・作新学院							
		103B	3.0	1.6	7.0	7.5	7.0	7.5	35.20	4	35.20	4	4.40		472.05	
		201B	3.0	1.8	8.0	7.5	8.0	7.5	42.30	2	77.50	3	5.00			
		301B	3.0	1.9	7.0	7.5	8.0	7.5	41.80	3	119.30	3	11.65			
		403B	3.0	2.1	7.0	7.0	7.5	7.0	44.10	=3	163.40	3	16.90			
		5231D	3.0	2.0	7.5	7.5	7.5	8.0	45.00	4	208.40	3	21.25			
		405C	3.0	2.7	7.0	7.5	7.5	7.0	58.05	2	266.45	2	30.70			
		107C	3.0	2.8	3.5	4.5	5.5	5.0	40.60	9	307.05	3	46.10			
		5152B	3.0	3.0	6.0	6.5	6.5	6.0	55.50	2	362.55	3	42.20			
		205B	3.0	3.0	4.5	4.0	5.5	6.0	43.50	6	406.05	2	57.20			
		305B	3.0	3.0	7.0	7.0	7.5	7.5	66.00	1	472.05	2	50.00			
10	3	金戸	華						東京・日出高校							
		103B	3.0	1.6	7.5	8.5	8.0	8.0	38.40	=2	38.40	=2	1.20		450.75	
		201B	3.0	1.8	7.5	7.5	7.5	7.0	40.50	3	78.90	2	3.60			
		301B	3.0	1.9	7.5	7.5	6.5	6.5	40.85	=4	119.75	2	11.20			
		403B	3.0	2.1	7.0	7.5	6.0	7.0	44.10	=3	163.85	2	16.45			
		5132D	3.0	2.1	7.0	8.0	7.0	8.0	47.25	3	211.10	2	18.55			
		105B	3.0	2.4	7.0	7.5	6.5	6.5	49.20	4	260.30	3	36.85			
		205B	3.0	3.0	6.0	6.5	6.0	6.5	57.00	2	317.30	2	35.85			
		305B	3.0	3.0	5.5	7.0	6.0	6.5	57.00	1	374.30	2	30.45			
		405B	3.0	3.0	3.0	5.0	3.0	3.5	31.50	11	405.80	3	57.45			
		5335D	3.0	2.9	5.0	4.5	5.5	5.0	44.95	5	450.75	3	71.30			
4	4	横山	光						石川・金沢錦丘							
		103B	3.0	1.6	6.0	6.5	6.0	6.5	29.60	8	29.60	8	10.00		419.40	
		201B	3.0	1.8	7.0	8.0	8.0	7.0	39.60	=4	69.20	7	13.30			
		301B	3.0	1.9	7.0	7.5	7.5	7.0	40.85	=4	110.05	5	20.90			
		403B	3.0	2.1	7.5	7.5	7.0	7.0	45.15	2	155.20	5	25.10			
		5132D	3.0	2.1	5.5	6.0	5.5	5.5	34.65	11	189.85	6	39.80			
		105B	3.0	2.4	6.0	6.0	6.0	5.5	42.00	=8	231.85	6	65.30			
		205C	3.0	2.8	6.0	7.0	7.0	6.5	57.40	1	289.25	4	63.90			
		303B	3.0	2.3	3.5	4.5	5.0	4.5	32.20	10	321.45	6	83.30			
		405C	3.0	2.7	6.0	6.5	6.0	7.0	49.95	=3	371.40	6	91.85			
		5233D	3.0	2.4	6.5	7.0	6.5	7.0	48.00	3	419.40	4	102.65			
5	5	屋田	真寿						兵庫・甲子園学院							
		401B	3.0	1.4	7.0	8.0	7.5	7.5	32.20	6	32.20	6	7.40		417.25	
		103B	3.0	1.6	7.0	7.0	7.0	6.5	32.80	8	65.00	9	17.50			
		5132D	3.0	2.1	6.5	5.5	6.0	6.0	37.80	8	102.80	8	28.15			
		201B	3.0	1.8	7.0	7.5	7.5	8.0	40.50	8	143.30	6	37.00			
		303B	3.0	2.3	6.0	7.0	7.0	7.0	48.30	2	191.60	5	38.05			
		403B	3.0	2.1	6.5	6.5	6.5	7.5	42.00	=8	233.60	5	63.55			
		105B	3.0	2.4	7.0	6.5	6.0	7.0	49.20	4	282.80	6	70.35			
		5134D	3.0	2.5	6.5	6.0	6.0	7.0	46.25	5	329.05	5	75.70			
		205C	3.0	2.8	5.0	6.0	6.0	6.0	50.40	2	379.45	4	83.80			
		305C	3.0	2.8	4.0	4.5	4.5	4.5	37.80	9	417.25	5	104.80			

第82回 日本高等学校選手権水泳競技大会

採点詳細

女子 3m 飛板飛込 決勝

開催日 2014/08/19

千葉県国際総合水泳場

審判長 野村 孝路

審判団

制限選択飛回数 5回

副審判長 坂田 和也

1 坂井 弘靖

自由選択飛回数 5回

難易率合計 9.5 以内

機械操作 吉田 浩一

2 山下 出

気温 27.3℃

水温 27.5℃

記録主任

3 松本 行夫

天候

4 斎藤 功

5 瓦井 健二

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	6	岩佐 美理香									東京・学芸大附							
		201B	3.0	1.8	7.0	7.5	7.5	7.5	7.5	7.0		39.60	1	39.60	1			416.35
		103B	3.0	1.6	7.0	7.0	7.5	6.0	6.0	6.0		32.00	10	71.60	4	10.90		
		5132D	3.0	2.1	7.0	7.0	7.0	6.5	6.0	6.0		43.05	2	114.65	4	16.30		
		403B	3.0	2.1	7.0	7.5	6.5	7.0	7.0	7.0		44.10	=3	158.75	4	21.55		
		301B	3.0	1.9	7.0	7.0	7.0	6.5	7.0	7.0		39.90	5	198.65	4	31.00		
		305C	3.0	2.8	6.5	7.0	6.5	6.5	6.5	6.5		54.60	3	253.25	4	43.90		
		205C	3.0	2.8	4.0	4.0	4.5	5.0	4.0	4.0		35.00	10	288.25	5	64.90		
		105B	3.0	2.4	6.5	7.0	6.0	6.0	5.5	5.5		44.40	6	332.65	4	72.10		
		405C	3.0	2.7	5.0	4.5	5.5	5.0	5.0	5.0		40.50	7	373.15	5	90.10		
		5233D	3.0	2.4	6.0	7.0	6.0	6.0	6.0	5.5		43.20	7	416.35	6	105.70		
2	7	吉村 知理									広島・福山葦陽							
		103B	3.0	1.6	5.5	7.0	6.5	6.0	5.5	5.5		28.80	=9	28.80	=9	10.80		384.10
		201B	3.0	1.8	5.5	6.0	6.0	6.5	5.5	5.5		31.50	11	60.30	10	22.20		
		301B	3.0	1.9	7.0	7.0	7.0	7.0	6.0	6.0		39.90	7	100.20	10	30.75		
		403B	3.0	2.1	6.5	6.5	6.5	6.5	6.5	6.5		40.95	7	141.15	7	39.15		
		5331D	3.0	2.1	2.5	5.5	5.5	5.0	5.0	5.0		32.55	12	173.70	8	55.95		
		105B	3.0	2.4	6.5	7.0	6.0	6.0	6.0	6.0		44.40	=6	218.10	8	79.05		
		203B	3.0	2.2	5.5	6.5	7.0	7.0	6.0	6.0		42.90	7	261.00	7	92.15		
		305C	3.0	2.8	5.0	5.0	4.5	5.0	4.0	4.0		40.60	7	301.60	7	103.15		
		405C	3.0	2.7	6.5	6.0	6.0	6.5	6.0	6.0		49.95	=3	351.55	7	111.70		
		5132D	3.0	2.1	5.5	6.5	5.0	5.0	4.5	4.5		32.55	11	384.10	7	137.95		
6	8	宮上 幸									広島・福山葦陽							
		103B	3.0	1.6	5.5	6.0	6.0	5.5	5.5	5.5		27.20	12	27.20	12	12.40		379.35
		201B	3.0	1.8	6.0	6.5	6.0	6.0	6.0	6.0		32.40	9	59.60	11	22.90		
		301B	3.0	1.9	6.0	6.0	6.5	6.0	6.5	6.5		35.15	10	94.75	11	36.20		
		403B	3.0	2.1	6.5	6.0	6.5	6.0	6.5	6.5		39.90	9	134.65	9	45.65		
		5231D	3.0	2.0	6.5	6.0	6.0	5.0	6.5	6.5		37.00	10	171.65	10	58.00		
		105B	3.0	2.4	6.0	5.5	5.0	6.0	5.5	5.5		40.80	11	212.45	10	84.70		
		205C	3.0	2.8	5.0	5.5	6.0	6.0	5.0	5.0		46.20	5	258.65	9	94.50		
		305C	3.0	2.8	4.0	5.0	4.0	5.0	4.0	4.0		36.40	8	295.05	8	109.70		
		405C	3.0	2.7	6.0	6.0	6.0	6.0	6.0	6.0		48.60	5	343.65	8	119.60		
		5132D	3.0	2.1	6.0	7.0	5.5	5.5	5.5	5.5		35.70	10	379.35	8	142.70		
7	9	内藤 帆乃夏									静岡・浜松学院							
		103B	3.0	1.6	7.5	7.0	7.5	7.0	7.0	7.0		34.40	5	34.40	5	5.20		377.30
		201B	3.0	1.8	7.0	7.0	6.5	6.5	7.5	7.5		36.90	7	71.30	5	11.20		
		301B	3.0	1.9	6.5	6.0	6.5	6.5	7.5	7.5		37.05	9	108.35	7	22.60		
		401B	3.0	1.4	5.5	6.0	6.0	7.0	6.5	6.5		25.90	11	134.25	10	46.05		
		5132D	3.0	2.1	6.0	6.5	6.0	6.0	6.0	6.0		37.80	=6	172.05	9	57.60		
		105B	3.0	2.4	7.0	6.0	6.0	6.0	6.5	6.5		44.40	=6	216.45	9	80.70		
		203B	3.0	2.2	6.5	7.0	6.5	7.0	6.5	6.5		44.00	6	260.45	8	92.70		
		303B	3.0	2.3	5.5	3.5	6.0	5.5	4.0	4.0		34.50	9	294.95	9	109.80		
		403B	3.0	2.1	5.5	6.0	6.0	6.0	5.0	5.0		36.75	10	331.70	9	131.55		
		5233D	3.0	2.4	6.0	6.5	6.0	7.0	6.5	6.5		45.60	4	377.30	9	144.75		
8	10	本田 沙羅									鳥取・米子北高校							
		103B	3.0	1.6	6.5	6.5	5.5	5.5	5.5	5.5		28.00	11	28.00	11	11.60		364.60
		201B	3.0	1.8	5.5	6.0	5.5	6.5	5.5	5.5		30.60	12	58.60	12	23.90		
		301B	3.0	1.9	4.0	4.5	5.0	4.5	5.0	5.0		26.60	12	85.20	12	45.75		
		403B	3.0	2.1	7.0	7.0	7.0	6.5	6.0	6.0		43.05	6	128.25	11	52.05		
		5132D	3.0	2.1	5.5	6.0	6.0	6.0	6.5	6.5		37.80	=6	166.05	11	63.60		
		405C	3.0	2.7	5.0	5.0	6.0	6.0	5.5	5.5		44.55	5	210.60	11	86.55		
		105B	3.0	2.4	6.0	5.5	6.0	6.0	5.5	5.5		42.00	8	252.60	11	100.55		
		205C	3.0	2.8	3.5	3.5	3.5	4.0	3.0	3.0		29.40	11	282.00	11	122.75		
		305C	3.0	2.8	4.0	5.0	5.5	4.0	4.5	4.5		37.80	9	319.80	11	143.45		
		5235D	3.0	2.8	5.5	5.0	6.0	5.5	4.5	4.5		44.80	6	364.60	10	157.45		

第82回 日本高等学校選手権水泳競技大会

採点詳細

女子 3m 飛板飛込 決勝

開催日 2014/08/19
千葉県国際総合水泳場

審判長 野村 孝路

審判団

制限選択飛回数 5回
自由選択飛回数 5回
難易率合計 9.5以内
気温 27.3℃
水温 27.5℃
天候

副審判長 坂田 和也
機械操作 吉田 浩一
記録主任

1 坂井 弘靖
2 山下 出
3 松本 行夫
4 斎藤 功
5 瓦井 健二

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
1	11	森澤 育美									高知・高知商業							
		103B	3.0	1.6	6.0	6.0	6.5	5.5	6.0			28.80	=9	28.80	=9	10.80		
		201B	3.0	1.8	7.5	7.0	8.0	7.0	7.5			39.60	=4	68.40	8	14.10		
		301B	3.0	1.9	7.0	6.5	8.0	7.5	7.0			40.85	=4	109.25	6	21.70		
		401B	3.0	1.4	7.0	7.0	8.0	7.5	7.5			30.80	10	140.05	8	40.25		
		5132D	3.0	2.1	6.0	6.0	6.0	6.0	6.0			37.80	=6	177.85	7	51.80		
		105B	3.0	2.4	5.5	6.0	6.0	5.5	6.0			42.00	=8	219.85	7	77.30		
		205C	3.0	2.8	4.0	4.0	4.0	4.5	4.0			33.60	12	253.45	10	99.70		
		303C	3.0	2.0	4.0	4.5	4.5	5.0	4.5			27.00	12	280.45	12	124.30		
		403B	3.0	2.1	5.5	7.5	6.5	6.5	6.0			39.90	8	320.35	10	142.90		
		5233D	3.0	2.4	4.5	5.5	6.0	5.5	5.0			38.40	8	358.75	11	163.30		
9	12	清水 咲									鳥取・米子東高校							
		103B	3.0	1.6	6.5	7.5	6.0	6.5	6.0			30.40	7	30.40	7	9.20		344.75
		5132D	3.0	2.1	6.5	6.5	6.0	6.0	6.0			38.85	6	69.25	6	13.25		
		201B	3.0	1.8	6.0	6.5	6.5	6.0	6.0			33.30	11	102.55	9	28.40		
		301B	3.0	1.9	4.0	5.0	4.5	4.0	4.5			24.70	12	127.25	12	53.05		
		403B	3.0	2.1	6.0	5.5	6.0	6.0	6.0			37.80	=6	165.05	12	64.60		
		405C	3.0	2.7	4.0	4.5	4.5	3.5	4.5			35.10	12	200.15	12	97.00		
		105B	3.0	2.4	4.5	6.0	5.5	4.5	4.5			34.80	11	234.95	12	118.20		
		205C	3.0	2.8	6.0	6.5	6.5	6.5	6.0			53.20	3	288.15	10	116.60		
		305C	3.0	2.8	3.0	3.5	3.0	3.5	3.0			26.60	12	314.75	12	148.50		
		5233D	3.0	2.4	4.0	4.0	4.5	4.0	5.0			30.00	12	344.75	12	177.30		