

第82回 日本高等学校選手権水泳競技大会

採点詳細

男子 高飛込 決勝

開催日 2014/08/20

千葉県国際総合水泳場

審判長 野村 孝路

審判団

制限選択飛回数 4回

副審判長 佐藤 賢一

1 坂井 弘靖

自由選択飛回数 6回

2 松本 行夫

難易率合計 7.6以内

機械操作 霞 俊弥

3 富 泰仁

気温 25.9℃

記録主任 吉田 浩一

4 高橋 史倫

水温 27.5℃

5 斎藤 功

天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
7	1	笠井 貴史									新潟・長岡大手							
		103B	10.0	1.6	6.5	6.5	7.0	6.5	7.0			32.00	10	32.00	10	9.80	513.00	
		301B	10.0	1.9	7.0	7.5	7.5	7.5	7.5			42.75	=3	74.75	5	11.65		
		403B	10.0	2.0	6.5	6.5	6.5	6.5	6.0			39.00	10	113.75	9	16.65		
		5132D	10.0	2.1	6.5	7.0	7.0	7.0	6.5			43.05	6	156.80	8	26.10		
		107B	10.0	3.0	7.0	6.0	6.5	7.0	6.5			60.00	1	216.80	5	20.70		
		207C	10.0	3.3	6.5	7.0	7.0	7.0	6.5			67.65	3	284.45	3	7.10		
		624B	10.0	2.8	4.5	5.5	5.5	5.5	5.5			46.20	7	330.65	2	3.45		
		305C	10.0	2.8	8.5	8.0	8.5	8.5	8.5			71.40	1	402.05	1			
		407C	10.0	3.2	5.5	6.0	5.0	5.5	6.0			54.40	5	456.45	1			
		5152B	10.0	2.9	7.0	6.5	6.5	6.5	6.5			56.55	4	513.00	1			
9	2	荒木 宥図									新潟・帝京長岡							
		103B	10.0	1.6	9.0	8.5	8.0	8.5	8.5			40.80	2	40.80	2	1.00	511.45	
		301B	10.0	1.9	8.0	8.5	8.0	8.0	7.5			45.60	1	86.40	1			
		403B	10.0	2.0	7.0	7.5	7.5	7.5	7.0			44.00	4	130.40	1			
		5132D	10.0	2.1	8.5	8.5	8.0	8.5	7.0			52.50	2	182.90	1			
		105B	5.0	2.6	7.0	7.0	6.5	7.0	7.0			54.60	4	237.50	1			
		203B	5.0	2.3	8.0	7.5	8.0	7.5	8.0			54.05	7	291.55	1			
		303B	5.0	2.4	4.5	5.5	6.0	4.5	5.0			36.00	9	327.55	3	6.55		
		405C	7.5	2.7	7.0	8.0	8.5	7.0	8.5			63.45	2	391.00	2	11.05		
		614B	10.0	2.4	7.5	8.0	8.0	7.5	7.5			55.20	4	446.20	2	10.25		
		5152B	10.0	2.9	7.5	7.5	7.5	7.5	7.0			65.25	=1	511.45	2	1.55		
10	3	太田 瑠輝									茨城・土浦第二							
		103B	10.0	1.6	8.5	8.0	7.5	8.0	7.5			37.60	6	37.60	6	4.20	495.10	
		201B	7.5	1.8	7.0	7.0	7.0	7.0	7.0			37.80	8	75.40	4	11.00		
		403B	10.0	2.0	8.5	8.5	8.5	8.5	9.0			51.00	=1	126.40	3	4.00		
		5132D	10.0	2.1	8.0	8.0	8.0	8.5	7.5			50.40	4	176.80	2	6.10		
		614B	10.0	2.4	5.5	5.5	3.5	4.5	5.0			36.00	=9	212.80	6	24.70		
		107B	10.0	3.0	8.5	8.0	8.0	7.5	8.0			72.00	1	284.80	2	6.75		
		5152B	10.0	2.9	5.5	6.0	5.5	6.0	5.0			49.30	5	334.10	1			
		405B	10.0	2.8	6.5	6.0	5.0	5.0	5.5			46.20	=8	380.30	3	21.75		
		305C	10.0	2.8	7.0	6.5	7.0	7.0	6.5			57.40	2	437.70	4	18.75		
		205C	7.5	2.8	7.0	7.0	6.5	7.0	6.5			57.40	3	495.10	3	17.90		
8	4	水間 誠人									埼玉・埼玉栄							
		103B	10.0	1.6	6.0	6.5	6.5	6.0	6.5			30.40	11	30.40	11	11.40	475.20	
		5132D	10.0	2.1	6.5	7.0	6.5	6.5	6.5			40.95	6	71.35	=9	15.05		
		403B	10.0	2.0	8.0	8.0	8.0	8.0	7.0			48.00	3	119.35	5	11.05		
		301B	10.0	1.9	6.5	6.0	7.5	7.0	7.0			38.95	11	158.30	7	24.60		
		107B	10.0	3.0	5.5	5.5	4.5	5.5	5.0			48.00	6	206.30	8	31.20		
		407C	10.0	3.2	5.5	6.0	6.0	6.0	5.5			56.00	4	262.30	7	29.25		
		205C	5.0	3.0	7.0	7.0	7.0	7.5	7.5			64.50	1	326.80	4	7.30		
		305C	7.5	2.9	4.0	6.0	6.0	6.0	5.5			50.75	6	377.55	4	24.50		
		5152B	10.0	2.9	7.5	7.5	7.0	7.5	7.5			65.25	1	442.80	3	13.65		
		614B	10.0	2.4	4.5	4.5	4.5	6.0	4.5			32.40	11	475.20	4	37.80		
12	5	須山 晴貴									島根・松徳学院							
		103B	5.0	1.7	7.0	7.5	7.0	7.5	7.0			36.55	7	36.55	7	5.25	473.35	
		201B	5.0	1.6	8.0	8.0	9.0	8.0	9.0			40.00	7	76.55	3	9.85		
		301B	5.0	1.7	7.0	7.5	8.0	7.0	7.0			36.55	11	113.10	10	17.30		
		5233D	5.0	2.5	8.0	7.5	8.5	8.0	7.0			58.75	1	171.85	3	11.05		
		105B	5.0	2.6	7.0	7.5	7.5	7.0	7.0			55.90	2	227.75	2	9.75		
		405C	5.0	3.1	5.5	6.0	6.0	6.0	6.5			55.80	6	283.55	4	8.00		
		624C	5.0	2.6	3.5	5.0	4.5	4.0	5.0			35.10	10	318.65	6	15.45		
		205C	5.0	3.0	5.5	6.0	5.5	6.0	6.5			52.50	5	371.15	5	30.90		
		305C	5.0	3.1	6.0	6.0	5.0	6.5	6.0			55.80	3	426.95	5	29.50		
		5235D	5.0	2.9	5.0	5.5	6.0	5.5	4.5			46.40	6	473.35	5	39.65		

第82回 日本高等学校選手権水泳競技大会

採点詳細

男子 高飛込 決勝

開催日 2014/08/20
千葉県国際総合水泳場

審判長 野村 孝路
副審判長 佐藤 賢一
機械操作 霞 俊弥
記録主任 吉田 浩一

審判団
1 坂井 弘靖
2 松本 行夫
3 富 泰仁
4 高橋 史倫
5 斎藤 功

制限選択飛回数 4回
自由選択飛回数 6回
難易率合計 7.6以内
気温 25.9℃
水温 27.5℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	6	崎戸 史也									佐賀・佐賀商業							
		103B	10.0	1.6	8.0	8.5	8.0	8.5	8.5	8.5		40.00	=3	40.00	=3	1.80		460.70
		301B	10.0	1.9	5.0	5.5	5.5	5.5	5.5	5.5		31.35	11	71.35	=9	15.05		
		403B	10.0	2.0	7.0	6.5	7.0	7.0	6.5	6.5		41.00	8	112.35	11	18.05		
		5132D	10.0	2.1	6.5	7.5	7.5	6.0	7.0	7.0		44.10	5	156.45	9	26.45		
		107B	10.0	3.0	4.0	4.0	4.0	3.5	4.0	4.0		36.00	=9	192.45	10	45.05		
		407C	10.0	3.2	7.5	8.0	6.5	7.5	6.5	6.5		68.80	2	261.25	8	30.30		
		6243D	10.0	3.2	4.0	4.0	4.5	4.5	3.5	3.5		40.00	8	301.25	8	32.85		
		205C	5.0	3.0	5.5	6.0	5.0	5.5	5.0	5.0		48.00	7	349.25	7	52.80		
		305C	10.0	2.8	5.5	5.5	5.5	5.5	5.0	5.0		46.20	8	395.45	7	61.00		
		5152B	10.0	2.9	7.5	7.5	8.0	7.0	7.5	7.5		65.25	=1	460.70	6	52.30		
6	7	野口 基勝									佐賀・佐賀商業							
		612B	10.0	1.9	7.0	7.5	8.0	7.0	7.5	7.5		41.80	1	41.80	1			445.25
		201B	10.0	1.8	8.0	7.5	8.5	8.5	7.5	7.5		43.20	2	85.00	2	1.40		
		301B	10.0	1.9	7.5	7.0	8.0	7.5	7.5	7.5		42.75	7	127.75	2	2.65		
		403B	10.0	2.0	7.0	7.5	7.0	7.5	6.5	6.5		43.00	7	170.75	4	12.15		
		107B	10.0	3.0	6.5	6.0	5.5	6.0	5.5	5.5		52.50	5	223.25	3	14.25		
		614B	10.0	2.4	7.0	7.0	7.5	7.5	7.0	7.0		51.60	8	274.85	5	16.70		
		305C	10.0	2.8	2.5	3.0	3.5	2.5	3.0	3.0		23.80	12	298.65	9	35.45		
		405B	10.0	2.8	7.0	7.5	8.0	7.5	7.0	7.0		61.60	3	360.25	6	41.80		
		5235D	10.0	2.8	5.5	6.0	5.5	6.5	6.0	6.0		49.00	7	409.25	6	47.20		
		205C	5.0	3.0	4.0	4.0	4.5	4.0	4.0	4.0		36.00	10	445.25	7	67.75		
11	8	大久保 柊									茨城・土浦日大							
		103B	10.0	1.6	7.5	8.0	8.5	8.5	7.0	7.0		38.40	5	38.40	5	3.40		442.25
		201B	10.0	1.8	5.5	6.0	5.5	6.0	5.5	5.5		30.60	12	69.00	11	17.40		
		403B	10.0	2.0	8.5	8.5	8.5	9.0	8.0	8.0		51.00	=1	120.00	4	10.40		
		612B	10.0	1.9	6.5	7.5	7.5	7.0	8.0	8.0		41.80	9	161.80	5	21.10		
		614B	10.0	2.4	8.5	8.0	7.5	7.5	7.5	7.5		55.20	3	217.00	4	20.50		
		107B	10.0	3.0	4.0	5.5	5.0	6.5	5.0	5.0		46.50	9	263.50	6	28.05		
		407C	10.0	3.2	5.0	6.5	6.5	5.0	6.0	6.0		56.00	4	319.50	5	14.60		
		5253B	10.0	3.2	2.5	2.5	1.5	2.0	1.5	1.5		19.20	12	338.70	9	63.35		
		305C	7.5	2.9	4.5	6.0	6.5	6.0	5.5	5.5		50.75	6	389.45	8	67.00		
		207C	10.0	3.3	5.0	5.5	5.5	5.5	4.5	4.5		52.80	5	442.25	8	70.75		
3	9	松本 駿									山形・米沢興譲館							
		103B	10.0	1.6	5.5	6.0	7.0	6.5	5.5	5.5		28.80	12	28.80	12	13.00		419.25
		301B	10.0	1.9	7.5	7.5	7.0	7.5	7.5	7.5		42.75	=3	71.55	8	14.85		
		403B	10.0	2.0	7.0	7.0	7.5	7.0	7.5	7.5		43.00	6	114.55	8	15.85		
		5132D	10.0	2.1	6.0	7.0	6.5	6.5	6.0	6.0		39.90	10	154.45	10	28.45		
		107B	10.0	3.0	3.5	3.5	4.0	3.5	3.5	3.5		31.50	12	185.95	12	51.55		
		405C	5.0	3.1	3.5	3.5	3.5	4.0	3.0	3.0		32.55	12	218.50	12	73.05		
		624B	10.0	2.8	7.5	8.0	7.0	7.5	7.5	7.5		63.00	2	281.50	11	52.60		
		305C	10.0	2.8	6.5	6.5	7.0	6.5	7.0	7.0		56.00	4	337.50	10	64.55		
		205C	5.0	3.0	5.0	5.0	4.0	4.0	4.5	4.5		40.50	10	378.00	10	78.45		
		5233D	5.0	2.5	5.5	6.0	4.5	5.5	5.5	5.5		41.25	8	419.25	9	93.75		
1	10	佐々木 康平									宮城・利府高校							
		201B	5.0	1.6	7.0	8.0	7.0	7.0	6.5	6.5		33.60	8	33.60	8	8.20		412.35
		301B	5.0	1.7	7.0	7.0	6.0	7.0	6.5	6.5		34.85	9	68.45	12	17.95		
		103B	5.0	1.7	6.5	6.5	6.5	6.5	7.0	7.0		33.15	12	101.60	12	28.80		
		403B	5.0	2.4	7.0	7.5	7.5	7.0	7.0	7.0		51.60	3	153.20	11	29.70		
		5233D	5.0	2.5	4.0	4.5	4.0	5.5	5.5	5.5		35.00	11	188.20	11	49.30		
		105B	5.0	2.6	6.5	7.5	7.0	7.5	7.0	7.0		55.90	5	244.10	10	47.45		
		205C	5.0	3.0	6.0	6.5	5.5	7.0	7.5	7.5		58.50	3	302.60	7	31.50		
		303C	5.0	2.1	6.5	6.0	6.5	6.0	5.5	5.5		38.85	11	341.45	8	60.60		
		405C	5.0	3.1	4.0	5.5	4.5	4.0	4.5	4.5		40.30	11	381.75	9	74.70		
		612B	5.0	1.7	6.0	6.5	6.0	6.0	5.0	5.0		30.60	12	412.35	10	100.65		

第82回 日本高等学校選手権水泳競技大会

採点詳細

男子 高飛込 決勝

開催日 2014/08/20

千葉県国際総合水泳場

審判長 野村 孝路

審判団

制限選択飛回数 4回

副審判長 佐藤 賢一

1 坂井 弘靖

自由選択飛回数 6回

2 松本 行夫

難易率合計 7.6以内

機械操作 霞 俊弥

3 富 泰仁

気温 25.9℃

記録主任 吉田 浩一

4 高橋 史倫

水温 27.5℃

5 斎藤 功

天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	11	中村 天									千葉・敬愛学園							
		103B	10.0	1.6	7.0	7.5	7.0	6.5	6.5			32.80	9	32.80	9	9.00		
		301B	10.0	1.9	7.5	7.5	7.5	7.0	6.5			41.80	5	74.60	6	11.80		
		403B	10.0	2.0	7.0	7.0	6.5	6.5	6.5			40.00	9	114.60	7	15.80		
		5132D	10.0	2.1	5.0	6.0	6.0	5.5	5.5			35.70	12	150.30	12	32.60		
		105B	10.0	2.3	6.5	6.5	6.0	6.5	6.5			44.85	8	195.15	9	42.35		
		405C	10.0	2.5	5.5	5.5	6.0	5.0	5.0			40.00	11	235.15	11	56.40		
		205C	7.5	2.8	4.0	3.5	4.0	4.0	4.0			33.60	11	268.75	12	65.35		
		305C	10.0	2.8	5.5	5.5	5.0	6.0	5.5			46.20	=8	314.95	12	87.10		
		5134D	10.0	2.5	6.0	6.0	5.5	5.5	5.5			42.50	9	357.45	11	99.00		
		614B	10.0	2.4	6.0	6.0	6.5	6.5	6.0			44.40	7	401.85	11	111.15		
5	12	有岡 優一									兵庫・伊丹北高							
		403B	10.0	2.0	6.0	6.5	7.0	6.5	7.0			40.00	=3	40.00	=3	1.80		391.60
		103B	10.0	1.6	7.0	7.0	7.5	6.5	8.0			34.40	10	74.40	7	12.00		
		5132D	10.0	2.1	7.0	7.0	6.5	7.0	6.5			43.05	5	117.45	6	12.95		
		612B	10.0	1.9	7.5	7.5	7.5	7.5	7.5			42.75	8	160.20	6	22.70		
		405B	10.0	2.8	4.5	5.5	6.5	6.5	4.5			46.20	7	206.40	7	31.10		
		105B	7.5	2.4	5.5	6.0	5.5	6.0	5.5			40.80	10	247.20	9	44.35		
		5152B	10.0	2.9	5.0	6.0	6.5	5.5	4.5			47.85	6	295.05	10	39.05		
		614B	10.0	2.4	5.5	6.0	6.5	6.0	4.5			42.00	10	337.05	11	65.00		
		305C	10.0	2.8	1.5	2.0	2.0	1.5	2.0			15.40	12	352.45	12	104.00		
		205B	10.0	2.9	5.0	4.0	4.5	5.5	4.0			39.15	9	391.60	12	121.40		