

第37回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2014/08/29
大阪プール

審判長 畑岡 寿

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.0℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 横山 健
2 段木 雅博
3 坂井 由美子
4 坂田 和也
5 河田 正英

1 金戸 恵太
2 柴田 哲治
3 鈴木 義孝
4 宮本 幸太郎
5 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
22	1	中 秀太郎									石川DC							
			103B	3.0	1.6	7.5	7.5	8.0	8.5	8.0		37.60	3	37.60	3	2.40		435.75
			201B	3.0	1.8	7.0	8.0	7.0	7.5	7.0		38.70	=4	76.30	4	4.20		
			301B	3.0	1.9	6.5	6.5	7.5	6.5	7.0		38.00	=9	114.30	4	6.10		
			403B	3.0	2.1	8.5	7.0	8.0	8.0	7.5		49.35	1	163.65	2	4.20		
			5132D	3.0	2.1	7.0	6.5	7.0	7.0	6.5		43.05	=4	206.70	3	2.95		
			205B	3.0	3.0	7.5	6.5	7.5	6.5	7.0		63.00	1	269.70	1			
			305B	3.0	3.0	5.5	5.0	6.0	5.5	6.0		51.00	5	320.70	1			
			405C	3.0	2.7	7.0	7.5	7.5	7.0	7.0		58.05	1	378.75	1			
			5152B	3.0	3.0	6.0	6.5	7.0	6.0	6.5		57.00	3	435.75	1			
21	2	伊藤 洸輝									S D T							
			201B	3.0	1.8	6.5	7.0	6.5	7.0	6.5		36.00	5	36.00	5	4.00		416.65
			301B	3.0	1.9	7.0	7.5	6.5	8.0	7.5		41.80	2	77.80	2	2.70		
			103B	3.0	1.6	7.5	7.0	7.0	7.5	7.5		35.20	11	113.00	5	7.40		
			403B	3.0	2.1	7.5	6.5	6.5	7.0	7.5		44.10	8	157.10	5	10.75		
			5132D	3.0	2.1	8.0	7.0	6.5	7.5	7.5		46.20	1	203.30	5	6.35		
			405C	3.0	2.7	6.0	6.5	7.5	6.5	6.5		52.65	2	255.95	2	13.75		
			107B	3.0	3.1	6.0	6.0	7.0	6.0	6.0		55.80	3	311.75	2	8.95		
			205C	3.0	2.8	5.0	5.5	6.5	5.0	5.0		43.40	10	355.15	2	23.60		
			5152B	3.0	3.0	6.5	6.5	7.0	7.0	7.0		61.50	=1	416.65	2	19.10		
20	3	西田 玲雄									大阪水泳学校							
			103C	3.0	1.5	7.5	7.5	7.0	8.5	8.0		34.50	6	34.50	6	5.50		409.15
			403C	3.0	1.9	7.0	7.5	8.0	8.0	7.0		42.75	1	77.25	3	3.25		
			201B	3.0	1.8	7.5	8.0	8.0	7.0	7.5		41.40	3	118.65	2	1.75		
			5233D	3.0	2.4	7.0	5.5	7.0	6.5	7.0		49.20	2	167.85	1			
			301B	3.0	1.9	7.0	7.5	7.5	7.0	7.5		41.80	9	209.65	1			
			205C	3.0	2.8	3.5	4.0	4.5	4.0	4.0		33.60	20	243.25	5	26.45		
			405C	3.0	2.7	6.5	7.0	6.5	6.0	7.0		54.00	4	297.25	4	23.45		
			107C	3.0	2.8	6.0	6.0	6.5	6.0	6.0		50.40	=3	347.65	3	31.10		
			5152B	3.0	3.0	6.5	6.5	7.5	6.5	7.5		61.50	=1	409.15	3	26.60		
17	4	山田 周汰									佐鳴台中							
			103B	3.0	1.6	8.0	7.5	7.5	7.5	8.0		36.80	4	36.80	4	3.20		386.35
			201B	3.0	1.8	5.5	7.5	6.5	6.0	7.5		36.00	8	72.80	5	7.70		
			301B	3.0	1.9	8.0	7.0	7.0	8.5	7.5		42.75	=1	115.55	3	4.85		
			403B	3.0	2.1	7.5	7.5	7.0	7.0	7.0		45.15	=6	160.70	4	7.15		
			5132D	3.0	2.1	7.5	8.0	7.0	7.0	7.0		45.15	=2	205.85	4	3.80		
			105B	3.0	2.4	5.5	6.5	7.0	5.5	6.0		43.20	=8	249.05	4	20.65		
			405C	3.0	2.7	6.0	6.5	5.0	5.0	6.0		45.90	8	294.95	5	25.75		
			205C	3.0	2.8	4.0	5.0	5.0	4.0	4.0		36.40	13	331.35	8	47.40		
			5134D	3.0	2.5	7.5	7.5	7.0	8.0	7.0		55.00	5	386.35	4	49.40		
23	5	佐々木 康平									利府							
			103B	3.0	1.6	8.0	8.0	8.5	8.5	8.5		40.00	1	40.00	1			384.55
			201B	3.0	1.8	7.5	7.0	8.0	7.5	7.5		40.50	3	80.50	1			
			301B	3.0	1.9	7.0	7.0	8.0	6.0	7.0		39.90	=5	120.40	1			
			403B	3.0	2.1	7.0	6.5	7.0	6.0	6.5		42.00	=9	162.40	3	5.45		
			5132D	3.0	2.1	7.0	6.0	7.5	7.0	7.5		45.15	=2	207.55	2	2.10		
			105B	3.0	2.4	6.0	7.5	7.0	7.0	6.0		48.00	6	255.55	3	14.15		
			405B	3.0	3.0	5.0	5.0	5.0	5.5	5.0		45.00	9	300.55	3	20.15		
			305B	3.0	3.0	3.5	3.5	4.0	3.5	4.0		33.00	15	333.55	7	45.20		
			205B	3.0	3.0	5.5	6.0	5.5	5.0	6.0		51.00	6	384.55	5	51.20		

第37回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2014/08/29
大阪プール

審判長 畑岡 寿

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.0℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 横山 健
2 段木 雅博
3 坂井 由美子
4 坂田 和也
5 河田 正英

1 金戸 恵太
2 柴田 哲治
3 鈴木 義孝
4 宮本 幸太郎
5 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
19	6	松本 慧									米沢DC							
			103B	3.0	1.6	6.0	6.0	6.0	5.5	6.0			28.80	15	28.80	15	11.20	382.70
			201B	3.0	1.8	7.5	7.0	7.0	7.0	7.5			38.70	=4	67.50	7	13.00	
			301B	3.0	1.9	7.0	6.5	7.0	7.0	6.5			38.95	=7	106.45	6	13.95	
			403B	3.0	2.1	7.5	8.0	7.0	7.5	7.5			47.25	3	153.70	6	14.15	
			5132D	3.0	2.1	5.5	5.5	5.0	6.5	5.5			34.65	16	188.35	8	21.30	
			205B	3.0	3.0	5.5	3.5	4.5	5.0	4.5			42.00	11	230.35	9	39.35	
			305C	3.0	2.8	7.0	7.5	7.5	6.5	7.5			61.60	1	291.95	7	28.75	
			405C	3.0	2.7	5.5	5.0	7.0	6.0	6.0			47.25	=7	339.20	4	39.55	
			5152B	3.0	3.0	4.5	4.5	5.0	5.0	5.0			43.50	11	382.70	6	53.05	
18	7	青木 俊輔									ジョイフル							
			103B	3.0	1.6	6.5	7.0	7.0	7.0	7.0			33.60	=7	33.60	=7	6.40	378.05
			201B	3.0	1.8	7.0	6.5	7.0	7.5	7.0			37.80	6	71.40	6	9.10	
			301B	3.0	1.9	6.0	5.5	5.5	6.0	5.5			32.30	16	103.70	9	16.70	
			403B	3.0	2.1	7.5	7.5	7.0	7.0	7.5			46.20	=4	149.90	8	17.95	
			5132D	3.0	2.1	6.5	6.5	5.5	7.0	6.5			40.95	=10	190.85	7	18.80	
			105B	3.0	2.4	6.5	5.5	6.0	5.5	6.5			43.20	=8	234.05	7	35.65	
			205C	3.0	2.8	7.0	6.5	6.5	7.5	7.5			58.80	2	292.85	6	27.85	
			305C	3.0	2.8	5.0	5.0	5.5	5.0	5.0			42.00	11	334.85	5	43.90	
			405C	3.0	2.7	5.0	5.5	5.5	5.5	4.5			43.20	=12	378.05	7	57.70	
15	8	金子 舜汰									KANETO DC							
			103B	3.0	1.6	6.0	6.0	5.5	6.0	5.5			28.00	=16	28.00	=16	12.00	366.25
			201B	3.0	1.8	6.0	6.0	6.5	5.5	6.0			32.40	=11	60.40	15	20.10	
			301B	3.0	1.9	7.5	7.0	7.0	7.0	7.0			39.90	=5	100.30	11	20.10	
			403B	3.0	2.1	7.5	7.0	6.5	7.0	7.5			45.15	=6	145.45	9	22.40	
			5132D	3.0	2.1	7.5	6.5	6.0	7.0	6.5			42.00	=6	187.45	9	22.20	
			205C	3.0	2.8	5.5	6.0	6.0	6.0	5.5			49.00	5	236.45	6	33.25	
			305C	3.0	2.8	6.0	5.5	5.5	6.0	6.0			49.00	6	285.45	8	35.25	
			405C	3.0	2.7	6.0	6.0	5.5	6.0	6.0			48.60	=5	334.05	6	44.70	
			107C	3.0	2.8	4.0	5.0	4.0	3.5	3.5			32.20	18	366.25	8	69.50	
14	9	磯部 大輔									スイトピア							
			103B	3.0	1.6	7.0	6.5	6.5	7.0	7.0			32.80	10	32.80	10	7.20	365.90
			201B	3.0	1.8	6.0	6.5	6.5	6.5	6.0			34.20	9	67.00	9	13.50	
			301B	3.0	1.9	7.0	8.0	6.0	6.5	7.0			38.95	=7	105.95	7	14.45	
			403B	3.0	2.1	6.0	5.5	5.0	5.5	6.0			35.70	13	141.65	10	26.20	
			5132D	3.0	2.1	7.0	7.0	6.5	6.5	6.5			42.00	=6	183.65	10	26.00	
			105B	3.0	2.4	7.0	7.0	7.0	6.5	6.5			49.20	4	232.85	8	36.85	
			303B	3.0	2.3	6.5	7.0	6.5	6.5	6.0			44.85	10	277.70	9	43.00	
			205C	3.0	2.8	6.0	6.0	6.0	6.0	6.0			50.40	=3	328.10	9	50.65	
			405C	3.0	2.7	4.0	5.0	6.0	5.0	4.0			37.80	14	365.90	9	69.85	
13	10	赤間 郁									KANETO DC							
			103B	3.0	1.6	6.5	6.0	6.0	6.5	7.5			30.40	=11	30.40	=11	9.60	360.15
			201B	3.0	1.8	6.0	6.0	6.0	6.5	7.0			33.30	10	63.70	10	16.80	
			301B	3.0	1.9	6.0	7.0	6.5	7.0	6.5			38.00	=9	101.70	10	18.70	
			403B	3.0	2.1	5.0	6.0	5.0	6.5	5.5			34.65	14	136.35	11	31.50	
			5132D	3.0	2.1	6.5	6.5	6.5	6.5	7.0			40.95	=10	177.30	11	32.35	
			205C	3.0	2.8	6.0	6.0	6.0	6.0	5.5			50.40	3	227.70	10	42.00	
			305C	3.0	2.8	5.0	5.5	5.0	4.5	5.0			42.00	=12	269.70	10	51.00	
			405C	3.0	2.7	6.0	5.5	5.5	6.0	6.0			47.25	=7	316.95	10	61.80	
			105B	3.0	2.4	6.0	6.5	6.0	6.0	5.5			43.20	=12	360.15	10	75.60	

第37回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2014/08/29
大阪プール

審判長 畑岡 寿

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.0℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子
記録主任 木綿 薫

1 横山 健
2 段木 雅博
3 坂井 由美子
4 坂田 和也
5 河田 正英

1 金戸 恵太
2 柴田 哲治
3 鈴木 義孝
4 宮本 幸太郎
5 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	11	山口 海人									川口SC							
		103B	3.0	1.6	6.0	6.0	5.5	6.5	6.5			29.60	=13	29.60	=13	10.40		345.85
		5132D	3.0	2.1	4.5	5.0	5.0	5.5	5.0			31.50	14	61.10	14	19.40		
		201B	3.0	1.8	6.0	6.0	7.0	6.0	5.5			32.40	=14	93.50	15	26.90		
		301B	3.0	1.9	6.5	6.0	7.0	7.0	6.5			38.00	11	131.50	13	36.35		
		403B	3.0	2.1	7.0	6.5	7.0	6.5	7.0			43.05	=4	174.55	12	35.10		
		105B	3.0	2.4	6.0	6.0	6.0	6.0	5.5			43.20	=8	217.75	12	51.95		
		205C	3.0	2.8	5.5	5.5	5.5	5.0	5.0			44.80	11	262.55	11	58.15		
		305C	3.0	2.8	3.5	3.0	3.0	3.5	3.0			26.60	18	289.15	13	89.60		
		405C	3.0	2.7	7.0	7.0	7.0	7.0	6.5			56.70	4	345.85	11	89.90		
11	12	檀野 脩人									スイトピア							
		103B	3.0	1.6	7.0	7.0	7.0	7.0	6.5			33.60	=7	33.60	=7	6.40		337.30
		201B	3.0	1.8	5.0	5.5	5.0	6.0	5.0			27.90	=17	61.50	13	19.00		
		301B	3.0	1.9	7.5	7.5	8.0	7.0	7.5			42.75	=1	104.25	8	16.15		
		403B	3.0	2.1	7.5	7.5	6.5	7.0	7.5			46.20	=4	150.45	7	17.40		
		5132D	3.0	2.1	7.0	6.5	6.0	7.0	6.5			42.00	=6	192.45	6	17.20		
		105B	3.0	2.4	4.0	5.0	6.0	5.0	4.5			34.80	19	227.25	11	42.45		
		203B	3.0	2.2	5.0	4.5	4.5	5.0	4.5			30.80	18	258.05	12	62.65		
		303B	3.0	2.3	5.5	5.5	4.5	4.5	4.5			33.35	14	291.40	12	87.35		
		405C	3.0	2.7	5.5	6.0	6.0	5.0	5.5			45.90	8	337.30	=12	98.45		
10	12	森淵 海斗									神辺SPC							
		103B	3.0	1.6	6.5	6.0	6.0	6.0	6.5			29.60	=13	29.60	=13	10.40		337.30
		201B	3.0	1.8	6.0	5.5	6.0	6.0	6.5			32.40	=11	62.00	12	18.50		
		301B	3.0	1.9	5.0	5.5	5.5	5.5	6.0			31.35	17	93.35	16	27.05		
		403B	3.0	2.1	7.5	6.5	6.5	6.0	7.0			42.00	=9	135.35	12	32.50		
		5132D	3.0	2.1	6.0	5.5	5.5	6.0	6.5			36.75	15	172.10	13	37.55		
		105B	3.0	2.4	5.5	6.0	5.5	5.5	5.5			39.60	=15	211.70	14	58.00		
		205C	3.0	2.8	4.0	3.5	4.5	3.0	4.0			32.20	17	243.90	16	76.80		
		305C	3.0	2.8	5.5	5.5	6.0	5.0	5.0			44.80	9	288.70	14	90.05		
		405C	3.0	2.7	5.0	6.5	7.0	6.0	5.5			48.60	7	337.30	=12	98.45		
9	14	安部 勇佑									松江DC							
		103B	3.0	1.6	6.5	6.0	6.5	6.0	6.5			30.40	=11	30.40	=11	9.60		334.65
		5132D	3.0	2.1	5.0	6.0	6.0	6.0	5.5			36.75	7	67.15	8	13.35		
		301B	3.0	1.9	5.0	5.0	5.0	5.5	6.0			29.45	=19	96.60	14	23.80		
		201B	3.0	1.8	4.5	5.5	4.5	5.0	5.0			26.10	21	122.70	=16	45.15		
		403B	3.0	2.1	7.0	6.0	6.0	6.5	7.0			40.95	=10	163.65	15	46.00		
		105B	3.0	2.4	6.0	6.5	6.5	7.5	6.5			46.80	7	210.45	15	59.25		
		205C	3.0	2.8	5.0	5.5	5.0	5.0	5.0			42.00	=12	252.45	14	68.25		
		405C	3.0	2.7	6.5	5.5	6.5	5.5	6.0			48.60	=5	301.05	11	77.70		
		5233D	3.0	2.4	4.5	4.0	5.0	5.0	4.5			33.60	16	334.65	14	101.10		
12	15	竹下 颯人									天竜中							
		403B	3.0	2.1	7.0	5.5	5.5	6.0	6.5			37.80	2	37.80	2	2.20		322.55
		103B	3.0	1.6	5.0	5.0	4.0	5.5	5.5			24.80	21	62.60	11	17.90		
		201B	3.0	1.8	6.5	7.0	6.5	6.0	6.5			35.10	12	97.70	13	22.70		
		301B	3.0	1.9	6.0	6.0	6.0	5.5	5.5			33.25	17	130.95	14	36.90		
		5132D	3.0	2.1	6.5	6.5	6.5	6.0	6.5			40.95	=10	171.90	14	37.75		
		405C	3.0	2.7	5.0	5.0	5.5	5.5	5.0			41.85	12	213.75	13	55.95		
		105B	3.0	2.4	6.0	5.5	5.5	6.0	5.0			40.80	14	254.55	13	66.15		
		205C	3.0	2.8	2.0	3.0	3.0	2.5	2.5			22.40	22	276.95	16	101.80		
		5233D	3.0	2.4	6.0	6.5	6.5	6.5	6.0			45.60	9	322.55	15	113.20		

第37回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2014/08/29
大阪プール

審判長 畑岡 寿

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.0℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子
記録主任 木綿 薫

1 横山 健
2 段木 雅博
3 坂井 由美子
4 坂田 和也
5 河田 正英

1 金戸 恵太
2 柴田 哲治
3 鈴木 義孝
4 宮本 幸太郎
5 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	16	杉村 征導									盛岡 S S							
		103B	3.0	1.6	7.5	6.5	6.5	7.0	7.5			33.60	=7	33.60	=7	6.40		317.60
		301B	3.0	1.9	4.0	5.5	4.5	3.5	5.0			25.65	20	59.25	16	21.25		
		5132D	3.0	2.1	7.0	7.0	6.0	6.0	6.5			40.95	4	100.20	12	20.20		
		201B	3.0	1.8	4.0	4.0	4.5	5.0	4.0			22.50	22	122.70	=16	45.15		
		403B	3.0	2.1	6.0	6.0	5.5	6.0	6.0			37.80	14	160.50	16	49.15		
		405C	3.0	2.7	5.0	5.0	5.0	5.0	5.0			40.50	14	201.00	16	68.70		
		105B	3.0	2.4	7.0	6.5	7.0	6.5	6.5			48.00	7	249.00	15	71.70		
		305C	3.0	2.8	3.5	3.0	4.5	4.0	4.0			32.20	16	281.20	15	97.55		
		205C	3.0	2.8	4.0	3.5	5.5	4.5	4.5			36.40	15	317.60	16	118.15		
5	17	吉澤 有馬									福岡 D C							
		103B	3.0	1.6	5.5	5.5	4.5	5.5	5.5			26.40	18	26.40	18	13.60		290.45
		201B	3.0	1.8	5.5	5.0	5.5	5.5	5.5			29.70	15	56.10	19	24.40		
		301B	3.0	1.9	5.5	5.5	6.0	6.0	6.0			33.25	13	89.35	17	31.05		
		403B	3.0	2.1	6.0	5.0	5.0	5.0	6.0			33.60	=15	122.95	15	44.90		
		5231D	3.0	2.0	5.5	5.5	5.5	5.0	5.5			33.00	17	155.95	17	53.70		
		303B	3.0	2.3	5.0	5.5	5.0	5.5	5.5			36.80	18	192.75	17	76.95		
		5233D	3.0	2.4	5.0	5.5	5.0	4.5	5.5			37.20	=15	229.95	17	90.75		
		205C	3.0	2.8	3.5	3.5	4.5	4.0	3.5			30.80	17	260.75	17	118.00		
		405C	3.0	2.7	3.5	4.5	4.0	3.5	3.5			29.70	19	290.45	17	145.30		
3	18	佐藤 優人									ピシーナ静岡							
		103B	3.0	1.6	5.5	5.0	5.0	4.5	5.0			24.00	=19	24.00	=19	16.00		285.25
		201B	3.0	1.8	6.0	6.0	6.0	6.0	6.0			32.40	=11	56.40	18	24.10		
		301B	3.0	1.9	3.5	4.0	3.5	3.0	3.5			19.95	22	76.35	20	44.05		
		403B	3.0	2.1	5.5	5.0	5.0	5.5	6.0			33.60	=15	109.95	20	57.90		
		5231D	3.0	2.0	5.0	5.0	4.0	5.0	5.5			30.00	19	139.95	20	69.70		
		105B	3.0	2.4	6.5	6.0	5.5	5.5	5.5			40.80	13	180.75	18	88.95		
		405C	3.0	2.7	2.0	3.5	2.5	2.0	2.5			18.90	22	199.65	20	121.05		
		205C	3.0	2.8	6.5	6.0	6.5	6.5	6.0			53.20	2	252.85	19	125.90		
		5233D	3.0	2.4	4.5	4.0	5.0	4.0	5.0			32.40	17	285.25	18	150.50		
8	19	佐々木 健人									県立浜松西							
		103B	3.0	1.6	5.5	4.5	4.0	5.0	5.5			24.00	=19	24.00	=19	16.00		283.70
		201B	3.0	1.8	5.5	4.0	6.0	4.0	5.5			27.00	19	51.00	21	29.50		
		301B	3.0	1.9	5.0	6.0	5.5	5.0	5.0			29.45	=19	80.45	19	39.95		
		403B	3.0	2.1	5.5	6.0	4.5	5.0	5.0			32.55	=18	113.00	19	54.85		
		5132D	3.0	2.1	5.0	5.5	4.5	5.5	5.0			32.55	18	145.55	18	64.10		
		5134D	3.0	2.5	4.0	5.0	4.0	4.5	4.5			32.50	21	178.05	19	91.65		
		105B	3.0	2.4	5.5	5.0	5.5	4.0	5.0			37.20	=15	215.25	18	105.45		
		405C	3.0	2.7	5.0	4.5	5.5	5.5	5.0			41.85	12	257.10	18	121.65		
		205C	3.0	2.8	3.0	3.0	4.0	3.5	3.0			26.60	20	283.70	19	152.05		
4	20	内田 空雅									石川 D C							
		103B	3.0	1.6	6.0	5.0	6.0	5.5	6.0			28.00	=16	28.00	=16	12.00		261.20
		201B	3.0	1.8	5.5	6.0	5.0	5.0	5.5			28.80	16	56.80	17	23.70		
		301B	3.0	1.9	2.5	3.0	3.5	2.5	3.0			16.15	23	72.95	23	47.45		
		403B	3.0	2.1	6.0	5.0	5.0	5.0	5.5			32.55	=18	105.50	21	62.35		
		5132D	3.0	2.1	3.5	4.0	3.5	3.5	3.5			22.05	22	127.55	21	82.10		
		105B	3.0	2.4	5.5	6.0	6.0	5.0	5.0			39.60	=15	167.15	21	102.55		
		203B	3.0	2.2	3.5	5.0	4.0	3.5	3.0			24.20	21	191.35	21	129.35		
		303B	3.0	2.3	3.0	4.0	4.0	3.5	3.5			25.30	19	216.65	21	162.10		
		405C	3.0	2.7	5.5	5.5	6.0	5.5	5.5			44.55	10	261.20	20	174.55		

第37回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2014/08/29
大阪プール

審判長 畑岡 寿

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.0℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 横山 健
2 段木 雅博
3 坂井 由美子
4 坂田 和也
5 河田 正英

1 金戸 恵太
2 柴田 哲治
3 鈴木 義孝
4 宮本 幸太郎
5 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
7	21	倉知 諄									群馬DC							
							クラチ	アツシ										
		103B	3.0	1.6	5.5	5.0	5.0	4.5	4.5	5.0		24.00	=19	24.00	=19	16.00		239.20
		301B	3.0	1.9	4.0	4.5	5.0	4.0	4.5			24.70	22	48.70	22	31.80		
		201B	3.0	1.8	6.0	6.5	7.0	5.0	5.5			32.40	=14	81.10	18	39.30		
		403B	3.0	2.1	6.0	7.0	6.5	5.5	5.5			37.80	12	118.90	18	48.95		
		5132D	3.0	2.1	3.5	4.0	4.0	3.5	4.0			24.15	21	143.05	19	66.60		
		105B	3.0	2.4	4.5	5.0	4.5	4.5	4.5			32.40	22	175.45	20	94.25		
		405C	3.0	2.7	2.5	4.0	3.5	2.5	3.5			25.65	20	201.10	19	119.60		
		203B	3.0	2.2	3.5	3.5	3.5	3.0	3.0			22.00	23	223.10	20	155.65		
		303B	3.0	2.3	2.0	2.5	1.5	2.5	3.0			16.10	22	239.20	21	196.55		
2	22	島津 大									長岡DC							
		103B	3.0	1.6	5.5	5.0	4.5	4.5	5.0			23.20	=22	23.20	=22	16.80		224.00
		201B	3.0	1.8	5.0	5.5	5.0	5.0	5.5			27.90	=17	51.10	20	29.40		
		301B	3.0	1.9	4.0	5.0	4.5	4.0	4.0			23.75	21	74.85	21	45.55		
		401B	3.0	1.4	5.5	5.0	5.0	5.0	4.5			21.00	23	95.85	23	72.00		
		5132D	3.0	2.1	4.5	3.5	4.5	4.5	4.0			27.30	20	123.15	22	86.50		
		105B	3.0	2.4	5.5	5.5	5.0	5.0	5.0			37.20	17	160.35	22	109.35		
		203B	3.0	2.2	3.0	2.5	2.0	1.5	2.0			14.30	23	174.65	22	146.05		
		303B	3.0	2.3	4.0	3.5	3.0	3.5	3.5			24.15	21	198.80	22	179.95		
		403B	3.0	2.1	3.5	3.5	4.5	4.5	4.0			25.20	21	224.00	22	211.75		
1	23	土田 龍平									宮城DC							
		103B	3.0	1.6	5.0	5.5	5.0	4.0	4.5			23.20	=22	23.20	=22	16.80		211.30
		401B	3.0	1.4	5.0	5.0	5.0	5.5	5.0			21.00	23	44.20	23	36.30		
		201B	3.0	1.8	6.0	5.5	5.5	5.5	5.5			29.70	18	73.90	22	46.50		
		301B	3.0	1.9	5.0	5.0	5.0	5.0	5.0			28.50	20	102.40	22	65.45		
		5211A	3.0	2.0	2.5	2.5	3.5	1.0	2.0			14.00	23	116.40	23	93.25		
		203C	3.0	1.9	4.5	5.5	4.5	5.0	4.5			26.60	23	143.00	23	126.70		
		403B	3.0	2.1	5.0	5.0	4.5	5.0	4.5			30.45	19	173.45	23	147.25		
		105C	3.0	2.2	4.0	3.5	4.0	3.5	3.5			24.20	20	197.65	23	181.10		
		5132D	3.0	2.1	2.0	2.5	2.0	1.0	2.5			13.65	23	211.30	23	224.45		