

採点詳細

男子 高飛込 決勝

開催日 2015/09/06

宮城県総合運動公園総合プール 審判長

西出 好範

審判団

制限選択飛回数 0回

副審判長 笠井 学

1 江川 省吾

自由選択飛回数 6回

2 佐藤 賢一

難易率合計 以内

機械操作 高橋 一哉

3 相原 朋彦

気温 27.1℃

4 吉原 直博

水温 27.3℃

記録主任 中島 直樹

5 末弘 昭人

天候

6 内藤 直樹

7 吉田 章

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	大塚 千誠									日本大学							
		107B	10.0	3.0	7.5	6.5	7.5	7.0	7.5	7.5	7.5 8.0		67.50	=1	67.50	=1		400.35
		207C	10.0	3.3	7.0	8.0	7.5	7.5	8.0	7.5 7.5		74.25	1	141.75	1			
		407C	10.0	3.2	6.5	6.5	7.0	7.0	7.5	7.0 7.5		67.20	1	208.95	1			
		305C	7.5	2.9	7.5	7.5	8.0	8.0	8.0	8.5 8.5		69.60	2	278.55	1			
		6245D	10.0	3.6	5.5	6.5	5.5	5.5	5.5	5.0 6.0		59.40	=3	337.95	1			
		5253B	10.0	3.2	6.5	6.5	7.0	6.0	6.5	6.5 6.0		62.40	3	400.35	1			
11	2	岡島 太一									日本体育大学							
		6245D	10.0	3.6	4.0	5.0	5.0	5.5	4.5	4.5 6.0		52.20	7	52.20	7	15.30	375.90	
		407C	10.0	3.2	7.0	7.5	7.5	7.0	7.0	7.0 8.0		68.80	2	121.00	4	20.75		
		307C	10.0	3.4	5.0	5.0	4.5	4.5	4.5	3.0 5.0		47.60	5	168.60	5	40.35		
		109C	10.0	3.7	5.0	7.0	7.0	7.5	7.0	5.5 8.0		77.70	1	246.30	3	32.25		
		207B	10.0	3.6	5.0	6.0	5.5	5.5	5.0	5.5 6.5		59.40	=3	305.70	2	32.25		
		5255B	10.0	3.6	6.5	7.5	6.5	6.5	6.5	6.0 7.5		70.20	2	375.90	2	24.45		
9	3	千歩 純一									日本体育大学							
		624B	10.0	2.8	7.0	6.5	7.0	6.0	7.0	6.5 7.0		57.40	3	57.40	3	10.10	362.50	
		107B	10.0	3.0	7.0	7.5	7.5	7.5	7.5	7.5 7.5		67.50	3	124.90	2	16.85		
		407C	10.0	3.2	5.5	5.5	5.5	5.5	5.0	6.0 7.0		52.80	4	177.70	3	31.25		
		5253B	10.0	3.2	5.0	5.0	5.5	5.0	4.5	4.5 5.0		48.00	9	225.70	5	52.85		
		305B	10.0	3.0	7.0	7.0	7.5	6.5	7.0	6.5 7.0		63.00	2	288.70	5	49.25		
		207B	10.0	3.6	7.0	7.0	7.0	6.0	6.5	6.5 7.0		73.80	1	362.50	3	37.85		
7	4	池田 匠見									日本大学							
		107B	10.0	3.0	7.0	8.0	7.5	7.5	7.5	7.5 7.0		67.50	=1	67.50	=1		357.25	
		5154B	10.0	3.3	5.0	5.5	5.5	5.5	5.5	5.5 5.0		54.45	5	121.95	3	19.80		
		407C	10.0	3.2	7.0	6.5	7.0	6.0	7.0	6.5 7.0		65.60	2	187.55	2	21.40		
		205C	5.0	3.0	7.5	7.0	7.0	8.0	6.5	6.5 6.5		61.50	4	249.05	2	29.50		
		305C	10.0	2.8	5.5	6.0	6.0	5.5	5.5	6.0 6.0		49.00	8	298.05	3	39.90		
		6243D	10.0	3.2	5.5	6.0	6.5	6.5	6.0	6.5 4.5		59.20	=5	357.25	4	43.10		
4	5	大久保 柁									筑波大学							
		6243D	10.0	3.2	5.5	6.5	6.0	6.0	5.5	5.5 6.0		56.00	6	56.00	6	11.50	336.20	
		107B	10.0	3.0	6.5	7.0	6.5	6.0	6.5	6.0 7.0		58.50	4	114.50	5	27.25		
		405C	7.5	2.7	7.5	7.5	7.5	7.5	7.5	7.5 6.5		60.75	3	175.25	4	33.70		
		207C	10.0	3.3	5.5	6.0	6.0	6.0	5.5	6.0 6.5		59.40	5	234.65	4	43.90		
		305C	7.5	2.9	6.5	6.0	6.5	6.5	6.0	6.5 7.0		56.55	5	291.20	4	46.75		
		5233D	5.0	2.5	6.0	6.5	6.0	6.0	6.5	6.0 6.0		45.00	9	336.20	5	64.15		

採点詳細

男子 高飛込 決勝

開催日 2015/09/06

宮城県総合運動公園総合プール 審判長

西出 好範

審判団

制限選択飛回数 0回

副審判長 笠井 学

1 江川 省吾

自由選択飛回数 6回

2 佐藤 賢一

難易率合計 以内

機械操作 高橋 一哉

3 相原 朋彦

気温 27.1℃

4 吉原 直博

水温 27.3℃

記録主任 中島 直樹

5 末弘 昭人

天候

6 内藤 直樹

7 吉田 章

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	6	池田 昂希									天理大学							
		624C	5.0	2.6	4.5	3.5	5.0	5.0	5.0	5.0	5.5 5.0		39.00	10	39.00	10	28.50	325.30
		307C	10.0	3.4	5.0	5.0	6.0	5.5	5.5	4.5 6.0		54.40	6	93.40	8	48.35		
		405C	5.0	3.1	5.0	3.5	5.0	5.0	4.0	5.0 4.5		44.95	7	138.35	7	70.60		
		207B	10.0	3.6	5.5	6.0	6.0	6.0	5.0	5.5 6.0		63.00	3	201.35	6	77.20		
		107B	10.0	3.0	6.5	6.0	7.5	7.0	7.5	7.0 8.0		64.50	1	265.85	6	72.10		
		5152B	10.0	2.9	6.5	6.5	7.0	5.5	7.0	7.0 7.0		59.45	4	325.30	6	75.05		
10	7	南原 佑哉									日本体育大学							
		107B	10.0	3.0	6.0	5.5	6.5	6.5	6.0	6.5 7.5		57.00	4	57.00	4	10.50	297.15	
		5152B	10.0	2.9	4.5	5.5	5.0	5.0	5.0	5.0 6.0		43.50	7	100.50	6	41.25		
		624B	10.0	2.8	5.5	5.5	5.0	5.5	5.0	5.0 5.0		43.40	8	143.90	6	65.05		
		305B	10.0	3.0	6.0	5.5	6.0	5.5	5.5	5.5 5.0		49.50	8	193.40	7	85.15		
		207C	10.0	3.3	4.5	5.0	4.0	4.5	4.5	4.5 4.5		44.55	9	237.95	7	100.00		
		407C	10.0	3.2	6.0	6.5	6.0	6.5	6.0	6.0 6.5		59.20	=5	297.15	7	103.20		
5	8	佐藤 竜馬									常葉大学							
		107C	10.0	2.7	7.5	6.5	7.0	7.0	6.5	7.0 7.0		56.70	5	56.70	5	10.80	287.60	
		624C	7.5	2.4	5.5	5.0	5.0	5.5	5.0	5.5 5.5		38.40	9	95.10	7	46.65		
		205C	5.0	3.0	4.5	4.0	3.5	4.0	4.5	4.5 4.0		37.50	9	132.60	8	76.35		
		305C	7.5	2.9	5.5	6.5	6.5	5.5	7.0	6.0 4.5		52.20	7	184.80	8	93.75		
		405C	5.0	3.1	5.0	6.0	6.0	5.5	5.5	4.5 4.5		49.60	6	234.40	8	103.55		
		5235D	10.0	2.8	6.5	6.0	6.5	6.0	6.5	6.5 5.5		53.20	7	287.60	8	112.75		
3	9	神原 浩樹									常葉大学							
		405B	10.0	2.8	5.0	6.0	4.5	5.0	4.5	4.5 5.5		40.60	9	40.60	9	26.90	263.70	
		624B	10.0	2.8	5.0	6.0	5.0	5.5	5.0	5.0 6.5		43.40	8	84.00	9	57.75		
		107B	10.0	3.0	5.0	5.5	5.0	5.5	5.0	5.0 5.5		46.50	6	130.50	9	78.45		
		5152B	10.0	2.9	4.5	5.5	5.0	5.5	4.0	4.5 5.5		43.50	10	174.00	9	104.55		
		205B	10.0	2.9	4.5	5.0	4.5	5.0	5.0	5.5 5.5		43.50	10	217.50	9	120.45		
		305C	10.0	2.8	5.5	6.0	5.5	5.5	5.5	5.5 5.0		46.20	8	263.70	9	136.65		
6	10	大森 大輝									香川高等専門学校							
		407C	10.0	3.2	4.5	4.5	4.0	4.5	3.5	4.5 5.0		43.20	8	43.20	8	24.30	250.25	
		207C	10.0	3.3	3.5	3.0	3.5	3.5	3.5	3.5 4.0		34.65	=11	77.85	10	63.90		
		624C	5.0	2.6	4.0	4.0	2.5	3.5	3.5	4.0 3.5		28.60	10	106.45	10	102.50		
		107B	10.0	3.0	6.0	6.5	6.0	5.5	6.5	6.0 7.0		55.50	6	161.95	10	116.60		
		5152B	10.0	2.9	5.0	6.0	6.0	5.5	5.5	6.0 5.5		49.30	7	211.25	10	126.70		
		305B	10.0	3.0	4.5	4.0	4.5	3.5	4.0	4.5 5.0		39.00	11	250.25	10	150.10		

採点詳細

男子 高飛込 決勝

開催日 2015/09/06

宮城県総合運動公園総合プール 審判長

西出 好範

審判団

制限選択飛回数 0回

副審判長 笠井 学

1 江川 省吾

自由選択飛回数 6回

2 佐藤 賢一

難易率合計 以内

機械操作 高橋 一哉

3 相原 朋彦

気温 27.1℃

4 吉原 直博

水温 27.3℃

記録主任 中島 直樹

5 末弘 昭人

天候

6 内藤 直樹

7 吉田 章

演技順	順位	氏名		所 属							Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
		Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.					
2	11	山田 大悟								慶應義塾大学							
		105B	7.5	2.4	5.5	5.0	5.0	5.0	5.0	5.0	5.5		36.00	11	36.00	11	31.50
		5132D	7.5	2.1	5.5	5.5	5.5	6.0	5.5	6.0	5.0		34.65	=11	70.65	11	71.10
		612B	5.0	1.7	4.5	4.5	4.5	4.0	5.0	4.5	4.0		22.95	12	93.60	11	115.35
		203B	5.0	2.3	4.5	4.5	4.5	4.5	4.5	4.5	5.5		31.05	11	124.65	11	153.90
		303C	5.0	2.1	5.5	5.5	5.5	5.0	5.5	4.5	5.5		34.65	11	159.30	11	178.65
		405B	10.0	2.8	5.0	5.0	4.5	5.5	5.0	4.5	6.0		42.00	10	201.30	11	199.05
1	12	坂田 恭彦								慶應義塾大学							
		612B	5.0	1.7	4.5	4.5	3.5	4.0	4.0	4.0	4.0		20.40	12	20.40	12	47.10
		105B	10.0	2.3	5.5	5.0	5.5	5.5	5.5	4.5	6.5		37.95	10	58.35	12	83.40
		5132D	7.5	2.1	5.0	4.0	4.0	4.5	4.5	5.0	4.0		27.30	11	85.65	12	123.30
		303C	5.0	2.1	3.5	4.0	3.5	4.0	3.5	3.5	5.0		23.10	12	108.75	12	169.80
		205C	7.5	2.8	4.0	4.5	4.0	4.0	4.0	4.0	4.5		33.60	12	142.35	12	195.60
		405C	10.0	2.5	4.5	4.0	3.5	4.0	4.0	4.0	5.0		30.00	12	172.35	12	228.00