

平成30年度 日本室内選手権飛込競技大会
翼ジャパンカップ

採点詳細

男子 3m 飛板飛込 決勝

開催日 2018/06/16
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 27.5℃
天候

機械操作 関口 大輝
記録主任 松野 輝美

1 中島 勝司
2 浅田 雅子
3 野村 孝路
4 水尾 亨
5 高橋 亜紀
6 湯浅 よしの
7 鈴木 羊子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	1	伊藤 洗輝									日本大/SDT							
		107B	3.0	3.1	7.0	7.5	7.0	6.5	8.0	8.0	7.0		66.65	1	66.65	1		387.10
		205B	3.0	3.0	5.0	6.0	6.0	6.5	6.0	5.5	6.0		54.00	=7	120.65	2	4.10	
		305B	3.0	3.0	7.0	7.0	7.0	6.5	7.0	7.0	7.0		63.00	1	183.65	2	0.60	
		405B	3.0	3.0	7.0	6.5	7.0	6.0	6.5	6.5	6.5		58.50	=3	242.15	2	18.60	
		307C	3.0	3.5	7.0	7.0	7.5	6.5	8.0	8.0	7.0		75.25	1	317.40	1		
		5154B	3.0	3.4	6.5	6.5	7.0	7.0	7.0	7.0	6.5		69.70	1	387.10	1		
12	2	須山 晴貴									島根大学							
		205B	3.0	3.0	5.5	6.5	5.5	5.5	6.5	5.5	5.5		49.50	=7	49.50	=7	17.15	362.85
		5337D	3.0	3.5	6.5	6.5	7.5	6.0	7.5	7.5	7.5		75.25	1	124.75	1		
		307C	3.0	3.5	5.5	5.5	6.5	5.5	6.0	5.5	6.0		59.50	3	184.25	1		
		407C	3.0	3.4	7.0	8.0	7.5	7.5	7.5	7.5	8.0		76.50	1	260.75	1		
		5154B	3.0	3.4	5.0	5.5	5.5	5.0	5.0	4.0	5.5		52.70	5	313.45	2	3.95	
		109C	3.0	3.8	4.5	5.0	4.0	5.0	4.0	4.0	4.5		49.40	10	362.85	2	24.25	
9	3	中 秀太郎									小松市立							
		107B	3.0	3.1	6.5	7.0	7.0	6.0	7.0	7.0	7.0		65.10	2	65.10	2	1.55	349.95
		5152B	3.0	3.0	6.0	6.0	7.0	6.0	6.0	6.5	6.0		54.00	=7	119.10	3	5.65	
		5154B	3.0	3.4	6.0	5.5	5.5	5.5	5.0	5.0	6.0		56.10	5	175.20	4	9.05	
		205B	3.0	3.0	7.0	7.0	6.5	6.0	7.0	7.0	6.0		61.50	2	236.70	3	24.05	
		307C	3.0	3.5	5.5	5.0	5.5	5.0	5.5	6.0	5.5		57.75	4	294.45	3	22.95	
		405B	3.0	3.0	6.5	6.0	6.5	6.0	6.0	5.5	6.5		55.50	5	349.95	3	37.15	
10	4	金子 舜汰									セントラル/青山学院							
		205B	3.0	3.0	6.5	7.0	7.0	6.0	6.5	6.5	6.5		58.50	3	58.50	3	8.15	323.70
		107B	3.0	3.1	6.0	6.0	6.5	6.0	6.5	6.5	6.5		58.90	=4	117.40	4	7.35	
		5152B	3.0	3.0	6.5	5.5	6.5	6.0	6.5	6.5	6.5		58.50	4	175.90	3	8.35	
		5154B	3.0	3.4	6.0	5.0	6.0	5.5	5.0	6.0	5.5		57.80	6	233.70	4	27.05	
		305B	3.0	3.0	3.5	3.5	3.5	3.0	3.0	4.0	3.5		31.50	12	265.20	5	52.20	
		405B	3.0	3.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		58.50	=2	323.70	4	63.40	
8	5	新良貴 優									フイウトウ							
		107B	3.0	3.1	5.0	5.0	5.0	4.0	5.0	5.5	4.5		46.50	=9	46.50	=9	20.15	323.55
		205B	3.0	3.0	7.0	6.5	6.0	6.0	6.0	6.0	6.5		55.50	6	102.00	10	22.75	
		307C	3.0	3.5	6.0	5.0	6.0	5.5	5.0	5.5	5.0		56.00	6	158.00	6	26.25	
		405B	3.0	3.0	7.0	6.0	6.0	6.5	6.5	6.5	6.5		58.50	=3	216.50	5	44.25	
		5154B	3.0	3.4	5.0	5.0	4.0	5.0	4.0	5.0	4.5		49.30	6	265.80	4	51.60	
		5337D	3.0	3.5	5.5	6.0	5.5	5.5	4.5	5.5	5.5		57.75	4	323.55	5	63.55	

平成30年度 日本室内選手権飛込競技大会
翼ジャパンカップ

採点詳細

男子 3m 飛板飛込 決勝

開催日 2018/06/16
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 27.5℃
天候

機械操作 関口 大輝
記録主任 松野 輝美

1 中島 勝司
2 浅田 雅子
3 野村 孝路
4 水尾 亨
5 高橋 亜紀
6 湯浅 よしの
7 鈴木 羊子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
1	6	山田 周汰									帝京							
		107B	3.0	3.1	3.1	5.5	5.0	5.5	5.5	6.0	5.0 5.5		51.15	6	51.15	6	15.50	310.55
		5152B	3.0	3.0	3.0	7.0	7.0	6.0	6.0	6.5	6.5 7.0		60.00	=2	111.15	5	13.60	
		5154B	3.0	3.4	3.4	6.5	6.0	6.5	6.0	6.0	6.0 7.0		62.90	2	174.05	5	10.20	
		205B	3.0	3.0	3.0	4.5	4.5	5.5	4.5	4.5	5.0 4.5		40.50	12	214.55	6	46.20	
		305B	3.0	3.0	3.0	4.0	4.5	5.5	4.5	4.0	5.0 5.5		42.00	10	256.55	6	60.85	
		405B	3.0	3.0	3.0	7.0	5.5	6.0	6.0	6.5	6.0 5.0		54.00	6	310.55	6	76.55	
2	7	野口 基勝									福山平成大学							
		5152B	3.0	3.0	3.0	5.0	5.0	6.0	5.0	5.5	6.0 5.0		46.50	=9	46.50	=9	20.15	307.60
		107B	3.0	3.1	3.1	6.5	6.5	6.0	6.0	6.0	6.5 6.5		58.90	=4	105.40	8	19.35	
		405B	3.0	3.0	3.0	4.0	4.5	4.0	5.5	5.0	4.5 5.0		42.00	9	147.40	8	36.85	
		205B	3.0	3.0	3.0	6.0	5.5	5.5	5.5	5.0	5.0 5.0		48.00	9	195.40	9	65.35	
		305B	3.0	3.0	3.0	6.5	7.0	7.0	6.5	6.5	6.5 7.5		60.00	3	255.40	7	62.00	
		5335D	3.0	2.9	2.9	6.5	6.0	5.0	5.0	6.0	6.0 6.5		52.20	8	307.60	7	79.50	
4	8	長谷川 英治									長野DC							
		107B	3.0	3.1	3.1	6.0	6.0	6.0	5.5	6.5	6.0 6.0		55.80	4	55.80	4	10.85	297.20
		205B	3.0	3.0	3.0	6.0	5.5	6.0	6.0	6.0	6.0 5.5		54.00	=7	109.80	6	14.95	
		305B	3.0	3.0	3.0	4.5	4.5	4.5	4.5	4.0	4.0 4.5		40.50	=10	150.30	7	33.95	
		405B	3.0	3.0	3.0	6.0	6.0	6.5	5.5	6.5	6.5 5.5		55.50	7	205.80	7	54.95	
		5337D	3.0	3.5	3.5	4.5	4.5	5.0	4.5	4.0	4.0 3.5		45.50	8	251.30	8	66.10	
		5154B	3.0	3.4	3.4	4.5	4.5	4.0	4.5	4.0	4.5 4.5		45.90	12	297.20	8	89.90	
3	9	遠藤 拓人									JOC EA							
		5152B	3.0	3.0	3.0	5.5	5.5	5.0	5.5	6.0	5.5 5.5		49.50	=7	49.50	=7	17.15	296.25
		405B	3.0	3.0	3.0	6.5	7.0	7.5	6.5	6.5	6.5 7.0		60.00	=2	109.50	7	15.25	
		305B	3.0	3.0	3.0	3.0	3.0	1.5	2.5	2.5	2.5 2.5		22.50	12	132.00	11	52.25	
		205B	3.0	3.0	3.0	5.0	4.5	4.5	4.5	6.0	5.0 5.0		43.50	11	175.50	11	85.25	
		107B	3.0	3.1	3.1	7.5	7.0	7.5	7.0	8.0	7.5 7.5		69.75	2	245.25	10	72.15	
		5154B	3.0	3.4	3.4	5.0	5.0	4.0	4.5	5.5	5.5 5.0		51.00	9	296.25	9	90.85	
7	10	江藤 真透									大分DC/杵築							
		405B	3.0	3.0	3.0	4.0	5.0	3.5	3.5	5.0	4.5 3.5		36.00	11	36.00	11	30.65	293.85
		205B	3.0	3.0	3.0	5.5	6.0	6.0	6.0	6.0	6.5 5.5		54.00	=7	90.00	11	34.75	
		107B	3.0	3.1	3.1	5.5	5.5	6.0	6.0	6.0	6.5 5.5		54.25	7	144.25	9	40.00	
		5152B	3.0	3.0	3.0	6.5	6.5	6.0	6.5	6.5	6.5 5.5		58.50	=3	202.75	8	58.00	
		305B	3.0	3.0	3.0	5.0	4.5	4.5	4.5	5.0	6.0 5.5		43.50	9	246.25	9	71.15	
		5235D	3.0	2.8	2.8	5.5	5.5	5.5	6.0	6.0	6.0 5.5		47.60	11	293.85	10	93.25	

平成30年度 日本室内選手権飛込競技大会
翼ジャパンカップ

採点詳細

男子 3m 飛板飛込 決勝

開催日 2018/06/16
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 27.5℃
天候

機械操作 関口 大輝
記録主任 松野 輝美

1 中島 勝司
2 浅田 雅子
3 野村 孝路
4 水尾 亨
5 高橋 亜紀
6 湯浅 よしの
7 鈴木 羊子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	11	山本 馨									大分DC/別府翔青										
			205B	3.0	3.0	6.0	6.5	6.0	6.0	5.5	ヤマモト ケイ	6.0	6.0		54.00	5	54.00	5	12.65	279.85	
			5152B	3.0	3.0	5.0	5.5	5.5	5.5	6.0		5.5	5.5		49.50	12	103.50	9	21.25		
			305B	3.0	3.0	4.0	4.5	4.5	3.0	4.5		4.5	5.0		40.50	=10	144.00	10	40.25		
			405B	3.0	3.0	5.0	5.0	5.5	5.5	5.0		5.0	5.0		45.00	10	189.00	10	71.75		
			107B	3.0	3.1	4.5	4.0	3.5	4.0	4.0		3.5	5.0		37.20	11	226.20	11	91.20		
			5335D	3.0	2.9	6.0	6.0	6.5	6.5	7.0		6.0	6.0		53.65	7	279.85	11	107.25		
6	12	井戸畑 和馬									大阪水泳/常翔学										
			305B	3.0	3.0	1.5	2.0	3.0	2.0	1.0	イトハタ カズマ	2.0	2.0		18.00	12	18.00	12	48.65	274.35	
			5335D	3.0	2.9	6.0	6.0	6.0	6.0	5.5		6.5	5.5		52.20	11	70.20	12	54.55		
			205B	3.0	3.0	5.5	5.0	5.0	5.5	5.0		5.5	4.5		46.50	8	116.70	12	67.55		
			107B	3.0	3.1	5.5	4.5	5.5	5.5	5.5		6.5	6.0		51.15	8	167.85	12	92.90		
			5152B	3.0	3.0	5.5	5.0	5.0	5.5	5.0		5.5	6.0		48.00	7	215.85	12	101.55		
			405B	3.0	3.0	6.5	6.5	5.5	6.0	6.5		6.5	7.0		58.50	=2	274.35	12	112.75		