

平成30年度 日本室内選手権飛込競技大会  
翼ジャパンカップ

採点詳細

男子 高飛込 決勝

開催日 2018/06/17  
東京辰巳国際水泳場

審判長 畑岡 寿

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 28.0℃  
水温 27.5℃  
天候

副審判長 谷内 覚  
機械操作 茂呂澤 郁也  
記録主任 松野 輝美

1 野村 孝路  
2 村越 爽江  
3 阿部 しげの  
4 浅田 雅子  
5 中島 勝司  
6 布村 隆  
7 松本 行夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	1	西田 玲雄									大阪水泳/桃山学							
		307C	10.0	3.4	4.5	5.0	4.5	5.0	4.5	4.0	4.5		45.90	11	45.90	11	21.30	392.40
		207C	10.0	3.3	6.0	7.0	6.0	6.0	6.0	6.0	5.5		59.40	8	105.30	=9	29.60	
		5253B	10.0	3.2	7.5	8.0	8.0	7.0	7.0	7.5	7.5		72.00	2	177.30	7	32.40	
		407C	10.0	3.2	7.5	8.0	7.5	7.5	7.5	8.0	7.5		72.00	2	249.30	3	24.40	
		107B	10.0	3.0	7.5	7.5	7.5	7.5	8.0	7.5	7.0		67.50	1	316.80	2	11.30	
		6245D	10.0	3.6	7.0	6.0	7.0	7.5	7.0	6.5	7.0		75.60	1	392.40	1		
9	2	岡島 太一									セントラル							
		407C	10.0	3.2	6.5	7.5	7.5	6.5	6.0	7.0	7.0		65.60	=2	65.60	=2	1.60	368.30
		307C	10.0	3.4	4.5	5.0	4.5	5.0	5.0	4.5	4.0		47.60	11	113.20	8	21.70	
		6243D	10.0	3.2	6.0	6.5	6.5	6.5	6.0	6.5	6.0		60.80	4	174.00	8	35.70	
		207B	10.0	3.6	6.0	5.0	5.0	5.5	5.5	6.0	6.0		61.20	5	235.20	7	38.50	
		109C	10.0	3.7	6.0	5.5	5.0	6.5	5.0	5.5	6.5		62.90	5	298.10	4	30.00	
		5255B	10.0	3.6	7.0	7.0	6.5	7.0	6.0	6.0	6.0		70.20	3	368.30	2	24.10	
4	3	中 秀太郎									小松市立							
		107B	10.0	3.0	6.5	6.5	6.5	7.5	6.0	6.5	6.0		58.50	6	58.50	6	8.70	363.80
		407C	10.0	3.2	7.0	7.5	7.5	7.5	7.0	8.0	7.5		72.00	=1	130.50	2	4.40	
		207C	10.0	3.3	8.0	8.0	8.0	8.0	7.5	8.5	8.0		79.20	1	209.70	1		
		5253B	10.0	3.2	7.0	7.0	6.5	7.0	6.5	6.5	6.5		64.00	4	273.70	1		
		6243D	10.0	3.2	6.0	6.0	5.5	6.0	5.5	5.5	5.5		54.40	6	328.10	1		
		307C	10.0	3.4	3.0	5.0	3.0	3.5	3.5	5.0	3.5		35.70	11	363.80	3	28.60	
6	4	萩田 拓馬									静岡ビル保善							
		6245D	10.0	3.6	6.0	6.0	5.0	4.5	5.5	5.5	4.5		57.60	7	57.60	7	9.60	353.90
		107B	10.0	3.0	8.5	8.0	8.0	7.5	8.0	8.0	8.0		72.00	=1	129.60	3	5.30	
		407C	10.0	3.2	7.0	7.5	6.5	7.0	6.5	7.0	6.0		65.60	3	195.20	2	14.50	
		307C	10.0	3.4	5.5	5.5	6.0	5.5	5.0	6.0	4.5		56.10	8	251.30	2	22.40	
		207B	10.0	3.6	4.0	3.0	3.0	3.5	3.0	4.0	3.5		36.00	9	287.30	6	40.80	
		5255B	10.0	3.6	7.0	5.0	6.0	6.5	6.0	6.5	5.5		66.60	4	353.90	4	38.50	
7	5	新良貴 優									フクイントウ							
		107B	10.0	3.0	5.5	5.0	5.5	5.5	6.0	6.0	6.0		51.00	10	51.00	10	16.20	352.15
		407C	10.0	3.2	7.5	8.0	7.0	7.5	7.0	7.0	8.0		70.40	=3	121.40	7	13.50	
		626C	10.0	3.3	6.5	5.0	6.0	6.0	6.5	6.0	6.0		59.40	5	180.80	4	28.90	
		207C	10.0	3.3	5.5	4.5	5.0	5.5	6.0	5.5	5.0		52.80	9	233.60	8	40.10	
		307C	10.0	3.4	4.0	5.5	5.5	3.5	4.5	5.0	4.5		47.60	7	281.20	8	46.90	
		5237D	10.0	3.3	7.0	6.5	6.5	7.0	7.5	7.5	8.0		70.95	2	352.15	5	40.25	

平成30年度 日本室内選手権飛込競技大会  
翼ジャパンカップ

採点詳細

男子 高飛込 決勝

開催日 2018/06/17  
東京辰巳国際水泳場

審判長 畑岡 寿

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 28.0℃  
水温 27.5℃  
天候

副審判長 谷内 覚  
機械操作 茂呂澤 郁也  
記録主任 松野 輝美

1 野村 孝路  
2 村越 爽江  
3 阿部 しげの  
4 浅田 雅子  
5 中島 勝司  
6 布村 隆  
7 松本 行夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	6	山田 周汰									帝京							
		6243D	10.0	3.2	7.5	6.5	7.0	7.0	6.5	6.5	6.5 7.0		65.60	=2	65.60	=2	1.60	351.45
		207C	10.0	3.3	3.0	4.0	3.0	3.5	4.0	4.0	4.0 3.5		36.30	12	101.90	11	33.00	
		407C	10.0	3.2	3.5	3.5	4.5	5.0	4.5	4.0	4.0 4.0		40.00	11	141.90	10	67.80	
		107B	10.0	3.0	8.5	8.5	9.0	9.0	8.5	8.5	8.5 9.0		78.00	1	219.90	9	53.80	
		305C	10.0	2.8	8.0	7.5	8.0	8.0	9.0	8.0	8.0 7.5		67.20	2	287.10	7	41.00	
		5237D	10.0	3.3	6.5	6.5	6.5	6.0	5.5	6.5	6.5 6.5		64.35	5	351.45	6	40.95	
8	7	伊熊 扇李									浜松学院中							
		107B	10.0	3.0	7.0	7.5	7.0	8.0	7.0	6.5	7.5		64.50	4	64.50	4	2.70	342.45
		6243D	10.0	3.2	8.0	7.5	7.5	6.5	6.5	7.0	7.5		70.40	=3	134.90	1		
		5237D	10.0	3.3	5.5	5.0	6.0	6.0	5.5	6.0	5.5		56.10	7	191.00	3	18.70	
		407C	10.0	3.2	7.0	6.0	6.0	5.5	6.0	6.0	5.5		57.60	=6	248.60	4	25.10	
		207C	10.0	3.3	4.0	5.0	5.5	4.5	4.5	4.5	4.5		44.55	8	293.15	5	34.95	
		307C	10.0	3.4	5.0	4.5	5.5	5.5	4.5	5.0	4.5		49.30	9	342.45	7	49.95	
3	8	井戸畑 和馬									大阪水泳/常翔学							
		6243D	10.0	3.2	7.0	7.0	6.5	6.5	7.0	7.0	7.0		67.20	1	67.20	1		341.90
		305C	10.0	2.8	7.5	7.0	7.5	7.5	7.5	6.5	7.0		61.60	6	128.80	4	6.10	
		207C	10.0	3.3	5.0	4.5	5.5	5.0	5.0	5.5	4.5		49.50	8	178.30	6	31.40	
		5253B	10.0	3.2	6.0	5.0	6.0	7.0	6.5	6.0	6.0		57.60	=6	235.90	6	37.80	
		407C	10.0	3.2	6.0	6.5	7.5	6.5	7.0	7.5	6.0		64.00	4	299.90	3	28.20	
		107B	10.0	3.0	5.0	4.5	4.5	5.0	5.5	4.5	4.5		42.00	10	341.90	8	50.50	
1	9	金子 舜汰									セントラル/青山学院							
		6243D	10.0	3.2	6.0	5.5	6.0	5.0	6.0	6.0	5.5		56.00	8	56.00	8	11.20	330.30
		107B	10.0	3.0	7.0	7.5	7.0	7.5	7.5	7.0	7.5		66.00	5	122.00	6	12.90	
		207C	10.0	3.3	7.0	5.5	5.5	6.5	5.5	6.5	5.0		57.75	6	179.75	5	29.95	
		407C	10.0	3.2	7.0	7.5	7.0	7.0	6.5	7.0	7.0		67.20	3	246.95	5	26.75	
		307C	10.0	3.4	3.0	3.5	2.5	3.0	2.5	3.0	2.5		28.90	11	275.85	10	52.25	
		5154B	10.0	3.3	6.0	5.5	5.5	5.5	5.5	5.5	6.0		54.45	6	330.30	9	62.10	
2	10	金戸 快									セントラル/日出							
		6243D	10.0	3.2	6.5	6.0	6.5	7.0	7.0	6.5	6.0		62.40	5	62.40	5	4.80	329.70
		107B	10.0	3.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5		61.50	7	123.90	5	11.00	
		207C	10.0	3.3	5.5	5.5	3.5	4.0	4.5	5.0	4.5		46.20	9	170.10	9	39.60	
		407C	10.0	3.2	5.5	4.5	4.5	5.0	5.0	4.5	4.5		44.80	12	214.90	10	58.80	
		5235D	10.0	2.8	7.5	7.5	8.5	8.0	8.0	6.5	7.5		64.40	3	279.30	9	48.80	
		305C	10.0	2.8	5.5	6.0	6.0	6.5	6.5	6.0	6.0		50.40	8	329.70	10	62.70	

平成30年度 日本室内選手権飛込競技大会  
翼ジャパンカップ

採点詳細

男子 高飛込 決勝

開催日 2018/06/17  
東京辰巳国際水泳場

審判長 畑岡 寿

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 28.0℃  
水温 27.5℃  
天候

副審判長 谷内 覚  
機械操作 茂呂澤 郁也  
記録主任 松野 輝美

1 野村 孝路  
2 村越 爽江  
3 阿部 しげの  
4 浅田 雅子  
5 中島 勝司  
6 布村 隆  
7 松本 行夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
11	11	山本 馨									大分DC/別府翔青										
		5253B	10.0	3.2	5.5	5.0	5.5	5.5	6.0	5.5	5.0	52.80	9		52.80	9	14.40			267.75	
		107B	10.0	3.0	6.0	5.0	6.5	6.5	5.5	5.5	6.0	52.50	=9		105.30	=9	29.60				
		207C	10.0	3.3	5.0	3.0	3.5	3.5	3.5	4.0	3.0	34.65	12		139.95	12	69.75				
		407C	10.0	3.2	5.5	4.5	5.0	5.0	5.0	3.5	4.5	46.40	11		186.35	12	87.35				
		305B	10.0	3.0	3.0	3.0	3.5	2.0	3.5	3.0	2.0	27.00	12		213.35	12	114.75				
		6243D	10.0	3.2	5.5	5.5	6.0	6.0	5.0	6.0	5.0	54.40	7		267.75	11	124.65				
5	12	大久保 終									筑波大										
		6245D	10.0	3.6	3.5	5.0	3.5	4.0	5.0	5.0	3.0	45.00	12		45.00	12	22.20			257.75	
		107B	10.0	3.0	6.0	5.0	6.0	6.5	5.5	4.0	6.0	52.50	=9		97.50	12	37.40				
		407C	10.0	3.2	4.5	4.5	5.0	4.5	4.5	4.5	4.0	43.20	10		140.70	11	69.00				
		207C	10.0	3.3	4.5	5.5	5.5	4.5	5.0	4.5	5.0	47.85	10		188.55	11	85.15				
		5253B	10.0	3.2	3.5	3.0	4.0	3.5	4.0	3.5	4.0	35.20	10		223.75	11	104.35				
		307C	10.0	3.4	3.5	4.0	3.0	3.0	3.5	3.5	3.0	34.00	12		257.75	12	134.65				