

第41回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/25
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回
自由選択飛回数 3回
難易率合計 9.5以内
気温 30.0℃
水温 28.3℃
天候 晴れ

機械操作 加藤 雄樹

記録主任 木綿 薫

1 笠井 学
2 毒島 泰士
3 中川 真依
4 段木 雅博
5 三浦 房子
6 山下 藍奈
7 湯浅 よしの

1 百千田 幸太郎
2 樋口 まゆみ
3 瓶子 笑里佳
4 中山 拓弥
5 茶木 葉
6 豊田 健吾
7 野村 孝路

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
19	1	金戸 凜									カネト リン セントラル/日出中										
		103B	3.0	1.6	9.0	8.0	8.5	8.5	8.0	8.0	8.0	8.0	8.0		39.20	2	39.20	2	0.70	443.50	
		201B	3.0	1.8	8.5	8.5	8.5	9.0	9.0	8.0	8.5	8.5	8.5		45.90	1	85.10	1			
		301B	3.0	1.9	9.5	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5		48.45	1	133.55	1			
		403B	3.0	2.1	8.0	7.5	8.0	8.0	8.0	7.5	8.0	8.0	8.0		50.40	1	183.95	1			
		5132D	3.0	2.1	8.5	8.5	8.0	7.5	7.5	8.0	8.5	8.0	8.5		51.45	1	235.40	1			
		205C	3.0	2.8	9.0	8.5	7.5	8.5	8.0	8.5	9.0	8.5	9.0		71.40	1	306.80	1			
		305C	3.0	2.8	8.5	8.0	9.0	8.0	8.5	8.5	8.0	8.5	8.0		70.00	1	376.80	1			
		5335D	3.0	2.9	8.0	7.5	8.0	8.0	7.5	7.5	7.5	7.5	7.5		66.70	1	443.50	1			
18	2	山崎 佳蓮									ヤマキ カレン 高知S C										
		103B	3.0	1.6	8.5	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5		36.80	4	36.80	4	3.10	374.05	
		201B	3.0	1.8	6.0	5.0	5.0	5.0	5.5	5.0	5.0	5.0	5.0		27.00	18	63.80	10	21.30		
		301B	3.0	1.9	9.0	7.5	7.5	7.0	7.5	7.0	7.5	7.0	7.5		42.75	2	106.55	5	27.00		
		403B	3.0	2.1	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0		47.25	2	153.80	2	30.15		
		5132D	3.0	2.1	8.0	8.0	7.5	7.0	6.5	7.5	7.0	7.0	7.0		46.20	2	200.00	2	35.40		
		405C	3.0	2.7	8.0	8.0	8.0	7.5	7.5	7.5	8.0	7.5	8.0		63.45	2	263.45	2	43.35		
		205C	3.0	2.8	6.5	6.5	7.0	7.0	7.0	7.0	7.5	7.0	7.5		58.80	2	322.25	2	54.55		
		305C	3.0	2.8	7.0	6.0	7.0	6.0	6.5	6.0	6.0	6.0	6.0		51.80	5	374.05	2	69.45		
15	3	熊木 蘭									クマキ ラン 群馬DC										
		103B	3.0	1.6	7.5	6.5	7.0	7.5	7.0	6.0	7.0	6.0	7.0		33.60	5	33.60	5	6.30	338.20	
		201B	3.0	1.8	7.5	7.5	7.0	7.0	7.0	7.5	7.5	7.5	7.5		39.60	4	73.20	4	11.90		
		301B	3.0	1.9	7.0	7.0	6.0	6.5	7.0	7.0	6.5	7.0	6.5		38.95	4	112.15	2	21.40		
		403B	3.0	2.1	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		40.95	=5	153.10	3	30.85		
		5132D	3.0	2.1	6.5	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.5		37.80	8	190.90	4	44.50		
		105B	3.0	2.4	7.0	7.0	6.5	7.5	7.0	7.0	7.0	7.0	7.0		50.40	3	241.30	3	65.50		
		205C	3.0	2.8	6.0	6.0	6.0	6.0	6.5	6.0	7.0	6.0	7.0		50.40	=4	291.70	3	85.10		
		405B	3.0	3.0	5.5	5.0	5.5	5.0	4.0	5.5	4.5	5.5	4.5		46.50	7	338.20	3	105.30		
14	4	戸田 萌々香									トダモモカ 米沢D C										
		103B	3.0	1.6	6.0	5.5	5.5	5.0	4.5	5.0	4.5	5.0	4.5		24.80	18	24.80	18	15.10	327.10	
		201B	3.0	1.8	7.0	7.0	6.0	6.5	7.0	6.5	7.0	6.5	7.0		36.90	7	61.70	14	23.40		
		301B	3.0	1.9	7.0	7.0	6.0	6.5	6.0	7.0	6.0	7.0	6.0		37.05	=5	98.75	10	34.80		
		403B	3.0	2.1	6.5	4.5	5.5	6.0	6.5	5.5	6.0	5.5	6.0		36.75	=12	135.50	10	48.45		
		5132D	3.0	2.1	6.0	5.5	5.5	6.0	6.0	5.5	6.0	5.5	6.0		36.75	=9	172.25	9	63.15		
		205C	3.0	2.8	6.0	5.0	5.5	5.0	5.5	5.5	5.5	5.5	5.5		46.20	7	218.45	8	88.35		
		305C	3.0	2.8	6.5	7.0	6.5	7.0	6.5	6.5	6.0	7.0	7.0		56.00	3	274.45	5	102.35		
		405C	3.0	2.7	6.0	6.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		52.65	=3	327.10	4	116.40		
8	5	関野 思衣									セキノ シ 栃木D C										
		403B	3.0	2.1	7.0	6.5	5.5	6.5	7.0	6.0	6.0	6.0	6.0		39.90	1	39.90	1		326.10	
		103B	3.0	1.6	6.5	7.5	6.0	7.0	7.0	7.0	7.0	7.0	7.0		33.60	11	73.50	3	11.60		
		201B	3.0	1.8	6.0	6.0	5.5	5.5	5.5	5.5	5.5	5.5	5.5		29.70	17	103.20	8	30.35		
		301B	3.0	1.9	5.5	5.5	5.0	5.5	6.0	6.0	5.5	6.0	5.5		31.35	19	134.55	11	49.40		
		5132D	3.0	2.1	7.0	7.0	6.0	6.5	6.0	7.0	6.5	7.0	6.5		42.00	=4	176.55	8	58.85		
		105B	3.0	2.4	6.5	6.5	7.0	6.0	7.0	6.0	6.5	6.0	6.5		46.80	6	223.35	7	83.45		
		5233D	3.0	2.4	6.0	5.0	5.0	6.0	6.0	6.0	5.5	6.0	5.5		42.00	=8	265.35	8	111.45		
		405C	3.0	2.7	7.5	7.5	8.0	7.5	7.0	7.5	7.5	7.5	7.5		60.75	2	326.10	5	117.40		

第41回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/25
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回
自由選択飛回数 3回
難易率合計 9.5以内
気温 30.0℃
水温 28.3℃
天候 晴れ

機械操作 加藤 雄樹

記録主任 木綿 薫

1 笠井 学
2 毒島 泰士
3 中川 真依
4 段木 雅博
5 三浦 房子
6 山下 藍奈
7 湯浅 よしの

1 百千田 幸太郎
2 樋口 まゆみ
3 瓶子 笑里佳
4 中山 拓弥
5 茶木 葉
6 豊田 健吾
7 野村 孝路

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
17	6	木村 つづみ									J S S宝塚										
		103B	3.0	1.6	7.5	7.0	7.0	6.0	6.5	6.5	7.0	6.5			32.80	6	32.80	6	7.10	320.95	
		5132D	3.0	2.1	7.0	7.0	6.5	6.5	6.5	6.5	7.0	6.5			42.00	2	74.80	2	10.30		
		201B	3.0	1.8	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			35.10	9	109.90	3	23.65		
		301B	3.0	1.9	7.5	7.5	7.0	6.5	8.0	7.0	7.5	7.5			41.80	4	151.70	4	32.25		
		403B	3.0	2.1	7.0	7.0	6.5	6.5	7.0	6.5	7.5	7.5			43.05	3	194.75	3	40.65		
		303C	3.0	2.0	6.5	7.0	6.5	7.0	6.0	7.0	7.5	7.5			41.00	13	235.75	4	71.05		
		205C	3.0	2.8	5.0	5.0	5.0	4.5	5.0	5.0	6.0	6.0			42.00	=8	277.75	4	99.05		
		105B	3.0	2.4	6.0	6.0	5.5	6.0	6.0	6.0	5.5	5.5			43.20	10	320.95	6	122.55		
13	7	村山 聖来									致遠館中										
		103B	3.0	1.6	7.0	6.5	6.0	6.5	7.0	6.0	6.5	6.5			31.20	=7	31.20	=7	8.70	317.65	
		201B	3.0	1.8	7.0	6.5	6.0	6.5	7.0	6.0	6.5	6.5			35.10	=9	66.30	9	18.80		
		301B	3.0	1.9	7.5	7.0	7.0	7.5	7.0	7.0	7.5	7.5			40.85	3	107.15	4	26.40		
		403B	3.0	2.1	7.0	6.0	6.0	5.0	6.5	6.0	6.0	6.0			37.80	=9	144.95	6	39.00		
		5132D	3.0	2.1	6.5	6.0	6.0	6.5	5.5	6.0	6.5	6.5			38.85	=6	183.80	7	51.60		
		305C	3.0	2.8	3.0	3.5	4.0	3.0	4.0	3.5	4.0	4.0			30.80	18	214.60	10	92.20		
		205C	3.0	2.8	6.0	6.0	6.0	6.5	5.5	5.5	6.0	6.0			50.40	=4	265.00	9	111.80		
		405C	3.0	2.7	6.0	6.5	6.5	6.0	7.0	7.0	6.5	6.5			52.65	=3	317.65	7	125.85		
4	8	千葉 真央									浜松学院中										
		103B	3.0	1.6	7.0	6.5	6.5	6.0	6.0	6.5	6.5	6.5			31.20	=7	31.20	=7	8.70	308.40	
		201B	3.0	1.8	7.5	7.0	7.5	7.5	7.0	7.0	7.0	7.0			38.70	5	69.90	6	15.20		
		301B	3.0	1.9	5.5	5.0	4.5	4.5	5.0	5.5	5.0	5.0			28.50	19	98.40	11	35.15		
		403B	3.0	2.1	7.5	7.5	6.5	6.5	6.5	7.0	7.5	7.5			44.10	3	142.50	7	41.45		
		5132D	3.0	2.1	7.5	6.5	7.0	6.0	6.0	6.0	7.5	6.5			42.00	=4	184.50	6	50.90		
		105B	3.0	2.4	6.5	7.0	7.0	7.0	6.5	6.5	7.0	7.0			49.20	4	233.70	5	73.10		
		203B	3.0	2.2	6.0	6.0	6.0	6.5	5.5	6.5	5.5	5.5			39.60	=11	273.30	6	103.50		
		405C	3.0	2.7	4.0	4.5	4.5	4.0	5.0	5.0	3.5	3.5			35.10	14	308.40	8	135.10		
11	9	山田 瑛奈									高知S C										
		103B	3.0	1.6	7.0	6.0	6.5	6.5	6.0	6.0	6.5	6.5			30.40	10	30.40	10	9.50	306.15	
		403B	3.0	2.1	6.5	6.0	6.0	6.0	6.5	6.5	7.0	7.0			39.90	3	70.30	5	14.80		
		201B	3.0	1.8	6.0	6.0	5.5	5.5	6.0	5.5	5.5	5.5			30.60	16	100.90	9	32.65		
		301B	3.0	1.9	6.0	5.0	5.5	5.0	5.5	6.0	6.0	6.0			32.30	16	133.20	=12	50.75		
		5132D	3.0	2.1	5.5	5.0	6.0	5.5	6.0	6.0	6.0	6.0			36.75	=9	169.95	11	65.45		
		105B	3.0	2.4	6.5	6.5	6.5	7.0	7.0	7.0	6.5	6.5			48.00	5	217.95	9	88.85		
		405C	3.0	2.7	5.0	5.0	5.0	4.5	4.5	4.5	4.5	4.5			37.80	=13	255.75	10	121.05		
		205C	3.0	2.8	6.0	6.0	6.5	6.0	6.0	6.0	7.0	7.0			50.40	6	306.15	9	137.35		
16	10	望月 来華									大分D C										
		103B	3.0	1.6	6.5	6.5	5.5	6.5	7.0	6.0	6.5	6.5			31.20	=7	31.20	=7	8.70	299.50	
		201B	3.0	1.8	8.0	7.0	7.0	7.0	7.5	7.0	7.0	7.0			37.80	6	69.00	7	16.10		
		301B	3.0	1.9	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			37.05	=5	106.05	6	27.50		
		403B	3.0	2.1	6.5	6.0	6.5	6.5	7.0	7.0	6.5	6.5			40.95	=5	147.00	5	36.95		
		5132D	3.0	2.1	6.0	6.0	5.5	6.5	6.5	6.0	7.0	7.0			38.85	=6	185.85	5	49.55		
		205C	3.0	2.8	5.0	6.5	5.0	5.5	5.5	5.0	6.0	6.0			44.80	8	230.65	6	76.15		
		305C	3.0	2.8	4.5	4.5	4.0	4.5	4.5	4.5	5.0	5.0			37.80	=13	268.45	7	108.35		
		405C	3.0	2.7	3.0	3.5	3.5	4.0	4.0	4.5	4.5	4.5			31.05	=16	299.50	10	144.00		

第41回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/25
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回
自由選択飛回数 3回
難易率合計 9.5以内
気温 30.0℃
水温 28.3℃
天候 晴れ

機械操作 加藤 雄樹

記録主任 木綿 薫

1 笠井 学
2 毒島 泰士
3 中川 真依
4 段木 雅博
5 三浦 房子
6 山下 藍奈
7 湯浅 よしの

1 百千田 幸太郎
2 樋口 まゆみ
3 瓶子 笑里佳
4 中山 拓弥
5 茶木 葉
6 豊田 健吾
7 野村 孝路

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
6	11	山吉 志麻									ヤマヨシ シマ 三重DC								
		103B	3.0	1.6	6.0	4.5	5.0	5.5	6.0	6.5	6.5	6.5	28.00	=14	28.00	=14	11.90	288.05	
		201B	3.0	1.8	7.5	6.5	5.5	7.5	6.5	6.5	6.5	35.10	=9	63.10	12	22.00			
		301B	3.0	1.9	6.0	5.5	5.0	5.5	6.0	5.5	6.0	32.30	13	95.40	14	38.15			
		403B	3.0	2.1	6.0	5.5	6.0	6.5	5.5	6.0	6.0	37.80	=9	133.20	=12	50.75			
		5132D	3.0	2.1	5.5	5.0	5.0	5.0	5.5	6.0	6.0	33.60	=14	166.80	13	68.60			
		105B	3.0	2.4	5.0	4.5	5.5	5.0	5.5	4.5	5.5	37.20	17	204.00	15	102.80			
		305C	3.0	2.8	5.0	4.5	4.5	4.5	4.5	4.0	4.5	37.80	=13	241.80	15	135.00			
		5134D	3.0	2.5	7.0	5.5	6.0	6.5	5.5	6.0	6.5	46.25	8	288.05	11	155.45			
2	12	大石 歩来									オオシ イブキ トビウタJrDC								
		103B	3.0	1.6	6.0	6.0	6.0	5.0	5.5	5.5	5.5	27.20	=16	27.20	=16	12.70	282.05		
		201B	3.0	1.8	7.0	6.0	6.0	5.5	5.5	6.0	6.0	32.40	13	59.60	16	25.50			
		301B	3.0	1.9	6.0	6.0	5.5	5.5	6.0	6.0	5.5	33.25	12	92.85	15	40.70			
		403B	3.0	2.1	6.5	6.0	5.5	6.5	6.5	6.0	6.5	39.90	8	132.75	14	51.20			
		5231D	3.0	2.0	5.0	6.0	5.5	5.5	5.5	6.0	5.5	33.00	17	165.75	15	69.65			
		105B	3.0	2.4	5.5	5.5	5.5	6.0	6.0	5.5	5.5	39.60	15	205.35	14	101.45			
		203B	3.0	2.2	5.0	5.0	5.0	4.0	5.5	5.0	5.5	33.00	17	238.35	16	138.45			
		303B	3.0	2.3	7.0	6.5	6.5	7.0	6.0	6.0	6.0	43.70	9	282.05	12	161.45			
10	13	内田 のい									ウチダ ノイ 小松市立								
		103B	3.0	1.6	6.5	6.0	5.5	6.0	6.0	6.0	6.5	28.80	=11	28.80	=11	11.10	276.85		
		201B	3.0	1.8	6.0	6.0	5.5	6.0	5.5	6.0	5.5	31.50	14	60.30	15	24.80			
		301B	3.0	1.9	5.5	5.5	5.5	5.5	5.5	5.5	6.0	31.35	=14	91.65	17	41.90			
		403B	3.0	2.1	5.0	5.0	5.0	4.5	5.5	4.0	5.0	31.50	=17	123.15	18	60.80			
		5132D	3.0	2.1	5.5	4.5	5.5	5.5	6.0	5.5	5.5	34.65	=12	157.80	17	77.60			
		105B	3.0	2.4	6.0	6.0	6.0	6.0	5.5	6.0	5.5	43.20	=9	201.00	17	105.80			
		205C	3.0	2.8	5.0	5.0	5.5	5.5	5.0	5.5	5.5	44.80	7	245.80	13	131.00			
		303B	3.0	2.3	4.0	4.5	4.5	4.0	4.5	4.5	4.5	31.05	=16	276.85	13	166.65			
12	14	松田 心杏									マツタ コア いいね金澤								
		103B	3.0	1.6	6.5	6.5	6.0	5.5	5.5	6.0	6.0	28.80	=11	28.80	=11	11.10	275.45		
		201B	3.0	1.8	5.0	4.5	5.5	5.5	5.5	6.5	5.5	29.70	16	58.50	17	26.60			
		301B	3.0	1.9	7.0	6.5	6.5	6.5	5.5	6.0	6.5	37.05	=5	95.55	13	38.00			
		403B	3.0	2.1	6.0	4.5	5.0	4.5	5.5	6.0	4.5	31.50	=17	127.05	16	56.90			
		5132D	3.0	2.1	6.0	5.0	5.5	5.5	5.0	4.5	5.5	33.60	=14	160.65	16	74.75			
		105B	3.0	2.4	6.0	6.0	5.5	5.5	5.5	6.0	6.0	42.00	12	202.65	16	104.15			
		205C	3.0	2.8	4.5	5.0	5.5	5.5	4.0	4.5	5.0	40.60	10	243.25	14	133.55			
		305C	3.0	2.8	4.5	4.0	4.0	3.5	3.5	4.0	3.5	32.20	15	275.45	14	168.05			
5	15	平澤 杏里彩									ヒラサリ アリサ 長岡DC								
		103B	3.0	1.6	6.0	6.0	6.0	6.0	5.5	6.5	6.5	28.80	=11	28.80	=11	11.10	275.10		
		201B	3.0	1.8	6.5	6.5	6.0	6.5	5.0	6.0	6.0	33.30	12	62.10	13	23.00			
		301B	3.0	1.9	6.0	6.0	5.5	6.0	5.5	6.0	6.0	34.20	=10	96.30	12	37.25			
		403B	3.0	2.1	6.5	6.5	6.5	6.5	6.5	7.0	6.0	40.95	=5	137.25	8	46.70			
		5132D	3.0	2.1	5.5	5.0	5.5	5.5	5.5	5.5	5.5	34.65	=12	171.90	10	63.50			
		105B	3.0	2.4	5.5	6.0	5.5	6.5	5.5	6.0	5.5	40.80	14	212.70	11	94.10			
		203B	3.0	2.2	5.5	6.0	6.0	6.0	5.0	6.0	6.0	39.60	=11	252.30	12	124.50			
		5233D	3.0	2.4	3.0	3.5	4.0	2.5	3.0	3.5	3.0	22.80	18	275.10	15	168.40			

第41回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/25
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回
自由選択飛回数 3回
難易率合計 9.5以内
気温 30.0℃
水温 28.3℃
天候 晴れ

機械操作 加藤 雄樹

記録主任 木綿 薫

1 笠井 学
2 毒島 泰士
3 中川 真依
4 段木 雅博
5 三浦 房子
6 山下 藍奈
7 湯浅 よしの

1 百千田 幸太郎
2 樋口 まゆみ
3 瓶子 笑里佳
4 中山 拓弥
5 茶木 葉
6 豊田 健吾
7 野村 孝路

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
7	16	勝真 海音									天理							
			403B	3.0	2.1	6.5	5.5	5.5	6.5	6.5	カマミオ	6.0	38.85	3	38.85	3	1.05	272.80
			103B	3.0	1.6	6.0	6.0	5.5	6.0	6.0	天理		28.80	17	67.65	8	17.45	
			5132D	3.0	2.1	5.5	6.5	5.5	6.0	6.0	天理		35.70	8	103.35	7	30.20	
			201B	3.0	1.8	5.5	6.0	6.5	6.0	5.5	天理		32.40	15	135.75	9	48.20	
			301B	3.0	1.9	6.0	6.0	5.5	5.0	6.0	天理		33.25	16	169.00	12	66.40	
			105B	3.0	2.4	5.5	5.0	5.5	5.5	6.0	天理		38.40	16	207.40	13	99.40	
			205C	3.0	2.8	3.5	3.5	3.5	3.5	3.5	天理		29.40	18	236.80	17	140.00	
			303C	3.0	2.0	6.0	6.0	6.0	6.0	6.0	天理		36.00	13	272.80	16	170.70	
3	17	関口 麻耶									川口SC							
			103B	3.0	1.6	6.5	5.5	5.5	5.5	6.0	セキチマヤ		27.20	=16	27.20	=16	12.70	271.55
			201B	3.0	1.8	6.5	6.5	6.5	7.0	6.5	川口SC		36.00	8	63.20	11	21.90	
			301B	3.0	1.9	5.5	5.0	5.5	5.0	5.0	川口SC		29.45	18	92.65	16	40.90	
			403B	3.0	2.1	7.0	6.0	6.0	6.0	6.0	川口SC		37.80	=9	130.45	15	53.50	
			5111A	3.0	2.0	6.0	6.0	6.0	5.5	5.0	川口SC		36.00	11	166.45	14	68.95	
			105B	3.0	2.4	5.5	6.0	6.5	6.0	6.5	川口SC		43.20	=9	209.65	12	97.15	
			405C	3.0	2.7	5.5	6.0	6.0	5.5	5.5	川口SC		45.90	6	255.55	11	121.25	
			5231D	3.0	2.0	3.0	2.0	3.0	2.0	2.5	川口SC		16.00	19	271.55	17	171.95	
1	18	森淵 純鈴									神辺SPC							
			103B	3.0	1.6	6.0	4.5	5.0	5.0	5.0	モリベチスミレ		24.00	19	24.00	19	15.90	271.40
			201B	3.0	1.8	6.0	5.5	5.5	5.5	5.5	神辺SPC		30.60	15	54.60	18	30.50	
			301B	3.0	1.9	6.0	6.0	5.5	5.5	5.5	神辺SPC		31.35	=14	85.95	19	47.60	
			403B	3.0	2.1	6.0	6.0	5.5	5.5	5.0	神辺SPC		35.70	14	121.65	19	62.30	
			5132D	3.0	2.1	4.5	4.0	5.0	4.0	4.0	神辺SPC		27.30	19	148.95	19	86.45	
			105B	3.0	2.4	6.0	6.0	6.0	6.0	6.0	神辺SPC		43.20	=9	192.15	18	114.65	
			203B	3.0	2.2	5.5	6.0	5.0	5.5	6.5	神辺SPC		37.40	16	229.55	18	147.25	
			405C	3.0	2.7	5.0	5.5	5.5	4.5	4.5	神辺SPC		41.85	11	271.40	18	172.10	
9	19	土田 実歩									長岡DC							
			103B	3.0	1.6	6.0	5.0	6.0	5.5	5.5	ツチガミ		28.00	=14	28.00	=14	11.90	254.10
			201B	3.0	1.8	5.5	5.0	4.5	4.5	4.5	長岡DC		24.30	19	52.30	19	32.80	
			301B	3.0	1.9	6.0	6.5	6.0	5.0	6.0	長岡DC		34.20	=10	86.50	18	47.05	
			403B	3.0	2.1	6.0	6.0	5.5	5.0	5.0	長岡DC		36.75	=12	123.25	17	60.70	
			5132D	3.0	2.1	5.5	5.0	4.5	5.0	5.5	長岡DC		31.50	18	154.75	18	80.65	
			105B	3.0	2.4	4.0	4.0	4.0	4.0	4.5	長岡DC		28.80	19	183.55	19	123.25	
			303B	3.0	2.3	4.5	3.5	4.5	4.0	4.5	長岡DC		28.75	19	212.30	19	164.50	
			203B	3.0	2.2	5.0	5.5	6.5	7.0	6.0	長岡DC		41.80	12	254.10	19	189.40	