

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
男子 3m 飛板飛込 決勝

開催日 2021/08/18

開始時間 14:45

長野運動公園総合市民プール

Referee 大久保 一司

Judges 11Round

Asst. Ref 西出 好範

1 鈴木 羊子

2 布村 隆

Operator 西山達也/滝澤一仁

3 中島 勝司

4 山本 泰子

Rec Cheif 島田 佐由理

5 佐藤 律樹

6 小野寺 光喜

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 28.0℃

水温 27.8℃

天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
12	1	伊熊 扇季																		
		103 B	3m	1.6	8.5	8.5	8.0	8.0	8.0	8.0	8.5	8.0		39.20	1	39.20	1			638.85
		201 B	3m	1.8	8.5	7.5	8.0	8.0	7.5	7.5	7.5	8.0		42.30	3	81.50	2	3.10		
		301 B	3m	1.9	9.0	8.0	9.0	7.5	8.5	8.5	8.5	8.0		47.50	1	129.00	1			
		403 B	3m	2.1	8.5	8.0	8.5	8.5	8.5	8.5	8.5	8.0		53.55	1	182.55	1			
		5132 D	3m	2.1	9.0	8.5	8.5	8.5	8.5	8.5	7.5	8.5		53.55	1	236.10	1			
		405 B	3m	3.0	7.5	8.0	8.0	6.5	7.0	7.0	7.0	7.0		64.50	1	300.60	1			
		107 B	3m	3.1	7.5	7.5	7.5	7.5	7.5	7.5	6.0	8.0		69.75	1	370.35	1			
		205 B	3m	3.0	5.0	5.0	5.0	6.5	5.5	5.5	5.5	5.0		46.50	8	416.85	1			
		307 C	3m	3.5	8.0	6.5	8.0	7.5	8.5	8.0	7.5	7.5		82.25	1	499.10	1			
		5136 D	3m	3.0	8.5	8.5	8.5	8.0	8.0	8.0	7.0	8.5		75.00	1	574.10	1			
		5337 D	3m	3.5	6.5	5.0	6.0	6.5	6.0	6.0	6.0	6.5		64.75	2	638.85	1			
11	2	坂田 慈央																		
		103 B	3m	1.6	5.5	6.0	5.5	6.5	6.5	6.5	6.5	5.0		28.80	=9	28.80	=9	10.40		561.00
		201 B	3m	1.8	7.5	8.0	8.0	8.0	9.0	7.5	8.0	8.0		43.20	2	72.00	5	12.60		
		301 B	3m	1.9	8.0	7.0	8.0	7.5	8.0	8.0	7.5	7.5		44.65	3	116.65	4	12.35		
		403 B	3m	2.1	7.5	7.5	7.0	7.0	7.5	8.5	6.5	6.5		46.20	=3	162.85	4	19.70		
		5132 D	3m	2.1	7.5	7.0	7.0	6.5	8.0	7.5	7.0	7.0		45.15	4	208.00	4	28.10		
		5152 B	3m	3.0	6.0	6.5	6.0	6.0	6.5	6.5	7.0	7.0		57.00	3	265.00	3	35.60		
		107 B	3m	3.1	7.0	6.5	6.5	5.0	6.0	5.5	5.5	5.5		55.80	3	320.80	4	49.55		
		5154 B	3m	3.4	5.0	5.0	4.0	5.0	4.5	5.5	4.0	4.0		49.30	6	370.10	4	46.75		
		305 C	3m	2.8	7.0	6.5	5.5	7.5	6.5	7.0	7.0	7.0		57.40	3	427.50	4	71.60		
		405 B	3m	3.0	7.5	7.0	7.5	7.5	7.0	7.0	7.5	7.5		66.00	2	493.50	2	80.60		
		205 B	3m	3.0	7.5	7.5	7.0	7.5	8.0	6.0	8.0	8.0		67.50	1	561.00	2	77.85		
10	3	坂田 麗鳳																		
		103 B	3m	1.6	8.5	7.5	8.0	8.0	8.0	7.5	7.5	8.0		37.60	4	37.60	4	1.60		551.75
		201 B	3m	1.8	7.5	7.0	7.5	7.5	6.5	6.5	7.0	7.0		38.70	=5	76.30	4	8.30		
		301 B	3m	1.9	8.0	7.5	8.0	8.0	8.0	7.5	8.5	8.5		45.60	2	121.90	3	7.10		
		403 B	3m	2.1	7.5	6.5	8.0	8.5	8.5	8.0	7.0	7.0		49.35	2	171.25	2	11.30		
		5132 D	3m	2.1	7.5	6.0	7.0	8.0	8.0	6.5	7.5	7.5		46.20	3	217.45	2	18.65		
		205 B	3m	3.0	5.0	5.0	5.5	5.0	5.0	5.5	5.5	5.5		46.50	6	263.95	4	36.65		
		5152 B	3m	3.0	7.5	7.5	7.0	7.5	7.0	5.5	7.0	7.0		64.50	2	328.45	2	41.90		
		305 B	3m	3.0	8.0	6.0	6.5	7.0	6.5	5.5	6.5	6.5		58.50	1	386.95	2	29.90		
		405 B	3m	3.0	5.0	5.5	4.5	6.0	4.5	5.0	5.0	5.0		45.00	=6	431.95	3	67.15		
		5335 D	3m	2.9	8.0	7.0	7.0	8.0	6.5	5.5	7.0	7.0		60.90	4	492.85	3	81.25		
		107 B	3m	3.1	7.0	6.0	6.0	7.0	7.0	5.5	6.0	6.0		58.90	4	551.75	3	87.10		
9	4	二羽 倅駕																		
		103 B	3m	1.6	8.0	7.5	8.5	8.0	8.5	7.5	8.0	8.0		38.40	2	38.40	2	0.80		522.85
		5132 D	3m	2.1	8.0	6.5	7.5	8.0	8.0	6.5	6.5	6.5		46.20	1	84.60	1			
		201 B	3m	1.8	6.0	7.0	7.0	8.0	8.0	6.0	7.0	7.0		37.80	4	122.40	2	6.60		
		301 B	3m	1.9	6.5	6.5	7.5	8.0	8.0	7.0	8.0	8.0		42.75	6	165.15	3	17.40		
		403 B	3m	2.1	8.0	7.0	8.0	8.0	9.0	7.0	8.0	8.0		50.40	2	215.55	3	20.55		
		405 C	3m	2.7	6.5	7.0	7.5	7.0	7.0	7.5	5.5	5.5		56.70	4	272.25	2	28.35		
		5335 D	3m	2.9	5.0	5.5	5.5	6.5	6.0	6.5	6.0	6.0		50.75	6	323.00	3	47.35		
		107 B	3m	3.1	6.5	6.0	6.5	6.0	6.5	6.0	6.0	6.0		57.35	2	380.35	3	36.50		
		5152 B	3m	3.0	6.5	6.5	6.5	7.5	7.0	5.5	6.5	6.5		58.50	2	438.85	2	60.25		
		205 B	3m	3.0	4.0	4.5	4.5	4.5	5.0	4.0	3.5	3.5		39.00	11	477.85	4	96.25		
		305 B	3m	3.0	4.0	4.5	5.0	5.0	6.0	5.0	5.0	5.0		45.00	=8	522.85	4	116.00		

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
男子 3m 飛板飛込 決勝

開催日 2021/08/18

開始時間 14:45

長野運動公園総合市民プール

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 28.0℃

水温 27.8℃

天候

Referee 大久保 一司

Asst. Ref 西出 好範

Operator 西山達也/滝澤一仁

Rec Cheif 島田 佐由理

Judges 11Round

1 鈴木 羊子

2 布村 隆

3 中島 勝司

4 山本 泰子

5 佐藤 律樹

6 小野寺 光喜

7 安永 三郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
8	5	片岡 龍之介																		
		201 B	3m	1.8	7.0	7.0	7.0	7.0	7.5	7.0	6.5	6.5		37.80	3	37.80	3	1.40	521.50	
		301 B	3m	1.9	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5		39.90	4	77.70	3	6.90		
		5231 D	3m	2.0	6.5	6.0	6.0	6.0	6.0	7.0	5.5	5.5		36.00	6	113.70	5	15.30		
		403 B	3m	2.1	7.0	6.0	6.5	6.0	6.5	6.5	6.5	6.0		39.90	8	153.60	5	28.95		
		103 B	3m	1.6	6.5	6.5	7.0	7.0	7.0	7.0	6.5	7.5		32.80	10	186.40	5	49.70		
		405 B	3m	3.0	6.5	6.5	7.5	7.5	7.0	6.5	6.5	6.5		60.00	2	246.40	5	54.20		
		5152 B	3m	3.0	6.0	6.0	6.0	6.0	6.0	6.5	5.5	6.5		54.00	=4	300.40	5	69.95		
		205 B	3m	3.0	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.0		49.50	5	349.90	5	66.95		
		305 B	3m	3.0	5.5	5.0	5.0	5.0	5.0	6.0	5.0	4.5		45.00	=6	394.90	5	104.20		
		107 B	3m	3.1	7.0	6.5	6.5	7.0	7.0	7.0	5.5	6.5		62.00	3	456.90	5	117.20		
		5154 B	3m	3.4	6.0	5.5	6.5	6.5	6.5	6.0	6.5	7.0		64.60	3	521.50	5	117.35		
7	6	藤田 優																		
		103 B	3m	1.6	6.0	7.0	7.5	7.5	7.0	7.0	7.0	6.0		33.60	5	33.60	5	5.60	460.85	
		201 B	3m	1.8	5.5	5.5	6.0	6.5	6.5	6.5	5.5	5.5		30.60	11	64.20	8	20.40		
		301 B	3m	1.9	4.0	5.0	4.5	5.0	5.0	5.0	4.0	5.0		27.55	12	91.75	10	37.25		
		403 B	3m	2.1	5.5	5.0	6.0	6.0	6.0	6.5	6.5	5.0		36.75	10	128.50	11	54.05		
		5132 D	3m	2.1	5.5	6.0	6.5	6.5	6.5	6.5	5.0	5.5		37.80	6	166.30	9	69.80		
		105 B	3m	2.4	6.0	7.0	6.5	6.0	6.5	6.5	5.5	7.0		45.60	8	211.90	9	88.70		
		107 B	3m	3.1	4.5	5.5	4.5	5.0	4.5	5.0	5.0	6.0		44.95	9	256.85	=7	113.50		
		205 B	3m	3.0	5.0	5.5	6.0	5.5	6.0	5.0	5.0	5.0		48.00	7	304.85	8	112.00		
		305 C	3m	2.8	4.5	5.0	5.0	5.0	5.0	5.5	4.5	5.0		42.00	9	346.85	8	152.25		
		405 B	3m	3.0	6.5	6.0	6.5	7.0	6.0	5.5	6.0	6.0		55.50	5	402.35	7	171.75		
		5152 B	3m	3.0	6.5	6.0	6.5	6.5	7.0	5.5	5.5	7.0		58.50	5	460.85	6	178.00		
4	7	伴 俊広																		
		103 B	3m	1.6	6.5	5.5	6.0	7.0	6.5	6.5	6.0	6.0		30.40	8	30.40	8	8.80	460.25	
		201 B	3m	1.8	5.5	6.0	6.5	7.0	6.0	5.0	6.5	6.5		33.30	=8	63.70	9	20.90		
		301 B	3m	1.9	6.0	6.0	6.5	6.0	5.5	5.5	6.0	6.0		34.20	7	97.90	8	31.10		
		403 B	3m	2.1	6.0	5.5	5.5	5.0	5.0	5.0	5.0	5.0		32.55	11	130.45	9	52.10		
		5132 D	3m	2.1	6.0	5.5	6.0	5.5	6.0	5.5	5.5	5.5		35.70	7	166.15	10	69.95		
		107 B	3m	3.1	5.0	2.0	4.0	3.5	2.5	4.5	2.5	2.5		31.00	12	197.15	11	103.45		
		5152 B	3m	3.0	6.0	6.0	6.0	7.0	6.0	6.0	6.0	6.0		54.00	=4	251.15	10	119.20		
		5154 B	3m	3.4	5.5	5.5	5.5	6.0	5.0	5.5	6.0	6.0		56.10	4	307.25	7	109.60		
		305 B	3m	3.0	6.0	5.5	6.0	5.5	4.0	5.5	5.0	5.0		49.50	=4	356.75	6	142.35		
		205 B	3m	3.0	6.0	6.0	5.5	7.0	7.0	5.0	6.0	6.0		54.00	6	410.75	6	163.35		
		405 B	3m	3.0	5.5	5.5	6.0	6.0	5.0	5.0	5.0	5.5		49.50	=6	460.25	7	178.60		
6	8	千賀 望紀斗																		
		103 B	3m	1.6	7.0	7.0	7.0	6.5	7.0	6.0	6.5	6.5		32.80	=6	32.80	=6	6.40	440.30	
		201 B	3m	1.8	5.5	5.5	5.5	6.0	6.0	5.5	5.5	5.5		29.70	12	62.50	10	22.10		
		301 B	3m	1.9	5.5	5.5	5.5	5.5	6.0	6.5	5.5	5.5		31.35	9	93.85	9	35.15		
		403 B	3m	2.1	6.5	5.5	7.0	7.0	7.0	5.5	6.0	6.0		40.95	7	134.80	8	47.75		
		5231 D	3m	2.0	5.5	6.0	6.0	5.0	6.0	4.0	5.5	5.5		34.00	9	168.80	7	67.30		
		405 C	3m	2.7	5.5	6.5	6.0	5.5	5.0	6.0	5.5	5.5		45.90	7	214.70	8	85.90		
		105 B	3m	2.4	6.5	6.5	6.5	5.5	6.5	5.5	7.0	7.0		46.80	7	261.50	6	108.85		
		107 C	3m	2.8	3.5	4.5	5.0	4.5	3.5	5.0	2.5	2.5		35.00	12	296.50	10	120.35		
		205 B	3m	3.0	5.5	5.5	5.5	5.5	5.5	4.5	5.5	5.5		49.50	=4	346.00	9	153.10		
		305 C	3m	2.8	5.0	5.5	5.0	6.5	5.5	5.0	5.5	5.5		44.80	10	390.80	9	183.30		
		5152 B	3m	3.0	5.5	5.5	6.0	5.0	6.5	5.5	5.0	5.0		49.50	=6	440.30	8	198.55		

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
男子 3m 飛板飛込 決勝

開催日 2021/08/18

開始時間 14:45

長野運動公園総合市民プール

Referee 大久保 一司

Judges 11Round

Asst. Ref 西出 好範

1 鈴木 羊子

2 布村 隆

Operator 西山達也/滝澤一仁

3 中島 勝司

4 山本 泰子

Rec Cheif 島田 佐由理

5 佐藤 律樹

6 小野寺 光喜

制限選択飛回数 5回

自由選択飛回数 6回

難易率合計 9.5以内

気温 28.0℃

水温 27.8℃

天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
2	9	柳沼 凌士						ヤギヌメ	リョウジ											
		103 B	3m	1.6	5.5	5.5	5.5	5.0	6.0	6.5	5.0			26.40	12	26.40	12	12.80	424.75	
		201 B	3m	1.8	7.5	7.0	7.0	8.0	7.5	6.5	6.0			38.70	=5	65.10	7	19.50		
		301 B	3m	1.9	7.0	7.0	6.5	6.5	6.5	5.0	6.5			37.05	5	102.15	6	26.85		
		403 B	3m	2.1	8.0	6.0	7.0	7.5	7.5	6.0	6.5			44.10	5	146.25	6	36.30		
		5132 D	3m	2.1	2.5	3.0	3.5	0.5	4.0	4.0	3.5			21.00	12	167.25	8	68.85		
		205 C	3m	2.8	6.5	7.0	6.0	6.0	7.0	6.0	5.5			51.80	5	219.05	6	81.55		
		305 C	3m	2.8	5.0	4.5	4.5	4.5	4.5	4.5	5.0			37.80	11	256.85	=7	113.50		
		405 C	3m	2.7	7.0	6.5	7.5	7.5	7.0	6.5	7.0			56.70	3	313.55	6	103.30		
		107 C	3m	2.8	4.5	4.0	4.0	3.0	4.0	4.5	4.0			33.60	12	347.15	7	151.95		
		5152 B	3m	3.0	6.0	5.5	5.5	5.5	6.5	5.5	6.0			51.00	7	398.15	8	175.95		
		5235 D	3m	2.8	2.5	3.0	4.0	3.5	3.5	3.0	3.0			26.60	12	424.75	9	214.10		
5	10	柴 大翔						シバ	ダイト											
		103 B	3m	1.6	5.5	6.0	5.0	6.0	6.5	6.5	5.0			28.00	11	28.00	11	11.20	423.15	
		201 B	3m	1.8	6.5	6.0	6.0	7.5	7.5	6.5	6.0			34.20	7	62.20	11	22.40		
		301 B	3m	1.9	5.5	5.0	4.5	5.5	5.5	5.0	5.0			29.45	=10	91.65	11	37.35		
		403 B	3m	2.1	7.0	7.5	7.0	8.0	7.5	7.0	7.5			46.20	=3	137.85	7	44.70		
		5331 D	3m	2.1	6.5	6.0	6.0	6.5	6.5	6.0	5.5			38.85	5	176.70	6	59.40		
		205 C	3m	2.8	4.5	5.0	5.0	5.5	4.5	4.5	4.5			39.20	10	215.90	7	84.70		
		305 C	3m	2.8	4.5	5.0	5.0	6.0	4.5	4.0	5.5			40.60	10	256.50	9	113.85		
		105 B	3m	2.4	5.5	6.0	6.0	7.0	6.5	7.5	6.5			45.60	9	302.10	9	114.75		
		5152 B	3m	3.0	5.0	5.0	4.5	4.5	4.5	5.0	5.0			43.50	8	345.60	10	153.50		
		107 B	3m	3.1	3.5	4.0	3.5	3.5	3.5	4.5	3.5			32.55	12	378.15	10	195.95		
		405 B	3m	3.0	5.0	5.0	5.0	5.5	5.0	5.0	5.0			45.00	=8	423.15	10	215.70		
1	11	川村 健斗						カムラ	ケント											
		103 B	3m	1.6	6.0	6.0	5.5	6.0	6.5	6.0	5.5			28.80	=9	28.80	=9	10.40	407.75	
		201 B	3m	1.8	5.5	6.0	5.5	6.0	6.5	5.0	6.0			31.50	10	60.30	12	24.30		
		301 B	3m	1.9	6.0	5.5	5.0	5.5	5.0	5.0	5.0			29.45	=10	89.75	12	39.25		
		403 B	3m	2.1	6.0	6.0	5.5	6.5	7.0	5.5	6.5			38.85	9	128.60	10	53.95		
		5132 D	3m	2.1	5.5	5.5	5.5	5.5	5.0	5.0	5.5			34.65	8	163.25	11	72.85		
		105 B	3m	2.4	5.5	5.5	5.5	5.0	6.0	5.0	5.0			38.40	11	201.65	10	98.95		
		107 C	3m	2.8	4.0	4.0	4.0	4.0	3.5	4.0	4.0			33.60	12	235.25	12	135.10		
		205 B	3m	3.0	5.0	4.5	5.0	5.0	5.0	4.5	6.0			45.00	10	280.25	11	136.60		
		305 B	3m	3.0	4.5	4.5	4.5	5.0	4.0	4.0	4.0			39.00	=10	319.25	11	179.85		
		405 B	3m	3.0	5.5	5.5	5.0	5.0	5.0	5.5	6.0			48.00	8	367.25	11	206.85		
		5152 B	3m	3.0	5.0	4.5	4.5	4.5	4.5	4.0	4.5			40.50	11	407.75	11	231.10		
3	12	内藤 栄将						ナトウ	エイト											
		103 B	3m	1.6	7.5	6.5	7.0	7.5	7.0	6.5	6.5			32.80	=6	32.80	=6	6.40	407.70	
		201 B	3m	1.8	5.5	6.0	6.0	7.0	6.5	5.5	6.5			33.30	=8	66.10	6	18.50		
		301 B	3m	1.9	6.0	5.5	6.0	6.5	6.0	5.5	5.5			33.25	8	99.35	7	29.65		
		401 B	3m	1.4	4.5	5.0	6.0	5.5	4.5	6.5	5.0			21.70	12	121.05	12	61.50		
		5132 D	3m	2.1	5.0	5.0	5.0	4.0	4.5	4.0	5.0			30.45	11	151.50	12	84.60		
		403 B	3m	2.1	6.5	6.0	7.0	7.0	7.0	6.0	6.5			42.00	9	193.50	12	107.10		
		107 B	3m	3.1	5.5	5.0	5.0	4.5	5.0	5.0	5.0			46.50	8	240.00	11	130.35		
		205 B	3m	3.0	4.0	4.5	4.5	4.5	4.0	3.5	3.5			37.50	11	277.50	12	139.35		
		303 A	3m	2.6	5.0	5.0	4.5	5.0	4.5	5.5	5.0			39.00	=10	316.50	12	182.60		
		5235 D	3m	2.8	5.5	5.5	5.0	5.5	5.0	6.0	5.5			46.20	9	362.70	12	211.40		
		5152 B	3m	3.0	5.0	5.0	4.5	5.0	5.0	5.0	4.0			45.00	=8	407.70	12	231.15		