

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2022/08/18

開始時間 14:30

春野総合運動公園プール

Referee 浅田 雅子

Judges 11Round

Asst. Ref 大久保 一司

1 山田 立

2 服部 健一

3 和田 雅

4 岡部 美恵子

5 中島 勝司

6 秋山 真有美

7 江島 弘恵

制限選択飛回数 5回

難易度合計 9.5以内

自由選択飛回数 6回

気温 33.0℃

水温 31.5℃

天候 晴れ

演技順	順位	氏名	所属	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
12	1	伊熊 扇李	相生学院	103 B	3m	1.6	8.5	8.0	8.5	8.0	9.0	8.5	9.0		40.80	=1	40.80	=1		662.00
		201 B		3m	1.8	9.0	8.5	9.0	9.0	9.0	9.5	9.0	9.0		48.60	2	89.40	2	3.90	
		301 B		3m	1.9	8.5	9.0	9.0	9.0	9.0	9.5	9.0	9.0		51.30	1	140.70	1		
		403 B		3m	2.1	8.5	8.0	8.5	8.0	8.5	7.5	8.5			52.50	1	193.20	1		
		5132 D		3m	2.1	9.0	9.0	9.0	8.5	9.5	8.5	9.5			56.70	1	249.90	1		
		405 B		3m	3.0	8.5	8.5	8.0	8.0	8.5	8.0	9.0			75.00	1	324.90	1		
		107 B		3m	3.1	8.5	9.0	8.5	9.0	9.0	8.0	8.5			80.60	1	405.50	1		
		205 B		3m	3.0	5.0	5.0	6.5	6.5	6.0	6.0	6.0			54.00	5	459.50	1		
		307 C		3m	3.5	6.0	7.5	6.0	6.5	6.5	5.0	6.0			64.75	2	524.25	1		
		5154 B		3m	3.4	7.5	7.5	7.5	7.5	7.5	7.0	8.0			76.50	1	600.75	1		
		5337 D		3m	3.5	5.5	7.5	4.5	5.5	6.0	6.0	6.5			61.25	5	662.00	1		
11	2	二羽 倅駕	小松大谷	103 B	3m	1.6	8.5	7.5	9.0	8.5	8.5	8.5	9.0		40.80	=1	40.80	=1		623.05
		5132 D		3m	2.1	8.0	7.5	9.0	7.5	8.5	8.5	8.5			52.50	1	93.30	1		
		201 B		3m	1.8	8.0	8.0	7.5	7.5	8.0	8.0	8.0			43.20	2	136.50	2	4.20	
		301 B		3m	1.9	7.0	7.0	7.5	7.5	7.5	7.0	8.5			41.80	10	178.30	2	14.90	
		403 B		3m	2.1	8.0	7.5	8.0	8.0	8.0	8.0	9.0			50.40	2	228.70	2	21.20	
		405 C		3m	2.7	8.0	7.0	8.5	8.5	8.5	8.0	8.5			67.50	2	296.20	2	28.70	
		107 B		3m	3.1	7.0	7.5	7.0	7.0	7.0	7.5	7.5			66.65	2	362.85	2	42.65	
		5152 B		3m	3.0	7.5	8.0	8.0	7.5	7.5	8.0	8.5			70.50	1	433.35	2	26.15	
		5154 B		3m	3.4	6.5	6.5	7.0	7.0	7.0	6.5	7.5			69.70	1	503.05	2	21.20	
		205 B		3m	3.0	5.0	6.0	4.5	5.5	5.0	5.5	6.0			48.00	=7	551.05	2	49.70	
		305 B		3m	3.0	7.0	7.5	8.5	8.5	8.0	8.0	8.0			72.00	1	623.05	2	38.95	
9	3	浅田 律	小松大谷	103 B	3m	1.6	7.0	7.0	7.5	7.5	7.5	7.0	7.5		35.20	6	35.20	6	5.60	526.35
		201 B		3m	1.8	6.0	6.0	6.5	6.0	6.5	6.5	6.5			34.20	=8	69.40	8	23.90	
		301 B		3m	1.9	6.0	7.0	8.0	6.5	7.0	7.0	6.0			38.95	=6	108.35	7	32.35	
		403 B		3m	2.1	7.5	7.0	7.5	7.5	7.5	7.5	7.5			47.25	=2	155.60	5	37.60	
		5132 D		3m	2.1	7.5	7.0	8.0	7.5	8.0	7.5	6.5			47.25	=3	202.85	4	47.05	
		105 B		3m	2.4	8.0	7.5	8.0	8.5	8.0	8.0	7.5			57.60	3	260.45	3	64.45	
		107 C		3m	2.8	4.5	4.5	5.5	5.5	4.5	4.0	4.0			37.80	8	298.25	4	107.25	
		5152 B		3m	3.0	6.0	6.5	5.5	5.5	5.0	6.0	5.5			51.00	9	349.25	4	110.25	
		205 C		3m	2.8	7.0	7.0	7.0	7.0	7.0	7.5	7.0			58.80	3	408.05	3	116.20	
		405 C		3m	2.7	6.5	7.5	6.5	7.0	7.0	7.0	7.5			56.70	5	464.75	3	136.00	
		305 C		3m	2.8	6.0	7.5	7.5	7.0	7.5	7.5	7.0			61.60	4	526.35	3	135.65	
4	4	池辺 寛人	別府翔青	103 B	3m	1.6	7.0	7.5	6.5	7.5	7.0	6.5	7.5		34.40	=7	34.40	=7	6.40	524.40
		201 B		3m	1.8	7.0	6.0	7.0	7.5	7.0	7.0	7.5			37.80	=4	72.20	4	21.10	
		301 B		3m	1.9	7.0	6.5	7.0	5.5	6.0	7.0	6.5			38.00	8	110.20	5	30.50	
		403 B		3m	2.1	7.5	7.0	7.5	8.0	7.5	7.5	8.5			47.25	=2	157.45	4	35.75	
		5132 D		3m	2.1	8.0	7.0	7.0	6.5	7.0	7.0	7.0			44.10	6	201.55	5	48.35	
		105 B		3m	2.4	7.0	6.5	6.5	6.5	7.0	6.0	5.5			46.80	7	248.35	4	76.55	
		205 B		3m	3.0	5.0	4.0	4.5	3.5	4.0	4.0	3.5			36.00	9	284.35	6	121.15	
		305 C		3m	2.8	6.5	7.0	7.5	6.5	7.0	7.5	7.5			60.20	2	344.55	5	114.95	
		107 B		3m	3.1	5.0	5.0	4.0	3.5	4.5	5.5	3.0			41.85	12	386.40	7	137.85	
		405 B		3m	3.0	8.0	7.5	8.0	7.5	8.0	8.0	7.5			70.50	2	456.90	4	143.85	
		5152 B		3m	3.0	7.5	8.0	7.0	7.0	7.5	7.5	7.5			67.50	3	524.40	4	137.60	

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2022/08/18

開始時間 14:30

春野総合運動公園プール

Referee 浅田 雅子

Judges 11Round

Asst. Ref 大久保 一司

1 山田 立

2 服部 健一

3 和田 雅

4 岡部 美恵子

5 中島 勝司

6 秋山 真有美

7 江島 弘恵

制限選択飛回数 5回

難易度合計 9.5以内

自由選択飛回数 6回

気温 33.0℃

水温 31.5℃

天候 晴れ

演技順	順位	氏名	所属	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
10	5	藤田 優	新潟	103 B	3m	1.6	7.5	7.0	7.0	7.5	8.0	7.5	7.5		36.00	=3	36.00	=3	4.80	503.45
		201 B	3m	1.8	6.5	6.5	6.5	6.5	6.5	6.5	6.0	7.5		35.10	7	71.10	5	22.20		
		301 B	3m	1.9	4.5	4.5	4.0	5.5	4.5	5.5	4.5	4.5		25.65	12	96.75	11	43.95		
		403 B	3m	2.1	7.0	6.5	8.0	7.0	7.5	7.0	7.5	7.5		45.15	=4	141.90	10	51.30		
		5132 D	3m	2.1	7.5	7.5	7.5	8.0	7.5	7.0	7.5	7.5		47.25	=3	189.15	8	60.75		
		205 B	3m	3.0	6.0	6.5	6.5	6.5	6.0	6.0	7.5	7.5		57.00	4	246.15	7	78.75		
		405 B	3m	3.0	7.0	6.5	7.0	6.5	6.0	7.0	8.0	8.0		61.50	3	307.65	3	97.85		
		305 C	3m	2.8	3.0	3.0	3.0	3.5	3.5	3.0	2.5	2.5		25.20	12	332.85	7	126.65		
		5152 B	3m	3.0	6.5	6.5	7.0	6.0	6.5	7.0	6.0	6.0		58.50	4	391.35	5	132.90		
		5154 B	3m	3.4	4.0	3.0	4.0	4.0	4.5	4.5	3.5	4.0		40.80	10	432.15	7	168.60		
		107 B	3m	3.1	7.5	8.0	8.0	8.0	7.5	7.5	7.5	7.5		71.30	2	503.45	5	158.55		
1	6	柳沼 凌士	浜松開誠館	103 B	3m	1.6	6.5	7.0	7.0	7.0	6.5	6.0	6.5		32.00	10	32.00	10	8.80	497.75
		201 B	3m	1.8	6.0	6.5	6.0	6.5	6.5	5.5	6.0	6.5		33.30	10	65.30	11	28.00		
		301 B	3m	1.9	6.0	6.5	7.0	7.0	6.5	6.5	6.0	6.0		37.05	9	102.35	10	38.35		
		403 B	3m	2.1	6.5	6.0	6.5	5.5	5.5	6.0	5.0	5.0		36.75	11	139.10	11	54.10		
		5132 D	3m	2.1	5.5	4.5	5.5	4.5	5.0	5.5	4.5	4.5		31.50	11	170.60	11	79.30		
		107 B	3m	3.1	5.5	6.5	5.0	6.5	6.0	5.5	5.5	5.5		52.70	6	223.30	10	101.60		
		205 B	3m	3.0	5.5	4.5	6.5	7.0	5.5	6.0	6.0	6.0		52.50	4	275.80	8	129.70		
		305 C	3m	2.8	6.5	6.5	7.0	6.5	6.0	7.0	4.5	4.5		54.60	4	330.40	8	129.10		
		405 C	3m	2.7	7.0	6.5	7.0	7.5	7.0	7.0	6.5	6.5		56.70	7	387.10	6	137.15		
		5152 B	3m	3.0	6.5	5.5	6.5	5.0	7.0	6.0	6.5	6.5		57.00	=3	444.10	5	156.65		
		5335 D	3m	2.9	6.0	6.5	5.5	5.5	7.0	6.0	7.0	7.0		53.65	8	497.75	6	164.25		
8	7	瓶子 礼智	高知商業	103 B	3m	1.6	7.0	7.5	7.0	7.5	8.0	7.5	7.5		36.00	=3	36.00	=3	4.80	494.35
		201 B	3m	1.8	7.5	7.0	7.5	7.0	7.5	8.0	8.0	8.0		40.50	3	76.50	3	16.80		
		301 B	3m	1.9	6.5	5.5	7.0	6.5	7.0	7.0	7.5	7.5		38.95	=6	115.45	3	25.25		
		403 B	3m	2.1	7.5	7.0	6.5	7.0	7.0	7.5	8.0	8.0		45.15	=4	160.60	3	32.60		
		5132 D	3m	2.1	7.5	7.5	8.0	6.5	7.5	7.0	7.5	7.5		47.25	=3	207.85	3	42.05		
		107 C	3m	2.8	4.5	4.0	4.5	5.5	5.0	6.0	3.5	3.5		39.20	10	247.05	5	77.85		
		305 C	3m	2.8	4.0	4.0	4.0	3.5	4.5	4.0	5.0	5.0		33.60	10	280.65	7	124.85		
		205 C	3m	2.8	6.0	6.5	6.0	6.5	6.0	7.0	6.5	6.5		53.20	6	333.85	6	125.65		
		405 B	3m	3.0	6.0	6.5	6.0	5.5	5.5	6.0	5.5	5.5		52.50	8	386.35	8	137.90		
		5152 B	3m	3.0	6.5	6.5	6.0	6.0	7.0	6.5	6.0	6.0		57.00	=3	443.35	6	157.40		
		5136 D	3m	3.0	5.0	6.0	5.5	5.5	5.5	6.0	6.5	6.5		51.00	10	494.35	7	167.65		
6	8	柴 大翔	土浦第一	103 B	3m	1.6	7.5	7.5	7.5	7.5	8.0	7.0	7.5		36.00	=3	36.00	=3	4.80	487.60
		201 B	3m	1.8	6.0	6.0	6.0	5.5	6.0	6.5	7.0	7.0		32.40	11	68.40	9	24.90		
		301 B	3m	1.9	8.0	7.5	7.0	7.0	7.0	7.0	8.0	8.0		40.85	=3	109.25	6	31.45		
		403 B	3m	2.1	7.0	7.0	6.5	6.0	6.5	5.5	7.5	7.5		42.00	9	151.25	7	41.95		
		5132 D	3m	2.1	6.5	7.0	7.0	5.0	5.5	6.0	7.0	7.0		40.95	8	192.20	7	57.70		
		405 B	3m	3.0	6.5	6.5	6.0	6.0	6.0	6.0	5.5	5.5		54.00	5	246.20	6	78.70		
		105 B	3m	2.4	7.0	7.0	7.0	6.5	7.0	7.0	7.5	7.5		50.40	5	296.60	5	108.90		
		107 B	3m	3.1	5.0	6.0	6.0	5.5	6.0	5.5	5.5	5.5		52.70	7	349.30	3	110.20		
		5152 B	3m	3.0	6.5	6.5	5.5	6.0	6.0	6.5	7.5	7.5		57.00	=5	406.30	4	117.95		
		205 B	3m	3.0	3.0	2.5	3.5	2.5	2.0	2.5	2.0	2.0		22.50	12	428.80	8	171.95		
		305 C	3m	2.8	7.0	8.0	7.0	6.5	7.0	7.5	6.5	6.5		58.80	6	487.60	8	174.40		

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2022/08/18

開始時間 14:30

春野総合運動公園プール

Referee 浅田 雅子

Asst. Ref 大久保 一司

Judges 11Round

1 山田 立

2 服部 健一

3 和田 雅

4 岡部 美恵子

5 中島 勝司

6 秋山 真有美

7 江島 弘恵

制限選択飛回数 5回

難易度合計 9.5以内

自由選択飛回数 6回

気温 33.0℃

水温 31.5℃

天候 晴れ

演技順	順位	氏名	所属	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
7	9	干賀 望紀斗	四日市工業	103 B	3m	1.6	6.5	6.5	6.5	6.0	7.0	7.0	6.5		31.20	11	31.20	11	9.60	475.80
		201 B	3m	1.8	6.0	7.0	6.0	6.0	6.5	6.5	6.5	7.5		34.20	=8	65.40	10	27.90		
		301 B	3m	1.9	7.0	7.5	7.0	6.5	7.0	6.5	7.5	7.5		39.90	5	105.30	9	35.40		
		403 B	3m	2.1	7.0	6.5	6.5	6.5	7.0	7.0	7.5			43.05	=7	148.35	9	44.85		
		5231 D	3m	2.0	6.5	6.0	6.5	6.0	6.0	6.0	6.5			37.00	9	185.35	9	64.55		
		405 B	3m	3.0	5.0	5.0	5.0	4.0	4.5	4.5	5.0			43.50	8	228.85	9	96.05		
		107 C	3m	2.8	5.5	6.0	5.5	4.5	5.0	4.5	5.0			43.40	6	272.25	9	133.25		
		5152 B	3m	3.0	6.5	6.5	6.5	6.0	6.0	6.0	6.0			55.50	3	327.75	9	131.75		
		205 B	3m	3.0	5.5	5.5	5.0	5.0	5.0	6.0	5.5			48.00	10	375.75	9	148.50		
		305 B	3m	3.0	5.5	4.5	5.0	4.5	4.0	5.0	5.0			43.50	9	419.25	9	181.50		
		5335 D	3m	2.9	7.0	6.5	6.5	6.5	6.0	6.5	7.5			56.55	7	475.80	9	186.20		
5	10	神田 新	佐賀学園	103 B	3m	1.6	6.0	7.0	7.0	6.0	6.5	7.0	7.0		32.80	9	32.80	9	8.00	459.20
		201 B	3m	1.8	6.5	7.0	7.5	6.5	6.0	8.0	7.5			37.80	=4	70.60	6	22.70		
		301 B	3m	1.9	7.5	7.0	7.5	6.5	6.5	7.0	7.5			40.85	=3	111.45	4	29.25		
		403 B	3m	2.1	7.0	7.0	7.0	6.0	6.5	7.5	7.5			44.10	6	155.55	6	37.65		
		5132 D	3m	2.1	6.5	7.5	7.5	7.0	6.5	7.0	6.5			43.05	7	198.60	6	51.30		
		105 B	3m	2.4	3.5	4.5	4.0	5.0	4.5	5.5	4.0			31.20	12	229.80	8	95.10		
		107 C	3m	2.8	3.5	3.0	3.0	3.0	3.5	3.0	2.5			25.20	12	255.00	10	150.50		
		5152 B	3m	3.0	5.0	5.0	6.0	5.5	5.5	3.5	5.0			46.50	10	301.50	11	158.00		
		305 C	3m	2.8	5.5	5.5	6.5	6.0	6.5	6.5	6.0			51.80	9	353.30	11	170.95		
		205 C	3m	2.8	6.5	6.0	6.5	5.5	6.5	7.0	7.0			54.60	6	407.90	11	192.85		
		405 C	3m	2.7	6.0	7.0	6.5	6.0	6.0	7.0	6.5			51.30	9	459.20	10	202.80		
3	11	小関 樹	米沢工業	103 B	3m	1.6	7.0	7.0	7.5	7.5	7.5	6.5	7.0		34.40	=7	34.40	=7	6.40	434.55
		201 B	3m	1.8	6.5	6.5	7.0	7.0	6.0	6.0	7.5			36.00	6	70.40	7	22.90		
		301 B	3m	1.9	6.0	6.0	7.5	7.0	6.5	6.0	6.5			36.10	10	106.50	8	34.20		
		403 B	3m	2.1	6.5	7.5	6.0	6.0	7.0	7.0	7.5			43.05	=7	149.55	8	43.65		
		5132 D	3m	2.1	5.5	5.0	6.0	6.0	6.0	5.5	4.5			35.70	10	185.25	10	64.65		
		107 B	3m	3.1	4.0	4.0	3.5	3.5	3.5	3.5	3.0			32.55	11	217.80	11	107.10		
		405 B	3m	3.0	4.0	3.5	3.5	4.0	3.0	3.5	4.0			33.00	11	250.80	11	154.70		
		305 B	3m	3.0	6.0	5.0	6.0	6.0	6.0	5.5	4.5			52.50	8	303.30	10	156.20		
		205 B	3m	3.0	6.5	6.0	7.0	6.5	7.0	6.0	6.0			57.00	=5	360.30	10	163.95		
		5152 B	3m	3.0	5.5	4.5	5.5	5.5	5.0	6.0	3.0			48.00	=7	408.30	10	192.45		
		5337 D	3m	3.5	2.5	3.0	2.0	3.0	2.5	1.0	2.5			26.25	12	434.55	11	227.45		
2	12	川村 健斗	土佐	103 B	3m	1.6	6.0	6.5	6.0	5.5	6.0	5.5	6.5		28.80	12	28.80	12	12.00	383.95
		201 B	3m	1.8	5.5	7.0	5.5	5.5	5.5	5.0	5.0			29.70	12	58.50	12	34.80		
		403 B	3m	2.1	6.0	6.0	6.0	5.5	5.5	5.5	5.5			35.70	11	94.20	12	46.50		
		301 B	3m	1.9	6.0	4.5	5.5	5.5	5.0	5.0	4.5			29.45	12	123.65	12	69.55		
		5132 D	3m	2.1	5.0	4.0	4.0	4.5	4.5	4.5	5.0			28.35	12	152.00	12	97.90		
		105 B	3m	2.4	6.0	6.5	6.0	5.5	6.0	6.0	5.5			43.20	9	195.20	12	129.70		
		107 B	3m	3.1	3.5	4.0	4.0	5.0	5.0	3.5	4.5			38.75	7	233.95	12	171.55		
		205 B	3m	3.0	3.5	3.0	4.0	4.5	3.0	3.5	4.0			33.00	11	266.95	12	192.55		
		405 B	3m	3.0	4.5	4.5	5.0	5.5	4.5	5.0	5.0			43.50	11	310.45	12	213.80		
		305 B	3m	3.0	3.0	3.0	2.5	3.0	2.5	2.5	4.0			25.50	11	335.95	12	264.80		
		5152 B	3m	3.0	6.5	5.5	4.5	5.0	5.5	4.5	5.5			48.00	11	383.95	12	278.05		