

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 高飛込 決勝

開催日 2022/08/20

開始時間 12:30

春野総合運動公園プール

Referee 大久保 一司

Judges 10Round

Asst. Ref 浅田 雅子

1 中島 勝司

2 秋山 真有美

3 小野寺 光喜

4 山崎 雅夫

5 千葉 裕司

6 池本 友馬

7 山田 立

制限選択飛回数 4回

難易度合計 7.6以内

自由選択飛回数 6回

気温 31.7℃

水温 30.9℃

天候 晴れ

演技順	順位	氏名	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
12	1	玉井 陸斗																		
			403 B	10m	2.0	9.5	8.5	9.0	9.0	9.5	9.0	9.0		54.00	1	54.00	1			721.75
			103 B	10m	1.6	10.0	9.5	9.0	9.5	10.0	9.5	9.5		45.60	3	99.60	1			
			201 B	10m	1.8	8.5	8.0	8.5	9.5	9.0	8.5	8.5		45.90	2	145.50	1			
			301 B	10m	1.9	10.0	9.5	9.5	9.5	10.0	10.0	9.5		55.10	1	200.60	1			
			407 C	10m	3.2	9.0	9.5	9.0	9.0	8.5	9.0	9.5		86.40	1	287.00	1			
			207 B	10m	3.6	6.5	7.5	6.0	8.5	6.5	6.5	6.5		70.20	1	357.20	1			
			109 C	10m	3.7	7.5	8.0	7.0	8.0	8.0	8.5	7.5		86.95	1	444.15	1			
			6245 D	10m	3.6	8.5	8.5	8.0	7.5	8.0	8.0	8.5		88.20	1	532.35	1			
			307 C	10m	3.4	8.5	8.0	7.5	8.5	9.0	8.5	7.5		85.00	1	617.35	1			
			5255 B	10m	3.6	10.0	9.5	9.5	9.5	9.0	10.0	10.0		104.40	1	721.75	1			
11	2	二羽 倅駕																		
			103 B	10m	1.6	8.5	8.0	8.0	8.5	8.0	8.5	7.5		39.20	3	39.20	3	14.80		563.60
			403 B	10m	2.0	8.0	7.0	8.0	7.5	7.5	8.0	8.5		47.00	2	86.20	2	13.40		
			301 B	10m	1.9	6.5	7.5	7.5	7.0	7.0	7.0	7.5		40.85	5	127.05	2	18.45		
			5132 D	10m	2.1	7.0	6.0	7.0	7.0	7.0	6.5	7.0		44.10	5	171.15	2	29.45		
			107 B	10m	3.0	7.0	7.0	6.5	6.5	6.5	7.5	7.5		61.50	3	232.65	2	54.35		
			6243 D	10m	3.2	5.5	6.0	5.5	4.5	6.5	5.5	4.5		52.80	7	285.45	2	71.75		
			207 C	10m	3.3	7.5	8.0	7.5	7.0	7.5	7.5	7.5		74.25	2	359.70	2	84.45		
			307 C	10m	3.4	6.5	6.5	6.0	7.5	6.5	7.0	6.0		66.30	3	426.00	2	106.35		
			407 C	10m	3.2	7.0	7.0	7.0	7.5	6.5	6.0	8.0		67.20	2	493.20	2	124.15		
			5253 B	10m	3.2	8.0	7.0	7.0	6.5	7.5	7.5	8.0		70.40	2	563.60	2	158.15		
2	3	瓶子 礼智																		
			103 B	10m	1.6	8.0	8.0	8.0	7.5	7.5	8.5	7.5		37.60	5	37.60	5	16.40		492.45
			201 B	10m	1.8	6.5	7.5	7.0	7.5	7.5	7.5	7.5		40.50	5	78.10	5	21.50		
			301 B	10m	1.9	7.5	7.0	6.5	6.5	7.0	7.5	6.5		38.95	=7	117.05	5	28.45		
			403 B	10m	2.0	7.0	7.5	8.0	7.5	7.5	8.0	8.0		46.00	=3	163.05	5	37.55		
			207 C	10m	3.3	6.5	6.0	7.5	5.5	5.5	5.0	4.5		56.10	5	219.15	6	67.85		
			305 C	10m	2.8	5.5	7.0	6.5	6.5	6.5	6.5	6.0		54.60	=5	273.75	4	83.45		
			407 C	10m	3.2	5.5	5.5	6.0	5.0	6.0	5.5	5.5		52.80	4	326.55	3	117.60		
			107 B	10m	3.0	6.5	6.0	6.5	6.0	7.0	6.5	7.0		58.50	4	385.05	3	147.30		
			6243 D	10m	3.2	5.0	5.5	4.5	5.0	5.5	5.0	4.5		48.00	8	433.05	3	184.30		
			5237 D	10m	3.3	6.5	7.0	5.5	7.5	6.0	3.0	5.5		59.40	4	492.45	3	229.30		
9	4	柴 大翔																		
			103 B	10m	1.6	6.5	6.0	7.5	6.0	7.5	7.0	7.0		32.80	8	32.80	8	21.20		449.10
			301 B	10m	1.9	6.5	6.5	7.0	5.5	6.5	7.0	6.5		37.05	=6	69.85	7	29.75		
			403 B	10m	2.0	7.0	7.0	8.0	6.5	7.0	7.0	7.0		42.00	4	111.85	7	33.65		
			5132 D	10m	2.1	7.0	8.0	8.5	6.0	8.0	7.0	8.0		48.30	2	160.15	6	40.45		
			6243 D	10m	3.2	7.0	7.0	8.0	6.5	6.5	8.0	7.0		67.20	2	227.35	3	59.65		
			107 B	10m	3.0	4.0	4.5	6.0	4.0	3.5	4.0	4.5		37.50	10	264.85	5	92.35		
			407 C	10m	3.2	5.0	5.0	5.5	6.0	6.0	5.5	5.0		51.20	6	316.05	6	128.10		
			5253 B	10m	3.2	6.0	6.0	6.0	6.5	6.0	6.0	6.5		57.60	5	373.65	4	158.70		
			205 C	5m	3.0	5.0	5.5	5.0	5.5	5.0	5.0	4.5		45.00	9	418.65	4	198.70		
			305 C	7.5m	2.9	3.5	4.5	4.5	3.0	2.5	3.5	3.5		30.45	11	449.10	4	272.65		

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 高飛込 決勝

開催日 2022/08/20

開始時間 12:30

春野総合運動公園プール

Referee 大久保 一司

Judges 10Round

Asst. Ref 浅田 雅子

1 中島 勝司

2 秋山 真有美

3 小野寺 光喜

4 山崎 雅夫

5 千葉 裕司

6 池本 友馬

7 山田 立

制限選択飛回数 4回

難易度合計 7.6以内

自由選択飛回数 6回

気温 31.7℃

水温 30.9℃

天候 晴れ

演技順	順位	氏名	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
5	5	神田 新						カタ	アタ											
			103 B	10m	1.6	8.0	8.0	8.0	7.0	8.0	8.0	8.0		38.40	4	38.40	4	15.60	438.25	
			5132 D	10m	2.1	7.5	7.0	8.0	7.5	7.5	7.0	7.5		47.25	1	85.65	3	13.95		
			301 B	10m	1.9	7.0	7.0	8.5	6.0	7.0	6.5	6.5		38.95	=7	124.60	3	20.90		
			403 B	10m	2.0	7.5	7.5	8.0	7.0	8.5	8.0	7.5		46.00	=3	170.60	3	30.00		
			107 B	10m	3.0	5.5	5.5	5.5	5.5	5.0	5.0	5.5		49.50	8	220.10	5	66.90		
			5152 B	10m	2.9	4.0	4.0	4.0	3.0	4.0	3.5	4.0		34.80	12	254.90	7	102.30		
			626 C	10m	3.3	4.5	5.0	5.5	5.5	4.5	5.0	5.0		49.50	7	304.40	7	139.75		
			207 C	10m	3.3	3.5	3.5	4.5	3.5	4.0	3.5	4.0		36.30	10	340.70	7	191.65		
			305 C	10m	2.8	7.0	7.0	7.5	6.5	7.0	7.0	6.5		58.80	4	399.50	6	217.85		
			405 C	5m	3.1	4.0	4.0	4.0	2.5	4.5	4.5	4.5		38.75	10	438.25	5	283.50		
8	6	小関 樹						コキ	イキ											
			103 B	10m	1.6	6.5	7.0	7.0	6.0	6.5	6.0	6.0		30.40	11	30.40	11	23.60	437.60	
			301 B	10m	1.9	7.0	5.0	7.0	6.0	5.5	7.0	6.5		37.05	=6	67.45	8	32.15		
			403 B	10m	2.0	7.0	7.0	6.5	6.0	6.5	6.5	7.0		40.00	6	107.45	9	38.05		
			5132 D	10m	2.1	6.0	6.0	7.5	5.0	5.5	5.5	6.5		36.75	10	144.20	8	56.40		
			624 B	10m	2.8	4.5	5.5	6.0	5.0	5.5	5.0	4.5		43.40	10	187.60	9	99.40		
			305 C	10m	2.8	6.5	6.0	6.5	6.5	6.5	6.5	6.5		54.60	=5	242.20	9	115.00		
			107 B	10m	3.0	3.5	3.0	3.5	3.5	3.5	3.5	3.5		31.50	11	273.70	9	170.45		
			207 C	10m	3.3	7.0	7.0	7.0	6.5	7.0	6.5	6.0		67.65	2	341.35	6	191.00		
			407 C	10m	3.2	3.5	4.0	4.0	4.0	3.0	3.5	3.5		35.20	12	376.55	8	240.80		
			5237 D	10m	3.3	6.5	6.0	6.0	5.5	6.0	6.5	6.5		61.05	3	437.60	6	284.15		
10	7	池辺 寛人						イハ	ヒト											
			103 B	10m	1.6	8.5	8.5	8.5	8.0	8.0	9.0	8.5		40.80	2	40.80	2	13.20	435.05	
			301 B	10m	1.9	6.5	6.0	6.5	5.5	6.5	6.0	7.0		36.10	8	76.90	6	22.70		
			403 B	10m	2.0	7.5	8.0	8.5	7.5	7.5	8.0	8.0		47.00	1	123.90	4	21.60		
			612 B	10m	1.9	7.5	8.0	8.0	6.0	7.0	8.5	7.0		42.75	6	166.65	4	33.95		
			107 B	10m	3.0	7.0	7.0	7.0	6.0	6.0	5.5	7.0		60.00	4	226.65	4	60.35		
			205 C	5m	3.0	6.0	5.5	5.5	5.0	5.5	6.5	6.0		51.00	9	277.65	3	79.55		
			305 C	10m	2.8	5.5	5.5	5.5	5.5	5.5	6.0	5.5		46.20	8	323.85	4	120.30		
			6243 D	10m	3.2	3.5	4.0	5.5	4.5	5.0	4.0	4.5		41.60	8	365.45	5	166.90		
			405 B	10m	2.8	4.5	4.5	4.0	3.5	6.0	5.0	5.0		39.20	11	404.65	5	212.70		
			5253 B	10m	3.2	3.5	3.0	3.0	2.5	3.5	2.5	3.5		30.40	12	435.05	7	286.70		
6	8	藤田 優						フダ	ユ											
			103 B	10m	1.6	7.0	7.5	7.0	7.5	8.0	7.0	7.5		35.20	6	35.20	6	18.80	429.70	
			403 B	10m	2.0	7.5	7.0	7.0	6.5	7.5	7.0	7.5		43.00	4	78.20	4	21.40		
			301 B	10m	1.9	6.0	6.5	6.5	5.5	5.5	6.0	6.5		35.15	10	113.35	6	32.15		
			612 B	10m	1.9	6.5	6.5	6.5	6.5	7.0	7.0	6.5		37.05	9	150.40	7	50.20		
			205 C	5m	3.0	5.5	6.0	4.5	6.5	6.0	6.0	6.0		54.00	6	204.40	7	82.60		
			6243 D	10m	3.2	5.5	6.0	6.5	7.0	6.5	5.0	5.5		57.60	2	262.00	6	95.20		
			407 C	10m	3.2	6.0	6.0	6.5	5.5	6.5	5.5	5.5		56.00	3	318.00	5	126.15		
			305 C	10m	2.8	0.5	0.5	3.0	1.5	1.0	0.5	1.5		8.40	12	326.40	9	205.95		
			5253 B	10m	3.2	4.5	5.0	5.5	3.5	5.0	2.0	4.5		44.80	10	371.20	9	246.15		
			107 B	10m	3.0	6.5	6.0	6.5	6.5	6.5	6.0	6.5		58.50	5	429.70	8	292.05		

第90回 日本高等学校選手権 水泳競技大会
飛込競技

採点詳細
男子 高飛込 決勝

開催日 2022/08/20

開始時間 12:30

春野総合運動公園プール

Referee 大久保 一司

Judges 10Round

Asst. Ref 浅田 雅子

1 中島 勝司

2 秋山 真有美

3 小野寺 光喜

4 山崎 雅夫

5 千葉 裕司

6 池本 友馬

7 山田 立

制限選択飛回数 4回

難易度合計 7.6以内

自由選択飛回数 6回

気温 31.7℃

水温 30.9℃

天候 晴れ

演技順	順位	氏名	所属	Dive No.	HT	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
3	9	干賀 望紀斗	四日市工業						セガ	ミト										
		103 B	10m	1.6	7.0	7.5	7.5	7.0	7.5	6.5	7.0	34.40	7	34.40	7	19.60	426.15			
		201 B	10m	1.8	5.5	5.5	6.0	6.0	6.5	5.5	5.5	30.60	=10	65.00	10	34.60				
		301 B	10m	1.9	6.5	6.5	7.0	5.5	6.5	6.5	6.5	37.05	9	102.05	10	43.45				
		403 B	10m	2.0	7.0	6.0	6.5	6.0	7.0	6.5	6.5	39.00	=7	141.05	10	59.55				
		405 B	10m	2.8	6.0	6.0	6.5	5.5	6.5	5.5	5.5	49.00	9	190.05	8	96.95				
		107 B	10m	3.0	6.5	7.0	6.0	5.5	6.5	6.0	6.5	57.00	4	247.05	8	110.15				
		5152 B	10m	2.9	6.0	6.0	6.0	6.0	5.5	6.5	6.5	52.20	5	299.25	8	144.90				
		205 B	10m	2.9	4.0	4.0	4.0	3.0	2.0	3.0	3.5	30.45	11	329.70	8	202.65				
		305 C	10m	2.8	6.5	6.5	6.0	6.0	6.5	6.5	7.0	54.60	5	384.30	7	233.05				
		6241 B	10m	2.7	5.5	5.5	5.0	5.5	4.5	5.0	5.0	41.85	9	426.15	9	295.60				
4	10	柳沼 凌士	浜松開誠館						ヤク	ヌマ	リョウジ									
		103 B	10m	1.6	6.5	6.5	6.5	6.5	7.0	6.5	6.5	31.20	10	31.20	10	22.80	417.75			
		201 B	10m	1.8	4.5	4.5	4.5	4.0	4.5	4.5	5.0	24.30	12	55.50	12	44.10				
		301 B	10m	1.9	6.0	5.5	6.5	5.5	5.5	6.0	6.0	33.25	11	88.75	12	56.75				
		403 B	10m	2.0	6.5	6.0	6.5	6.5	6.5	6.0	6.5	39.00	=7	127.75	11	72.85				
		405 B	10m	2.8	6.5	5.5	5.5	6.0	7.0	6.0	6.5	51.80	7	179.55	10	107.45				
		305 C	10m	2.8	6.0	7.5	7.0	7.0	7.0	6.5	6.5	57.40	3	236.95	10	120.25				
		205 B	10m	2.9	3.5	2.5	4.0	4.0	3.5	3.5	3.5	30.45	12	267.40	10	176.75				
		107 B	10m	3.0	5.0	4.5	5.5	5.0	5.0	4.5	5.0	45.00	7	312.40	10	219.95				
		5152 B	10m	2.9	5.5	6.0	6.0	5.5	6.0	6.0	5.5	50.75	6	363.15	11	254.20				
		624 B	10m	2.8	6.5	5.5	6.5	6.5	6.0	6.5	6.5	54.60	6	417.75	10	304.00				
7	11	川村 健斗	土佐						カム	ケト										
		103 B	7.5m	1.6	6.0	6.0	5.5	6.5	6.5	5.5	6.0	28.80	12	28.80	12	25.20	415.50			
		201 B	7.5m	1.8	5.0	6.0	5.5	5.5	6.5	6.5	5.5	30.60	=10	59.40	11	40.20				
		403 B	7.5m	2.1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	31.50	12	90.90	11	54.60				
		301 B	7.5m	1.9	5.0	4.0	5.5	5.0	5.0	4.5	5.0	28.50	12	119.40	12	81.20				
		614 B	10m	2.4	5.5	6.0	5.5	6.0	4.5	5.0	5.0	38.40	11	157.80	12	129.20				
		107 B	10m	3.0	6.0	6.0	7.0	6.0	5.5	5.5	5.5	52.50	8	210.30	12	146.90				
		407 C	10m	3.2	4.0	4.5	4.0	3.5	4.0	4.0	3.5	38.40	10	248.70	12	195.45				
		5152 B	10m	2.9	6.5	6.0	6.5	5.5	6.5	6.0	6.5	55.10	6	303.80	11	228.55				
		307 C	10m	3.4	5.5	6.0	6.0	6.5	5.5	5.5	6.0	59.50	3	363.30	10	254.05				
		207 B	10m	3.6	4.5	4.0	5.0	4.0	5.0	5.0	5.0	52.20	7	415.50	11	306.25				
1	12	内藤 栄将	富士市立						ナトウ	イト										
		401 B	5m	1.5	7.0	7.0	7.5	6.5	6.5	7.0	7.0	31.50	9	31.50	9	22.50	390.10			
		103 B	10m	1.6	7.0	7.0	7.5	7.5	7.0	7.0	7.0	33.60	9	65.10	9	34.50				
		5132 D	10m	2.1	7.5	7.0	7.5	7.0	7.0	7.0	7.0	44.10	3	109.20	8	36.30				
		612 B	10m	1.9	4.5	6.0	6.5	5.5	6.0	5.5	6.5	33.25	11	142.45	9	58.15				
		403 B	10m	2.0	6.0	5.0	6.0	5.5	6.5	5.5	5.5	34.00	12	176.45	11	110.55				
		301 B	10m	1.9	6.0	6.5	6.0	6.5	7.0	6.5	6.5	37.05	11	213.50	11	143.70				
		105 B	5m	2.6	6.0	5.5	5.0	5.5	4.5	5.0	5.0	40.30	9	253.80	11	190.35				
		624 B	10m	2.8	4.5	4.5	5.0	4.5	4.5	5.0	5.5	39.20	9	293.00	12	239.35				
		205 C	5m	3.0	5.5	5.5	5.0	5.5	5.5	5.5	5.0	49.50	7	342.50	12	274.85				
		5235 D	7.5m	2.8	6.0	6.0	5.0	6.0	5.5	5.5	5.0	47.60	8	390.10	12	331.65				